

**Table 2. Number, median days, incidence rate<sup>1</sup> and relative standard errors of nonfatal occupational injuries and illnesses with days away from work<sup>2</sup> involving musculoskeletal disorders<sup>3</sup> by selected parts of body, Louisiana, 2001**

Part of body	Number	Median days away from work	Incidence rate	Relative standard error
Total	5,079	8	37.2	7.2
1 Neck, Including Throat	131	15	1.0	23.4
10 Neck, except internal location of diseases or disorders	131	15	1.0	23.4
2 Trunk	3,962	8	29.0	7.5
20 Trunk, unspecified	--	--	--	--
21 Shoulder, including clavicle, scapula	597	17	4.4	12.3
22 Chest, including ribs, internal organs	--	--	--	--
220 Chest, except internal location of diseases or disorders	--	--	--	--
23 Back, including spine, spinal cord	2,842	7	20.8	7.9
230 Back, including spine, spinal cord, unspecified	1,453	7	10.6	9.2
231 Lumbar region	1,293	7	9.5	9.5
232 Thoracic region	58	4	0.4	34.5
238 Multiple back regions	--	--	--	--
239 Back, including spine, spinal cord, n.e.c.	--	--	--	--
24 Abdomen	295	10	2.2	16.3
240 Abdomen, except internal location of diseases or disorders	52	5	0.4	36.3
241 Internal abdominal location, unspecified	218	10	1.6	18.6
242 Stomach organ	--	--	--	--
245 Intestines, peritoneum	--	--	--	--
2450 Intestines, peritoneum, unspecified	--	--	--	--
25 Pelvic region	120	4	0.9	24.4
251 Hip(s)	--	--	--	--
254 Groin	114	4	0.8	25.0
255 External reproductive tract structures	--	--	--	--
2550 External reproductive tract structures, unspecified	--	--	--	--
259 Pelvic region, n.e.c.	--	--	--	--
28 Multiple trunk locations	47	3	0.3	38.2
29 Trunk, n.e.c.	--	--	--	--
3 Upper extremities	566	5	4.1	12.5
30 Upper extremities, unspecified	--	--	--	--
31 Arm(s)	148	5	1.1	22.1
310 Arm(s), unspecified	46	5	0.3	38.5
311 Upper arm(s)	19	10	0.1	59.0
312 Elbow(s)	43	122	0.3	39.9
313 Forearm(s)	--	--	--	--
32 Wrist(s)	323	3	2.4	15.7
33 Hand(s), except finger(s)	57	9	0.4	34.8
34 Finger(s), fingernail(s)	--	--	--	--
38 Multiple upper extremities locations	--	--	--	--
381 Hand(s) and finger(s)	--	--	--	--
382 Hand(s) and wrist(s)	--	--	--	--
383 Hand(s) and arm(s)	--	--	--	--
389 Multiple upper extremities locations, n.e.c.	--	--	--	--
4 Lower extremities	316	27	2.3	15.8
41 Leg(s)	283	27	2.1	16.6
410 Leg(s), unspecified	--	--	--	--
411 Thigh(s)	--	--	--	--
412 Knee(s)	241	34	1.8	17.8
413 Lower leg(s)	--	--	--	--
42 Ankle(s)	--	--	--	--
48 Multiple lower extremities locations	--	--	--	--

**Table 2. Number, median days, incidence rate<sup>1</sup> and relative standard errors of nonfatal occupational injuries and illnesses with days away from work<sup>2</sup> involving musculoskeletal disorders<sup>3</sup> by selected parts of body, Louisiana, 2001**

	Part of body	Number	Median days away from work	Incidence rate	Relative standard error
489	Multiple lower extremities locations, n.e.c.	--	--	--	--
8	Multiple Body Parts	73	4	0.5	30.9
9	Other Body Parts	--	--	--	--
98	Other body parts, n.e.c.	--	--	--	--

<sup>1</sup> Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as:  $(N / EH) \times 20,000,000$  where,

N = number of injuries and illnesses,

EH = total hours worked by all employees during the calendar year,

20,000,000 = base for 10,000 full-time equivalent workers (working 40 hours per week, 50 weeks per year).

<sup>2</sup> Days away from work include those which result in days away from work with or without restricted work activity.

<sup>3</sup> Includes cases where the nature of injury is: sprains, strains, tears; back pain, hurt back; soreness, pain, hurt, except back; carpal tunnel syndrome; hernia; or musculoskeletal system and connective tissue diseases and disorders and when the event or exposure leading to the injury or illness is: bodily reaction/bending, climbing, crawling, reaching, twisting; overexertion; or repetition. Cases of Raynaud's phenomenon, tarsal tunnel syndrome, and herniated spinal discs are not included. Although these cases may be considered MSD's, the survey classifies these cases in categories that also include non-MSD cases.

NOTE: Dashes indicate data that do not meet publication guidelines or data for incidence rates less than .05 per 10,000 full-time workers. The scientifically selected probability sample used was one of many possible samples, each of which could have produced different estimates. A measure of sampling variability for each estimate is available upon request.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, August 07, 2003