

**Table 2. Number, incidence rate <sup>1</sup>, median days away from work <sup>2</sup> and relative standard errors <sup>3</sup> of occupational injuries and illnesses involving days away from work <sup>4</sup> to selected parts of body with musculoskeletal disorders <sup>5</sup> in selected ownerships for New Mexico, 2005**

Ownership	Part of body affected	Total Cases	Incidence Rate	Median Days	Relative Standard Error
private industry	All Parts	2,280	45.0	10	11.0
private industry	1 Neck- Including Throat	40	0.7	23	35.9
private industry	10 Neck- except internal location of diseases or disorders	40	0.7	23	35.9
private industry	2 Trunk	1,600	31.6	9	11.3
private industry	21 Shoulder- including clavicle- scapula	330	6.5	17	15.3
private industry	22 Chest- including ribs- internal organs	20	0.4	2	49.1
private industry	220 Chest- except internal location of diseases or disorders	20	0.4	2	49.1
private industry	23 Back- including spine- spinal cord	1,020	20.1	8	12.0
private industry	230 Back- including spine- spinal cord- unspecified	470	9.3	4	14.0
private industry	231 Lumbar region	530	10.5	8	13.6
private industry	24 Abdomen	220	4.3	23	17.5
private industry	240 Abdomen- except internal location of diseases or disorders	20	0.4	11	50.2
private industry	241 Internal abdominal location- unspecified	70	1.5	18	26.4
private industry	242 Stomach organ	40	0.9	23	33.1
private industry	245 Intestines- peritoneum	80	1.6	40	25.7
private industry	2450 Intestines- peritoneum- unspecified	80	1.6	40	25.7
private industry	25 Pelvic region	20	0.3	13	51.0
private industry	3 Upper extremities	420	8.3	15	14.4
private industry	31 Arm(s)	110	2.1	24	22.5
private industry	310 Arm(s)- unspecified	40	0.7	19	36.8
private industry	312 Elbow(s)	60	1.2	24	28.9
private industry	32 Wrist(s)	100	2.0	3	23.3
private industry	33 Hand(s)- except finger(s)	60	1.3	1	28.0
private industry	34 Finger(s)- fingernail(s)	20	0.4	42	48.1
private industry	38 Multiple upper extremities locations	130	2.5	15	21.1
private industry	4 Lower extremities	180	3.5	4	18.7
private industry	41 Leg(s)	160	3.2	4	19.4
private industry	412 Knee(s)	150	3.0	4	19.9
private industry	8 Multiple Body Parts	40	0.9	12	33.3

See footnotes at end of table

**Table 2. Number, incidence rate <sup>1</sup>, median days away from work <sup>2</sup> and relative standard errors <sup>3</sup> of occupational injuries and illnesses involving days away from work <sup>4</sup> to selected parts of body with musculoskeletal disorders <sup>5</sup> in selected ownerships for New Mexico, 2005 -- Continued**

Ownership	Part of body affected	Total Cases	Incidence Rate	Median Days	Relative Standard Error
state government	All Parts	210	49.1	5	8.6
state government	2 Trunk	150	35.3	5	9.4
state government	21 Shoulder- including clavicle- scapula	20	4.8	4	20.0
state government	23 Back- including spine- spinal cord	130	29.9	5	9.8
state government	231 Lumbar region	80	18.5	6	11.5
state government	3 Upper extremities	20	5.6	8	18.7
state government	4 Lower extremities	20	5.5	3	18.7
state government	41 Leg(s)	20	5.1	3	19.4
state government	412 Knee(s)	20	5.1	3	19.4

<sup>1</sup> Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as:  $(N / EH) \times 20,000,000$  where,

N = number of injuries and illnesses,  
 EH = total hours worked by all employees during the calendar year,  
 20,000,000 = base for 10,000 full-time equivalent workers (working 40 hours per week, 50 weeks per year).

<sup>2</sup> Median days away from work is the measure used to summarize the varying lengths of absences from work among the cases with days away from work. Half the cases involved more days and half involved less days than a specified median. Median days away from work are represented in actual values.

<sup>3</sup> Relative standard errors are a measure of the sampling error of an estimate. Sampling errors occur because observations are made on a sample, not on the entire population. Estimates based on the different possible samples of the same size and sample design could differ. Relative standard errors less than 0.05 are not shown.

<sup>4</sup> Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

<sup>5</sup> Includes cases where the nature of injury is: sprains, strains, tears; back pain, hurt back; soreness, pain, hurt, except back; carpal tunnel syndrome; hernia; or musculoskeletal system and connective tissue diseases and disorders and when the event or exposure leading to the injury or illness is: bodily reaction/bending, climbing, crawling, reaching, twisting; overexertion; or repetition. Cases of Raynaud's phenomenon, tarsal tunnel syndrome, and herniated spinal discs are not included. Although these cases may be considered MSD's, the survey classifies these cases in categories that also include non-MSD cases.

NOTE: Dashes indicate data that do not meet publication guidelines or data for incidence rates less than .05 per 10,000 full-time workers. The scientifically selected probability sample used was one of many possible samples, each of which could have produced different estimates. A measure of sampling variability for each estimate is available upon request.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, November 2006