

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2009

Part of body	Part of body code ²	Local government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Total		197,660	84,000	11,810	7,610	6,850	760	20,710	2,650	610
Head	0	10,870	30	300	2,040	2,020	20	2,050	500	300
Head, unspecified	00	2,480	—	—	630	630	—	630	—	—
Cranial region, including skull	01	1,820	—	—	400	400	—	240	—	—
Brain	011	1,110	—	—	—	—	—	20	—	—
Scalp	012	630	—	—	380	380	—	190	—	—
Skull	013	40	—	—	—	—	—	30	—	—
Cranial region, n.e.c.	019	30	—	—	—	—	—	—	—	—
Ear(s)	02	620	—	—	50	50	—	—	370	—
Face	03	5,580	—	280	910	900	20	1,140	120	300
Face, unspecified	030	620	—	—	50	50	—	280	—	—
Forehead	031	490	—	—	230	230	—	180	—	—
Eye(s)	032	2,840	—	—	300	280	—	270	—	260
Nose, nasal cavity	033	390	—	100	20	20	—	200	—	—
Nose, except internal location of diseases or disorders	0330	380	—	100	20	20	—	200	—	—
Cheek(s)	034	230	—	—	30	30	—	50	90	—
Jaw/chin	035	250	—	20	130	130	—	—	—	—
Mouth	036	200	—	50	50	50	—	20	—	—
Mouth, unspecified	0360	60	—	—	30	30	—	—	—	—
Lip(s)	0361	20	—	—	—	—	—	—	—	—
Tooth(teeth)	0363	50	—	50	—	—	—	—	—	—
Multiple mouth locations	0368	50	—	—	—	—	—	—	—	—
Multiple face locations	038	440	—	80	20	20	—	120	—	20
Face, n.e.c.	039	120	—	—	70	70	—	30	—	—
Multiple head locations	08	340	—	—	40	40	—	40	—	—
Head, n.e.c.	09	30	—	—	—	—	—	—	—	—
Neck, including throat	1	3,140	1,910	—	—	—	—	160	—	—
Neck, except internal location of diseases or disorders ...	10	3,090	1,910	—	—	—	—	160	—	—
Trunk	2	60,290	38,120	1,440	40	40	—	2,860	150	20
Trunk, unspecified	20	390	80	100	—	—	—	30	—	—
Shoulder, including clavicle, scapula	21	14,410	9,260	510	—	—	—	1,150	—	—
Chest, including ribs, internal organs	22	4,410	830	310	20	—	—	540	—	—
Chest, except internal location of diseases or disorders	220	3,220	830	310	20	—	—	540	—	—
Internal chest location, unspecified	221	100	—	—	—	—	—	—	—	—
Heart	223	200	—	—	—	—	—	—	—	—
Lung(s), pleura	225	860	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	34,580	25,640	220	—	—	—	770	—	—

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2009 — Continued

Part of body	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Total	260	1,020	430	9,320	1,280	4,380	23,790	5,910	35,450
Head	—	—	—	390	70	—	870	—	4,400
Head, unspecified	—	—	—	30	—	—	500	—	680
Cranial region, including skull	—	—	—	—	—	—	—	—	1,160
Brain	—	—	—	—	—	—	—	—	1,090
Scalp	—	—	—	—	—	—	—	—	60
Skull	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	—	—	—	—	—	200
Face	—	—	—	260	60	—	300	—	2,250
Face, unspecified	—	—	—	60	—	—	110	—	80
Forehead	—	—	—	30	—	—	20	—	30
Eye(s)	—	—	—	30	—	—	120	—	1,840
Nose, nasal cavity	—	—	—	40	30	—	—	—	30
Nose, except internal location of diseases or disorders	—	—	—	40	30	—	—	—	20
Cheek(s)	—	—	—	—	—	—	—	—	40
Jaw/chin	—	—	—	—	—	—	—	—	80
Mouth	—	—	—	20	—	—	—	—	50
Mouth, unspecified	—	—	—	—	—	—	—	—	—
Lip(s)	—	—	—	—	—	—	—	—	—
Tooth(teeth)	—	—	—	—	—	—	—	—	—
Multiple mouth locations	—	—	—	—	—	—	—	—	30
Multiple face locations	—	—	—	70	20	—	30	—	90
Face, n.e.c.	—	—	—	—	—	—	—	—	20
Multiple head locations	—	—	—	90	—	—	70	—	80
Head, n.e.c.	—	—	—	—	—	—	—	—	—
Neck, including throat	—	—	—	30	—	20	630	—	400
Neck, except internal location of diseases or disorders ...	—	—	—	30	—	20	630	—	340
Trunk	—	—	150	760	30	630	8,960	5,910	7,800
Trunk, unspecified	—	—	—	—	—	—	110	—	40
Shoulder, including clavicle, scapula	—	—	150	80	—	80	1,340	—	1,910
Chest, including ribs, internal organs	—	—	—	50	20	20	780	—	1,880
Chest, except internal location of diseases or disorders	—	—	—	50	20	20	780	—	700
Internal chest location, unspecified	—	—	—	—	—	—	—	—	100
Heart	—	—	—	—	—	—	—	—	200
Lung(s), pleura	—	—	—	—	—	—	—	—	860
Back, including spine, spinal cord	—	—	—	490	—	440	5,910	5,910	1,540

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2009 — Continued

Part of body	Part of body code ²	Local government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Back, including spine, spinal cord, unspecified	230	13,880	10,180	40	—	—	—	280	—	—
Lumbar region	231	17,330	13,450	110	—	—	—	200	—	—
Thoracic region	232	1,400	960	40	—	—	—	20	—	—
Sacral region	233	40	20	—	—	—	—	—	—	—
Coccygeal region	234	250	20	30	—	—	—	120	—	—
Multiple back regions	238	1,500	860	—	—	—	—	140	—	—
Back, including spine, spinal cord, n.e.c.	239	190	140	—	—	—	—	—	—	—
Abdomen	24	2,540	350	—	—	—	—	40	—	—
Abdomen, except internal location of diseases or disorders	240	920	350	—	—	—	—	40	—	—
Internal abdominal location, unspecified	241	960	—	—	—	—	—	—	—	—
Stomach organ	242	40	—	—	—	—	—	—	—	—
Urinary organs	244	30	—	—	—	—	—	—	—	—
Bladder	2441	30	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	550	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	2450	500	—	—	—	—	—	—	—	—
Intestines, n.e.c.	2459	20	—	—	—	—	—	—	—	—
Pelvic region	25	2,680	1,310	290	—	—	—	240	—	—
Hip(s)	251	1,440	580	250	—	—	—	100	—	—
Pelvis	252	70	—	40	—	—	—	—	—	—
Buttock(s)	253	200	—	—	—	—	—	100	—	—
Groin	254	920	720	—	—	—	—	50	—	—
External reproductive tract structures	255	30	—	—	—	—	—	—	—	—
Multiple trunk locations	28	1,230	640	—	—	—	—	70	—	—
Trunk, n.e.c.	29	60	—	—	—	—	—	—	—	—
Upper extremities	3	33,360	8,270	4,000	4,160	3,730	430	4,870	910	80
Upper extremities, unspecified	30	230	20	—	—	—	—	—	—	—
Arm(s)	31	8,350	2,050	980	280	250	20	1,730	380	—
Arm(s), unspecified	310	2,580	750	290	110	100	—	350	100	—
Upper arm(s)	311	760	520	40	—	—	—	—	—	—
Elbow(s)	312	3,630	450	580	50	40	—	1,230	40	—
Forearm(s)	313	960	160	60	100	100	—	120	240	—
Multiple arm(s) locations	318	380	150	—	—	—	—	20	—	—
Arm(s), n.e.c.	319	50	30	—	—	—	—	—	—	—
Wrist(s)	32	7,460	3,130	1,210	60	40	—	120	50	—
Hand(s), except finger(s)	33	6,210	1,340	520	1,550	1,310	240	990	280	70
Finger(s), fingernail(s)	34	8,320	830	1,250	2,170	2,020	150	1,410	70	—
Multiple upper extremities locations	38	2,760	880	50	90	90	—	620	120	—
Multiple upper extremities locations, unspecified	380	40	20	—	—	—	—	—	—	—
Hand(s) and finger(s)	381	860	460	—	70	70	—	40	40	—
Hand(s) and wrist(s)	382	560	180	20	—	—	—	70	—	—
Hand(s) and arm(s)	383	220	50	—	—	—	—	—	30	—
Multiple upper extremities locations, n.e.c.	389	1,090	170	—	—	—	—	500	50	—
Upper extremities, n.e.c.	39	40	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2009 — Continued

Part of body	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Back, including spine, spinal cord, unspecified	—	—	—	70	—	50	2,360	2,360	950
Lumbar region	—	—	—	400	—	370	2,710	2,710	450
Thoracic region	—	—	—	—	—	—	350	350	20
Sacral region	—	—	—	—	—	—	—	—	—
Coccygeal region	—	—	—	—	—	—	40	40	30
Multiple back regions	—	—	—	—	—	—	420	420	60
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	20	20	30
Abdomen	—	—	—	—	—	—	230	—	1,910
Abdomen, except internal location of diseases or disorders	—	—	—	—	—	—	230	—	290
Internal abdominal location, unspecified	—	—	—	—	—	—	—	—	960
Stomach organ	—	—	—	—	—	—	—	—	40
Urinary organs	—	—	—	—	—	—	—	—	30
Bladder	—	—	—	—	—	—	—	—	30
Intestines, peritoneum	—	—	—	—	—	—	—	—	550
Intestines, peritoneum, unspecified	—	—	—	—	—	—	—	—	500
Intestines, n.e.c.	—	—	—	—	—	—	—	—	20
Pelvic region	—	—	—	40	—	30	510	—	280
Hip(s)	—	—	—	40	—	30	360	—	120
Pelvis	—	—	—	—	—	—	—	—	—
Buttock(s)	—	—	—	—	—	—	40	—	50
Groin	—	—	—	—	—	—	100	—	40
External reproductive tract structures	—	—	—	—	—	—	—	—	—
Multiple trunk locations	—	—	—	100	—	50	60	—	230
Trunk, n.e.c.	—	—	—	—	—	—	30	—	—
Upper extremities	250	1,020	200	670	160	280	3,550	—	5,380
Upper extremities, unspecified	—	—	—	—	—	—	20	—	190
Arm(s)	—	—	100	200	—	150	1,070	—	1,570
Arm(s), unspecified	—	—	30	—	—	—	240	—	720
Upper arm(s)	—	—	—	—	—	—	90	—	50
Elbow(s)	—	—	40	160	—	140	600	—	480
Forearm(s)	—	—	—	—	—	—	30	—	230
Multiple arm(s) locations	—	—	—	20	—	—	100	—	80
Arm(s), n.e.c.	—	—	—	—	—	—	—	—	—
Wrist(s)	—	1,020	30	30	—	20	1,090	—	710
Hand(s), except finger(s)	—	—	—	110	—	40	370	—	970
Finger(s), fingernail(s)	250	—	20	180	80	40	730	—	1,410
Multiple upper extremities locations	—	—	40	140	60	30	280	—	530
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	—	—	—
Hand(s) and finger(s)	—	—	—	40	20	—	20	—	170
Hand(s) and wrist(s)	—	—	40	30	—	20	110	—	100
Hand(s) and arm(s)	—	—	—	—	—	—	—	—	100
Multiple upper extremities locations, n.e.c.	—	—	—	60	30	—	140	—	150
Upper extremities, n.e.c.	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2009 — Continued

Part of body	Part of body code ²	Local government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Lower extremities	4	50,960	26,010	5,720	1,130	890	230	6,160	300	60
Lower extremities, unspecified	40	70	30	—	—	—	—	—	—	—
Leg(s)	41	28,950	14,940	1,300	920	790	130	4,320	60	50
Leg(s), unspecified	410	2,150	610	220	230	190	30	620	—	—
Thigh(s)	411	780	500	50	100	30	80	20	—	—
Knee(s)	412	22,560	12,390	820	410	410	—	2,970	—	—
Lower leg(s)	413	2,280	1,300	170	170	160	20	180	50	40
Multiple leg(s) locations	418	1,150	130	20	—	—	—	530	—	—
Leg(s), n.e.c.	419	20	—	—	—	—	—	—	—	—
Ankle(s)	42	12,550	8,590	2,240	20	20	—	140	—	—
Foot(foot), except toe(s)	43	5,320	1,320	1,380	160	60	100	810	220	—
Foot(foot), except toe(s), unspecified	430	4,660	1,060	1,320	120	30	90	740	90	—
Instep(s)	431	30	—	—	—	—	—	—	—	—
Sole	432	430	200	50	40	30	—	60	—	—
Heel(s)	4323	410	200	50	30	30	—	60	—	—
Multiple foot(foot) locations	438	50	50	—	—	—	—	—	—	—
Foot(foot), n.e.c.	439	150	—	—	—	—	—	—	—	—
Toe(s), toenail(s)	44	1,340	190	710	20	—	—	160	—	—
Multiple lower extremities locations	48	2,640	890	80	—	—	—	730	—	—
Multiple lower extremities locations, unspecified	480	40	—	—	—	—	—	—	—	—
Foot(foot) and leg(s)	481	160	30	—	—	—	—	30	—	—
Foot(foot) and ankle(s)	482	700	470	20	—	—	—	20	—	—
Foot(foot) and toe(s)	483	130	—	30	—	—	—	60	—	—
Multiple lower extremities locations, n.e.c.	489	1,610	380	30	—	—	—	610	—	—
Lower extremities, n.e.c.	49	90	50	—	—	—	—	—	—	—
Body systems	5	4,140	—	—	—	—	—	—	—	—
Multiple body parts	8	32,610	9,530	330	180	170	—	4,560	790	150
Nonclassifiable	9999	2,290	140	—	60	—	60	40	—	—

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2009 — Continued

Part of body	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Lower extremities	—	—	40	1,400	230	700	6,100	—	4,050
Lower extremities, unspecified	—	—	—	—	—	—	—	—	20
Leg(s)	—	—	—	870	30	490	3,800	—	2,690
Leg(s), unspecified	—	—	—	40	—	—	230	—	200
Thigh(s)	—	—	—	—	—	—	40	—	60
Knee(s)	—	—	—	640	20	390	3,190	—	2,130
Lower leg(s)	—	—	—	70	—	50	110	—	180
Multiple leg(s) locations	—	—	—	120	—	40	220	—	130
Leg(s), n.e.c.	—	—	—	—	—	—	—	—	—
Ankle(s)	—	—	—	90	20	40	1,130	—	330
Foot(feet), except toe(s)	—	—	20	100	50	30	840	—	450
Foot(feet), except toe(s), unspecified	—	—	—	100	50	30	770	—	430
Instep(s)	—	—	—	—	—	—	20	—	—
Sole	—	—	—	—	—	—	40	—	20
Heel(s)	—	—	—	—	—	—	40	—	20
Multiple foot(feet) locations	—	—	—	—	—	—	—	—	—
Foot(feet), n.e.c.	—	—	—	—	—	—	—	—	—
Toe(s), toenail(s)	—	—	—	20	—	—	80	—	160
Multiple lower extremities locations	—	—	—	310	130	150	220	—	380
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	—	—	20
Foot(feet) and leg(s)	—	—	—	30	—	—	—	—	60
Foot(feet) and ankle(s)	—	—	—	60	20	40	30	—	70
Foot(feet) and toe(s)	—	—	—	—	—	—	—	—	30
Multiple lower extremities locations, n.e.c.	—	—	—	220	100	90	170	—	210
Lower extremities, n.e.c.	—	—	—	—	—	—	—	—	—
Body systems	—	—	—	—	—	—	—	—	4,140
Multiple body parts	—	—	20	6,050	780	2,720	3,660	—	7,320
Nonclassifiable	—	—	30	20	—	—	20	—	1,980

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Nature codes: Sprains, strains, tears = 021; Fractures = 012; Cuts, lacerations, punctures = 034, 037; Cuts, lacerations = 034; Punctures = 037; Bruises, contusions = 043; Heat burns = 053; Chemical burns = 051; Amputations = 031; Carpal tunnel syndrome = 1241; Tendonitis = 1733; Multiple traumatic injuries and illnesses, Total = 080-089; With fractures, burns, and other injuries = 083, 084; With sprains and bruises = 082; Back pain and pain, except back, Total = 0972, 0973; Back

pain, hurt back only = 0972; All other natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies