

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected sources of injury or illness, local government, 2009

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Source of injury or illness <sup>4</sup>				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total .....		197,660	2,220	11,430	7,590	4,160	7,450
<b>Head</b> .....	0	10,870	440	510	510	250	580
Head, unspecified .....	00	2,480	20	40	180	120	180
Cranial region, including skull .....	01	1,820	—	260	100	50	100
Brain .....	011	1,110	—	20	80	40	60
Scalp .....	012	630	—	240	20	—	40
Skull .....	013	40	—	—	—	—	—
Cranial region, n.e.c. ....	019	30	—	—	—	—	—
Ear(s) .....	02	620	—	—	—	—	—
Face .....	03	5,580	420	190	210	80	230
Face, unspecified .....	030	620	20	—	—	—	—
Forehead .....	031	490	—	20	—	40	20
Eye(s) .....	032	2,840	370	100	130	20	160
Nose, nasal cavity .....	033	390	—	30	20	—	—
Nose, except internal location of diseases or disorders .....	0330	380	—	30	20	—	—
Cheek(s) .....	034	230	—	—	—	—	—
Jaw/chin .....	035	250	—	—	—	—	—
Mouth .....	036	200	—	20	—	—	—
Mouth, unspecified .....	0360	60	—	20	—	—	—
Lip(s) .....	0361	20	—	—	—	—	—
Tooth(teeth) .....	0363	50	—	—	—	—	—
Multiple mouth locations .....	0368	50	—	—	—	—	—
Multiple face locations .....	038	440	30	—	40	—	—
Face, n.e.c. ....	039	120	—	—	—	—	—
Multiple head locations .....	08	340	—	20	—	—	60
Head, n.e.c. ....	09	30	—	—	—	—	—
<b>Neck, including throat</b> .....	1	3,140	—	200	40	80	100
Neck, except internal location of diseases or disorders ...	10	3,090	—	200	40	80	100
<b>Trunk</b> .....	2	60,290	530	6,970	3,050	1,350	2,970
Trunk, unspecified .....	20	390	—	—	—	20	—
Shoulder, including clavicle, scapula .....	21	14,410	—	1,370	310	320	740
Chest, including ribs, internal organs .....	22	4,410	420	360	310	80	70
Chest, except internal location of diseases or disorders .....	220	3,220	20	360	310	80	70
Internal chest location, unspecified .....	221	100	—	—	—	—	—
Heart .....	223	200	—	—	—	—	—
Lung(s), pleura .....	225	860	400	—	—	—	—
Back, including spine, spinal cord .....	23	34,580	30	4,510	1,980	840	1,460
Back, including spine, spinal cord, unspecified .....	230	13,880	20	1,740	880	180	640
Lumbar region .....	231	17,330	—	2,320	880	550	760

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected sources of injury or illness, local government, 2009 — Continued

Part of body	Source of injury or illness <sup>4</sup>							All other sources <sup>5</sup>
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
<b>Total</b> .....	47,780	4,970	20,730	32,500	30,490	25,440	6,930	33,390
<b>Head</b> .....	1,520	510	640	30	20	1,880	170	3,990
Head, unspecified .....	440	90	300	—	—	530	20	570
Cranial region, including skull .....	550	40	180	—	—	270	30	250
Brain .....	350	—	120	—	—	250	20	180
Scalp .....	150	40	60	—	—	20	—	60
Skull .....	20	—	—	—	—	—	—	—
Cranial region, n.e.c. ....	20	—	—	—	—	—	—	—
Ear(s) .....	—	—	—	—	—	—	—	570
Face .....	470	310	130	—	—	960	100	2,580
Face, unspecified .....	50	80	—	—	—	240	—	210
Forehead .....	120	—	70	—	—	—	—	130
Eye(s) .....	20	40	—	—	—	210	40	1,780
Nose, nasal cavity .....	20	160	—	—	—	100	—	40
Nose, except internal location of diseases or disorders .....	20	160	—	—	—	100	—	40
Cheek(s) .....	30	—	—	—	—	—	—	150
Jaw/chin .....	140	—	—	—	—	—	—	80
Mouth .....	30	—	—	—	—	70	—	60
Mouth, unspecified .....	—	—	—	—	—	30	—	—
Lip(s) .....	—	—	—	—	—	—	—	—
Tooth(teeth) .....	—	—	—	—	—	—	—	20
Multiple mouth locations .....	—	—	—	—	—	—	—	20
Multiple face locations .....	50	20	—	—	—	220	—	50
Face, n.e.c. ....	—	—	—	—	—	30	—	80
Multiple head locations .....	30	—	20	—	—	110	—	20
Head, n.e.c. ....	30	—	—	—	—	—	—	—
<b>Neck, including throat</b> .....	180	20	990	420	280	470	180	640
Neck, except internal location of diseases or disorders ...	180	20	990	390	260	470	180	610
<b>Trunk</b> .....	9,280	1,840	4,580	10,570	9,950	10,140	4,700	8,980
Trunk, unspecified .....	70	30	30	—	—	30	—	160
Shoulder, including clavicle, scapula .....	2,870	560	1,070	2,110	2,070	2,900	600	2,160
Chest, including ribs, internal organs .....	470	50	280	490	200	580	220	1,300
Chest, except internal location of diseases or disorders .....	460	50	270	210	140	500	140	910
Internal chest location, unspecified .....	—	—	—	80	40	—	—	—
Heart .....	—	—	—	180	—	—	—	20
Lung(s), pleura .....	—	—	—	20	—	90	80	350
Back, including spine, spinal cord .....	4,720	1,020	2,770	6,890	6,640	5,910	3,560	4,430
Back, including spine, spinal cord, unspecified .....	2,150	320	1,070	2,600	2,430	2,340	1,290	1,940
Lumbar region .....	1,720	680	1,340	3,730	3,660	3,100	1,990	2,240

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected sources of injury or illness, local government, 2009 — Continued

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Source of injury or illness <sup>4</sup>				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Thoracic region .....	232	1,400	—	370	150	90	—
Sacral region .....	233	40	—	—	—	—	—
Coccygeal region .....	234	250	—	—	—	—	—
Multiple back regions .....	238	1,500	—	70	30	—	30
Back, including spine, spinal cord, n.e.c. ....	239	190	—	—	30	—	20
Abdomen .....	24	2,540	50	360	310	50	470
Abdomen, except internal location of diseases or disorders .....	240	920	—	170	180	30	60
Internal abdominal location, unspecified .....	241	960	—	60	60	—	380
Stomach organ .....	242	40	—	—	—	—	—
Urinary organs .....	244	30	—	—	—	—	—
Bladder .....	2441	30	—	—	—	—	—
Intestines, peritoneum .....	245	550	—	100	60	—	40
Intestines, peritoneum, unspecified .....	2450	500	—	100	50	—	40
Intestines, n.e.c. ....	2459	20	—	—	—	—	—
Pelvic region .....	25	2,680	30	180	90	30	130
Hip(s) .....	251	1,440	—	20	60	—	20
Pelvis .....	252	70	—	—	—	—	—
Buttock(s) .....	253	200	—	—	—	—	—
Groin .....	254	920	—	160	30	20	100
External reproductive tract structures .....	255	30	—	—	—	—	—
Multiple trunk locations .....	28	1,230	—	180	40	20	30
Trunk, n.e.c. ....	29	60	—	—	—	—	—
<b>Upper extremities</b> .....	<b>3</b>	<b>33,360</b>	<b>130</b>	<b>1,550</b>	<b>1,820</b>	<b>1,450</b>	<b>1,370</b>
Upper extremities, unspecified .....	30	230	—	—	—	20	—
Arm(s) .....	31	8,350	—	560	190	130	330
Arm(s), unspecified .....	310	2,580	—	200	80	40	60
Upper arm(s) .....	311	760	—	120	30	20	130
Elbow(s) .....	312	3,630	—	170	50	70	100
Forearm(s) .....	313	960	—	60	20	—	30
Multiple arm(s) locations .....	318	380	—	20	—	—	20
Arm(s), n.e.c. ....	319	50	—	—	—	—	—
Wrist(s) .....	32	7,460	—	350	170	300	110
Hand(s), except finger(s) .....	33	6,210	100	250	480	320	300
Finger(s), fingernail(s) .....	34	8,320	—	260	450	540	560
Multiple upper extremities locations .....	38	2,760	—	110	530	130	70
Multiple upper extremities locations, unspecified .....	380	40	—	—	—	—	—
Hand(s) and finger(s) .....	381	860	—	40	—	20	40
Hand(s) and wrist(s) .....	382	560	—	30	—	60	—
Hand(s) and arm(s) .....	383	220	—	—	—	—	20
Multiple upper extremities locations, n.e.c. ....	389	1,090	—	30	500	40	—
Upper extremities, n.e.c. ....	39	40	—	—	—	—	—
<b>Lower extremities</b> .....	<b>4</b>	<b>50,960</b>	<b>60</b>	<b>1,500</b>	<b>1,470</b>	<b>460</b>	<b>1,810</b>
Lower extremities, unspecified .....	40	70	—	—	—	—	—
Leg(s) .....	41	28,950	50	660	770	230	1,120

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected sources of injury or illness, local government, 2009 — Continued

Part of body	Source of injury or illness <sup>4</sup>							All other sources <sup>5</sup>
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Thoracic region .....	90	—	160	140	140	240	190	140
Sacral region .....	—	—	—	—	—	—	—	—
Coccygeal region .....	210	—	—	—	—	—	—	—
Multiple back regions .....	510	—	200	370	370	200	70	60
Back, including spine, spinal cord, n.e.c. ....	20	—	—	40	40	30	30	40
Abdomen .....	30	90	30	410	360	250	130	480
Abdomen, except internal location of diseases or disorders .....	20	30	—	70	70	170	110	180
Internal abdominal location, unspecified .....	—	50	—	230	220	70	20	80
Stomach organ .....	—	—	—	20	—	—	—	—
Urinary organs .....	—	—	—	—	—	—	—	—
Bladder .....	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	—	—	—	80	60	—	—	210
Intestines, peritoneum, unspecified .....	—	—	—	80	60	—	—	190
Intestines, n.e.c. ....	—	—	—	—	—	—	—	20
Pelvic region .....	870	50	180	560	550	330	70	240
Hip(s) .....	640	40	120	210	210	180	—	130
Pelvis .....	30	—	—	—	—	—	—	—
Buttock(s) .....	150	—	30	—	—	—	—	—
Groin .....	40	—	—	330	320	90	50	120
External reproductive tract structures .....	—	—	—	—	—	—	—	—
Multiple trunk locations .....	240	50	220	110	110	140	110	190
Trunk, n.e.c. ....	—	—	—	—	—	—	—	—
<b>Upper extremities</b> .....	<b>5,670</b>	<b>2,010</b>	<b>3,240</b>	<b>2,900</b>	<b>2,680</b>	<b>5,480</b>	<b>790</b>	<b>7,740</b>
Upper extremities, unspecified .....	—	—	—	—	—	—	—	160
Arm(s) .....	1,960	200	1,290	600	570	820	230	2,230
Arm(s), unspecified .....	430	40	380	250	240	320	90	750
Upper arm(s) .....	90	—	60	70	70	90	30	140
Elbow(s) .....	1,250	40	760	230	200	180	40	790
Forearm(s) .....	120	70	40	20	—	160	40	440
Multiple arm(s) locations .....	60	40	40	40	40	60	30	100
Arm(s), n.e.c. ....	—	—	—	—	—	—	—	—
Wrist(s) .....	2,080	290	400	1,390	1,250	1,750	260	610
Hand(s), except finger(s) .....	650	410	680	170	170	1,330	130	1,530
Finger(s), fingernail(s) .....	310	1,040	770	300	280	1,210	60	2,860
Multiple upper extremities locations .....	660	60	90	420	410	340	90	330
Multiple upper extremities locations, unspecified .....	20	—	—	—	—	—	—	—
Hand(s) and finger(s) .....	390	30	30	—	—	130	20	150
Hand(s) and wrist(s) .....	70	—	30	240	220	70	20	40
Hand(s) and arm(s) .....	40	—	—	30	30	—	—	80
Multiple upper extremities locations, n.e.c. ....	130	20	30	150	150	130	40	60
Upper extremities, n.e.c. ....	—	—	—	—	—	—	—	20
<b>Lower extremities</b> .....	<b>18,420</b>	<b>380</b>	<b>3,100</b>	<b>15,840</b>	<b>15,760</b>	<b>2,870</b>	<b>250</b>	<b>5,050</b>
Lower extremities, unspecified .....	—	—	30	30	30	—	—	—
Leg(s) .....	10,060	250	2,020	9,770	9,700	1,820	220	2,190

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected sources of injury or illness, local government, 2009 — Continued

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Source of injury or illness <sup>4</sup>				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Leg(s), unspecified .....	410	2,150	—	160	230	60	60
Thigh(s) .....	411	780	—	—	20	—	20
Knee(s) .....	412	22,560	—	370	470	160	950
Lower leg(s) .....	413	2,280	40	90	30	—	90
Multiple leg(s) locations .....	418	1,150	—	30	—	—	—
Leg(s), n.e.c. ....	419	20	—	—	—	—	—
Ankle(s) .....	42	12,550	—	390	90	20	200
Foot(feet), except toe(s) .....	43	5,320	—	200	220	160	330
Foot(feet), except toe(s), unspecified .....	430	4,660	—	200	200	160	300
Instep(s) .....	431	30	—	—	20	—	—
Sole .....	432	430	—	—	—	—	20
Heel(s) .....	4323	410	—	—	—	—	—
Multiple foot(feet) locations .....	438	50	—	—	—	—	—
Foot(feet), n.e.c. ....	439	150	—	—	—	—	—
Toe(s), toenail(s) .....	44	1,340	—	170	310	30	120
Multiple lower extremities locations .....	48	2,640	—	80	80	20	50
Multiple lower extremities locations, unspecified .....	480	40	—	—	—	—	—
Foot(feet) and leg(s) .....	481	160	—	—	—	—	—
Foot(feet) and ankle(s) .....	482	700	—	20	—	—	—
Foot(feet) and toe(s) .....	483	130	—	50	20	—	—
Multiple lower extremities locations, n.e.c. ....	489	1,610	—	—	40	—	20
Lower extremities, n.e.c. ....	49	90	—	—	—	—	—
<b>Body systems</b> .....	<b>5</b>	<b>4,140</b>	<b>790</b>	<b>—</b>	<b>—</b>	<b>70</b>	<b>110</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>32,610</b>	<b>260</b>	<b>680</b>	<b>680</b>	<b>480</b>	<b>480</b>
<b>Nonclassifiable</b> .....	<b>9999</b>	<b>2,290</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected sources of injury or illness, local government, 2009 — Continued

Part of body	Source of injury or illness <sup>4</sup>							All other sources <sup>5</sup>
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Leg(s), unspecified .....	750	20	180	220	210	210	20	260
Thigh(s) .....	220	80	30	320	320	—	—	60
Knee(s) .....	8,380	120	1,030	8,440	8,430	1,560	200	1,090
Lower leg(s) .....	400	40	680	610	560	30	—	270
Multiple leg(s) locations .....	300	—	100	180	170	—	—	510
Leg(s), n.e.c. ....	20	—	—	—	—	—	—	—
Ankle(s) .....	5,440	40	550	4,490	4,480	660	—	660
Foot(feet), except toe(s) .....	1,790	50	230	1,080	1,080	170	—	1,090
Foot(feet), except toe(s), unspecified .....	1,660	50	180	820	820	160	—	930
Instep(s) .....	—	—	—	—	—	—	—	—
Sole .....	110	—	50	220	220	—	—	20
Heel(s) .....	110	—	40	220	220	—	—	—
Multiple foot(feet) locations .....	—	—	—	40	40	—	—	—
Foot(feet), n.e.c. ....	—	—	—	—	—	—	—	140
Toe(s), toenail(s) .....	120	30	60	20	20	100	—	380
Multiple lower extremities locations .....	990	—	210	400	400	130	—	700
Multiple lower extremities locations, unspecified .....	20	—	—	20	20	—	—	—
Foot(feet) and leg(s) .....	40	—	40	30	30	—	—	30
Foot(feet) and ankle(s) .....	380	—	50	170	170	30	—	30
Foot(feet) and toe(s) .....	—	—	—	—	—	—	—	20
Multiple lower extremities locations, n.e.c. ....	540	—	120	170	170	100	—	620
Lower extremities, n.e.c. ....	20	—	—	40	40	—	—	—
<b>Body systems</b> .....	—	—	240	1,010	100	380	20	1,500
<b>Multiple body parts</b> .....	12,560	180	7,850	1,490	1,470	4,180	830	3,760
<b>Nonclassifiable</b> .....	110	20	90	250	230	30	—	1,730

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

<sup>4</sup> Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 00-09; Containers = 10-19; Furniture and fixtures = 20-29; Machinery = 30-39; Parts and materials = 40-49; Person, injured or ill worker = 56; Worker motion or position = 562; Person, other than injured or ill worker = 57; Health care patient = 573; Floors, walkways, or ground surfaces = 62; Handtools = 71-73; Vehicles = 80-89; All other sources = all remaining

codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>5</sup> Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies