

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, local government, 2009

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Event or exposure leading to injury or illness <sup>4</sup>								
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall	Overexertion	
			Total	Struck by object	Struck against object	Caught in or compressed or crushed				Total	In lifting
Total .....		197,660	33,060	16,250	11,220	3,580	12,400	32,780	8,460	35,740	16,860
<b>Head</b> .....	0	10,870	4,890	2,730	1,150	40	470	1,430	-	-	-
Head, unspecified .....	00	2,480	1,130	590	520	20	90	480	-	-	-
Cranial region, including skull .....	01	1,820	590	330	250	-	220	400	-	-	-
Brain .....	011	1,110	390	200	190	-	60	330	-	-	-
Scalp .....	012	630	170	120	50	-	150	40	-	-	-
Skull .....	013	40	20	-	-	-	-	20	-	-	-
Cranial region, n.e.c. ....	019	30	-	-	-	-	-	20	-	-	-
Ear(s) .....	02	620	130	100	20	-	-	-	-	-	-
Face .....	03	5,580	2,860	1,560	360	-	150	480	-	-	-
Face, unspecified .....	030	620	230	220	20	-	-	70	-	-	-
Forehead .....	031	490	280	150	130	-	-	130	-	-	-
Eye(s) .....	032	2,840	1,920	890	100	-	-	90	-	-	-
Nose, nasal cavity .....	033	390	130	120	-	-	-	30	-	-	-
Nose, except internal location of diseases or disorders .....	0330	380	130	120	-	-	-	30	-	-	-
Cheek(s) .....	034	230	50	30	20	-	-	40	-	-	-
Jaw/chin .....	035	250	-	-	-	-	140	-	-	-	-
Mouth .....	036	200	90	60	20	-	-	20	-	-	-
Mouth, unspecified .....	0360	60	30	30	-	-	-	-	-	-	-
Lip(s) .....	0361	20	-	-	-	-	-	-	-	-	-
Tooth(teeth) .....	0363	50	30	20	20	-	-	-	-	-	-
Multiple mouth locations .....	0368	50	20	-	-	-	-	-	-	-	-
Multiple face locations .....	038	440	70	70	-	-	-	90	-	-	-
Face, n.e.c. ....	039	120	70	20	-	-	-	-	-	-	-
Multiple head locations .....	08	340	190	150	-	-	-	40	-	-	-
Head, n.e.c. ....	09	30	-	-	-	-	-	30	-	-	-
<b>Neck, including throat</b> .....	1	3,140	370	230	70	-	50	140	-	700	530
Neck, except internal location of diseases or disorders ...	10	3,090	370	230	70	-	50	140	-	700	530
<b>Trunk</b> .....	2	60,290	2,730	1,030	1,150	170	2,820	6,570	1,410	27,110	13,740
Trunk, unspecified .....	20	390	140	30	100	-	30	40	-	100	70
Shoulder, including clavicle, scapula .....	21	14,410	910	380	300	70	940	2,100	130	5,840	1,990
Chest, including ribs, internal organs .....	22	4,410	360	140	200	-	90	550	50	1,070	510
Chest, except internal location of diseases or disorders .....	220	3,220	360	140	200	-	90	550	50	1,070	510
Internal chest location, unspecified .....	221	100	-	-	-	-	-	-	-	-	-
Heart .....	223	200	-	-	-	-	-	-	-	-	-
Lung(s), pleura .....	225	860	-	-	-	-	-	-	-	-	-
Back, including spine, spinal cord .....	23	34,580	1,040	340	420	90	1,520	2,930	1,030	17,760	9,890
Back, including spine, spinal cord, unspecified .....	230	13,880	430	170	230	-	550	1,330	390	6,920	4,120

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, local government, 2009 — Continued

Part of body	Event or exposure leading to injury or illness <sup>4</sup>									All other events <sup>5</sup>
	Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				
			Total	Highway accident		Total	As-saults by person	All other assaults		
								Total	Assaults by animal	
Total .....	3,670	9,130	13,650	9,330	390	16,930	14,900	2,030	1,700	31,460
<b>Head</b> .....	—	1,320	300	180	110	2,260	2,110	140	130	90
Head, unspecified .....	—	70	150	100	40	480	470	—	—	40
Cranial region, including skull .....	—	—	90	60	—	510	480	30	20	—
Brain .....	—	—	70	50	—	250	240	20	—	—
Scalp .....	—	—	20	20	—	250	240	—	—	—
Skull .....	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c. ....	—	—	—	—	—	—	—	—	—	—
Ear(s) .....	—	420	—	—	50	—	—	—	—	20
Face .....	—	830	30	20	20	1,190	1,080	110	110	20
Face, unspecified .....	—	80	—	—	—	230	230	—	—	—
Forehead .....	—	—	—	—	—	70	70	—	—	—
Eye(s) .....	—	590	—	—	—	230	210	20	—	—
Nose, nasal cavity .....	—	—	—	—	—	220	220	—	—	—
Nose, except internal location of diseases or disorders .....	—	—	—	—	—	220	220	—	—	—
Cheek(s) .....	—	120	—	—	—	—	—	—	—	—
Jaw/chin .....	—	—	—	—	—	90	—	70	70	—
Mouth .....	—	—	—	—	—	80	60	20	20	—
Mouth, unspecified .....	—	—	—	—	—	30	30	—	—	—
Lip(s) .....	—	—	—	—	—	—	—	—	—	—
Tooth(teeth) .....	—	—	—	—	—	—	—	—	—	—
Multiple mouth locations .....	—	—	—	—	—	30	—	—	—	—
Multiple face locations .....	—	30	—	—	—	230	230	—	—	—
Face, n.e.c. ....	—	—	—	—	—	40	40	—	—	—
Multiple head locations .....	—	—	20	—	—	80	80	—	—	—
Head, n.e.c. ....	—	—	—	—	—	—	—	—	—	—
<b>Neck, including throat</b> .....	60	50	930	690	—	400	320	90	90	400
Neck, except internal location of diseases or disorders ...	60	20	930	690	—	400	320	90	90	380
<b>Trunk</b> .....	1,370	1,370	3,330	2,330	30	3,270	3,120	150	90	10,280
Trunk, unspecified .....	—	—	—	—	—	50	20	30	30	—
Shoulder, including clavicle, scapula .....	780	—	590	480	—	1,390	1,360	30	—	1,700
Chest, including ribs, internal organs .....	40	910	190	170	—	380	380	—	—	760
Chest, except internal location of diseases or disorders .....	20	30	180	160	—	380	380	—	—	480
Internal chest location, unspecified .....	—	—	—	—	—	—	—	—	—	70
Heart .....	—	—	—	—	—	—	—	—	—	200
Lung(s), pleura .....	—	850	—	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	510	30	2,230	1,440	30	1,030	980	50	30	6,490
Back, including spine, spinal cord, unspecified .....	170	—	870	730	30	460	430	30	20	2,720

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, local government, 2009 — Continued

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Event or exposure leading to injury or illness <sup>4</sup>								
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall	Overexertion	
			Total	Struck by object	Struck against object	Caught in or compressed or crushed				Total	In lifting
Lumbar region .....	231	17,330	540	140	180	80	650	1,020	550	9,470	5,020
Thoracic region .....	232	1,400	20	—	—	—	60	70	30	920	480
Sacral region .....	233	40	—	—	—	—	—	—	—	—	—
Coccygeal region .....	234	250	—	—	—	—	80	150	—	—	—
Multiple back regions .....	238	1,500	20	—	—	—	170	340	50	370	230
Back, including spine, spinal cord, n.e.c. ....	239	190	—	—	—	—	—	—	—	70	30
Abdomen .....	24	2,540	50	30	20	—	—	160	20	1,490	890
Abdomen, except internal location of diseases or disorders .....	240	920	40	20	—	—	—	160	—	430	160
Internal abdominal location, unspecified .....	241	960	—	—	—	—	—	—	—	650	540
Stomach organ .....	242	40	—	—	—	—	—	—	—	—	—
Urinary organs .....	244	30	—	—	—	—	—	—	—	—	—
Bladder .....	2441	30	—	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	245	550	—	—	—	—	—	—	—	370	160
Intestines, peritoneum, unspecified .....	2450	500	—	—	—	—	—	—	—	340	140
Intestines, n.e.c. ....	2459	20	—	—	—	—	—	—	—	20	20
Pelvic region .....	25	2,680	140	30	110	—	160	570	150	600	290
Hip(s) .....	251	1,440	110	20	100	—	100	400	50	150	30
Pelvis .....	252	70	—	—	—	—	—	20	—	—	—
Buttock(s) .....	253	200	—	—	—	—	40	140	—	—	—
Groin .....	254	920	30	—	—	—	20	—	90	450	260
External reproductive tract structures .....	255	30	—	—	—	—	—	—	—	—	—
Multiple trunk locations .....	28	1,230	60	60	—	—	80	200	30	260	90
Trunk, n.e.c. ....	29	60	30	30	—	—	—	—	—	—	—
<b>Upper extremities</b> .....	<b>3</b>	<b>33,360</b>	<b>12,860</b>	<b>6,430</b>	<b>4,130</b>	<b>2,060</b>	<b>1,120</b>	<b>4,770</b>	<b>130</b>	<b>3,860</b>	<b>1,290</b>
Upper extremities, unspecified .....	30	230	20	20	—	—	—	—	—	20	20
Arm(s) .....	31	8,350	2,030	420	1,490	110	340	1,770	30	1,630	710
Arm(s), unspecified .....	310	2,580	420	120	280	20	130	330	—	430	200
Upper arm(s) .....	311	760	20	20	—	—	30	80	—	500	280
Elbow(s) .....	312	3,630	1,380	160	1,130	80	130	1,200	—	460	140
Forearm(s) .....	313	960	150	100	40	—	20	110	—	90	60
Multiple arm(s) locations .....	318	380	50	—	30	—	20	40	—	150	30
Arm(s), n.e.c. ....	319	50	—	—	—	—	—	—	—	—	—
Wrist(s) .....	32	7,460	1,240	830	360	30	230	1,940	60	1,220	370
Hand(s), except finger(s) .....	33	6,210	2,900	1,150	1,180	530	80	570	—	460	80
Finger(s), fingernail(s) .....	34	8,320	5,760	3,330	1,000	1,280	40	260	—	270	50
Multiple upper extremities locations .....	38	2,760	900	680	90	110	430	230	30	250	50
Multiple upper extremities locations, unspecified .....	380	40	—	—	—	—	—	—	—	—	—
Hand(s) and finger(s) .....	381	860	220	140	30	40	370	—	—	50	—
Hand(s) and wrist(s) .....	382	560	110	30	20	60	—	70	—	80	—
Hand(s) and arm(s) .....	383	220	20	—	—	—	—	30	—	—	—
Multiple upper extremities locations, n.e.c. ....	389	1,090	540	500	30	—	30	100	—	110	40
Upper extremities, n.e.c. ....	39	40	—	—	—	—	—	—	—	—	—
<b>Lower extremities</b> .....	<b>4</b>	<b>50,960</b>	<b>10,440</b>	<b>4,890</b>	<b>4,150</b>	<b>1,190</b>	<b>4,090</b>	<b>10,120</b>	<b>6,220</b>	<b>1,610</b>	<b>410</b>

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, local government, 2009 — Continued

Part of body	Event or exposure leading to injury or illness <sup>4</sup>									
	Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				All other events <sup>5</sup>
			Total	Highway accident		Total	As-saults by person	All other assaults		
								Total	Assaults by animal	
Lumbar region .....	130	—	1,050	490	—	480	460	20	—	3,440
Thoracic region .....	—	—	150	100	—	30	30	—	—	100
Sacral region .....	—	—	—	—	—	—	—	—	—	—
Coccygeal region .....	—	—	—	—	—	—	—	—	—	—
Multiple back regions .....	180	—	150	120	—	40	40	—	—	170
Back, including spine, spinal cord, n.e.c. ....	—	—	—	—	—	—	—	—	—	50
Abdomen .....	—	240	—	—	—	150	130	20	20	420
Abdomen, except internal location of diseases or disorders .....	—	120	—	—	—	100	70	20	20	70
Internal abdominal location, unspecified .....	—	—	—	—	—	—	—	—	—	240
Stomach organ .....	—	—	—	—	—	—	—	—	—	20
Urinary organs .....	—	—	—	—	—	—	—	—	—	—
Bladder .....	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	—	100	—	—	—	—	—	—	—	70
Intestines, peritoneum, unspecified .....	—	80	—	—	—	—	—	—	—	70
Intestines, n.e.c. ....	—	—	—	—	—	—	—	—	—	—
Pelvic region .....	20	30	80	50	—	230	230	—	—	690
Hip(s) .....	20	—	70	40	—	140	140	—	—	390
Pelvis .....	—	—	—	—	—	—	—	—	—	—
Buttock(s) .....	—	—	—	—	—	—	—	—	—	—
Groin .....	—	—	—	—	—	40	40	—	—	270
External reproductive tract structures .....	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations .....	—	130	220	180	—	30	30	—	—	210
Trunk, n.e.c. ....	—	—	—	—	—	—	—	—	—	—
<b>Upper extremities</b> .....	<b>1,850</b>	<b>1,470</b>	<b>760</b>	<b>140</b>	<b>40</b>	<b>5,150</b>	<b>3,990</b>	<b>1,160</b>	<b>1,060</b>	<b>1,350</b>
Upper extremities, unspecified .....	—	—	—	—	—	150	—	150	150	—
Arm(s) .....	260	580	390	40	—	880	420	450	400	430
Arm(s), unspecified .....	80	120	340	20	—	490	180	310	270	210
Upper arm(s) .....	—	—	—	—	—	30	30	—	—	50
Elbow(s) .....	130	110	20	—	—	70	50	20	—	140
Forearm(s) .....	—	340	20	—	—	210	120	80	80	20
Multiple arm(s) locations .....	30	—	—	—	—	60	40	30	30	—
Arm(s), n.e.c. ....	—	—	—	—	—	20	—	—	—	—
Wrist(s) .....	1,080	70	70	30	—	1,190	1,150	40	40	350
Hand(s), except finger(s) .....	80	500	190	—	20	1,240	1,110	130	120	170
Finger(s), fingernail(s) .....	120	110	40	30	—	1,430	1,070	370	340	280
Multiple upper extremities locations .....	310	200	50	30	—	250	230	20	—	110
Multiple upper extremities locations, unspecified .....	—	—	—	—	—	—	—	—	—	—
Hand(s) and finger(s) .....	—	40	—	—	—	120	120	—	—	—
Hand(s) and wrist(s) .....	140	—	—	—	—	50	40	—	—	100
Hand(s) and arm(s) .....	—	100	—	—	—	20	—	—	—	—
Multiple upper extremities locations, n.e.c. ....	150	50	20	—	—	70	70	—	—	—
Upper extremities, n.e.c. ....	—	—	—	—	—	20	—	—	—	—
<b>Lower extremities</b> .....	<b>150</b>	<b>450</b>	<b>1,030</b>	<b>470</b>	<b>—</b>	<b>2,100</b>	<b>1,870</b>	<b>230</b>	<b>170</b>	<b>14,750</b>

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, local government, 2009 — Continued

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Event or exposure leading to injury or illness <sup>4</sup>								
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall	Overexertion	
			Total	Struck by object	Struck against object	Caught in or compressed or crushed				Total	In lifting
Lower extremities, unspecified .....	40	70	—	—	—	—	—	—	—	—	—
Leg(s) .....	41	28,950	4,340	1,780	1,700	700	2,040	6,250	2,730	1,390	350
Leg(s), unspecified .....	410	2,150	490	290	120	70	320	490	220	100	20
Thigh(s) .....	411	780	60	20	30	—	140	160	50	30	—
Knee(s) .....	412	22,560	2,850	770	1,400	620	1,360	5,210	2,270	1,120	310
Lower leg(s) .....	413	2,280	380	200	110	—	80	220	30	120	—
Multiple leg(s) locations .....	418	1,150	550	510	30	—	120	170	160	20	—
Leg(s), n.e.c. ....	419	20	—	—	—	—	—	—	—	—	—
Ankle(s) .....	42	12,550	2,060	530	1,430	90	1,460	2,310	2,870	140	40
Foot(foot), except toe(s) .....	43	5,320	2,010	1,100	700	160	290	980	390	60	—
Foot(foot), except toe(s), unspecified .....	430	4,660	1,870	1,060	620	150	260	930	340	50	—
Instep(s) .....	431	30	30	20	—	—	—	—	—	—	—
Sole .....	432	430	90	20	70	—	30	50	40	—	—
Heel(s) .....	4323	410	80	20	60	—	30	50	40	—	—
Multiple foot(foot) locations .....	438	50	—	—	—	—	—	—	—	—	—
Foot(foot), n.e.c. ....	439	150	—	—	—	—	—	—	—	—	—
Toe(s), toenail(s) .....	44	1,340	1,110	750	150	200	40	50	—	—	—
Multiple lower extremities locations .....	48	2,640	910	710	160	30	260	510	190	—	—
Multiple lower extremities locations, unspecified .....	480	40	—	—	—	—	—	—	—	—	—
Foot(foot) and leg(s) .....	481	160	80	—	60	—	—	20	—	—	—
Foot(foot) and ankle(s) .....	482	700	70	40	30	—	110	140	60	—	—
Foot(foot) and toe(s) .....	483	130	110	100	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c. ....	489	1,610	630	570	60	—	140	330	110	—	—
Lower extremities, n.e.c. ....	49	90	20	—	—	—	—	20	40	—	—
<b>Body systems</b> .....	<b>5</b>	<b>4,140</b>	<b>50</b>	<b>—</b>	<b>40</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>30</b>	<b>—</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>32,610</b>	<b>1,660</b>	<b>910</b>	<b>520</b>	<b>100</b>	<b>3,690</b>	<b>9,680</b>	<b>640</b>	<b>2,360</b>	<b>880</b>
<b>Nonclassifiable</b> .....	<b>9999</b>	<b>2,290</b>	<b>40</b>	<b>30</b>	<b>—</b>	<b>—</b>	<b>160</b>	<b>60</b>	<b>40</b>	<b>60</b>	<b>—</b>

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, local government, 2009 — Continued

Part of body	Event or exposure leading to injury or illness <sup>4</sup>									
	Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				All other events <sup>5</sup>
			Total	Highway accident		Total	As-saults by person	All other assaults		
								Total	Assaults by animal	
Lower extremities, unspecified .....	—	—	30	—	—	—	—	—	—	30
Leg(s) .....	130	160	620	360	—	1,660	1,470	180	140	9,620
Leg(s), unspecified .....	—	50	40	—	—	240	160	80	80	200
Thigh(s) .....	—	—	—	—	—	20	—	20	20	310
Knee(s) .....	130	—	420	270	—	1,310	1,260	50	—	7,880
Lower leg(s) .....	—	100	90	—	—	80	40	40	40	1,170
Multiple leg(s) locations .....	—	—	70	70	—	—	—	—	—	40
Leg(s), n.e.c. ....	—	—	—	—	—	—	—	—	—	—
Ankle(s) .....	20	—	170	60	—	90	70	20	—	3,420
Foot(feet), except toe(s) .....	—	260	60	—	—	170	150	—	—	1,100
Foot(feet), except toe(s), unspecified .....	—	120	60	—	—	160	150	—	—	850
Instep(s) .....	—	—	—	—	—	—	—	—	—	—
Sole .....	—	—	—	—	—	—	—	—	—	210
Heel(s) .....	—	—	—	—	—	—	—	—	—	210
Multiple foot(feet) locations .....	—	—	—	—	—	—	—	—	—	30
Foot(feet), n.e.c. ....	—	—	—	—	—	—	—	—	—	—
Toe(s), toenail(s) .....	—	—	20	—	—	80	70	—	—	40
Multiple lower extremities locations .....	—	—	120	—	—	100	100	—	—	540
Multiple lower extremities locations, unspecified .....	—	—	—	—	—	—	—	—	—	—
Foot(feet) and leg(s) .....	—	—	—	—	—	—	—	—	—	50
Foot(feet) and ankle(s) .....	—	—	—	—	—	—	—	—	—	290
Foot(feet) and toe(s) .....	—	—	—	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c. ....	—	—	110	—	—	100	100	—	—	180
Lower extremities, n.e.c. ....	—	—	—	—	—	—	—	—	—	—
<b>Body systems</b> .....	—	2,580	240	230	90	250	220	30	30	880
<b>Multiple body parts</b> .....	210	1,780	7,010	5,250	100	3,370	3,220	160	60	2,100
<b>Nonclassifiable</b> .....	30	90	60	50	—	130	60	80	70	1,610

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

<sup>4</sup> Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049; Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substances or environments = 30-39; Transportation incidents = 40-49; Highway accident = 41; Fires and explosions = 50-52;

Assaults and violent acts, Total = 60-63; Assaults by person = 61; All other assaults = 60, 62, and 63; Assaults by animal = 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>5</sup> Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies