

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2009

Event or exposure	Event code ²	Local government ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Total		197,660	10,870	2,840	3,140	60,290	34,580	14,410	33,360	8,350	8,320	6,210	7,460
Contact with objects and equipment	0	33,060	4,890	1,920	370	2,730	1,040	910	12,860	2,030	5,760	2,900	1,240
Contact with objects and equipment, unspecified	00	550	30	20	—	160	30	130	210	—	140	30	—
Struck against object or equipment	01	11,220	1,150	100	70	1,150	420	300	4,130	1,490	1,000	1,180	360
Struck against object or equipment, unspecified	010	410	20	—	—	30	20	—	230	40	90	70	—
Stepped on object	011	2,220	—	—	—	130	80	20	—	—	—	—	—
Struck against stationary object or equipment	012	5,430	530	20	30	600	220	170	2,620	1,150	400	750	290
Struck against moving object or equipment	013	500	120	—	—	100	60	20	110	—	40	40	—
Struck against object or equipment, n.e.c.	019	2,660	470	70	—	300	50	80	1,150	280	470	320	60
Struck by object or equipment	02	16,250	2,730	890	230	1,030	340	380	6,430	420	3,330	1,150	830
Struck by object or equipment, unspecified	020	580	210	130	40	20	—	—	130	—	80	20	20
Struck by falling object or equipment	021	6,980	700	80	80	460	180	180	1,800	100	340	300	530
Struck by flying object	022	1,720	870	410	70	80	30	—	410	20	80	160	110
Struck by flying object, unspecified	0220	310	160	20	40	—	—	—	60	—	—	—	—
Struck by dislodged flying object, particle	0221	860	500	350	—	30	—	—	180	—	20	150	—
Struck by discharged object or substance	0222	260	70	—	—	30	30	—	90	—	30	—	—
Struck by flying object, n.e.c.	0229	280	140	40	—	20	—	—	70	—	20	—	50
Struck by swinging or slipping object	023	4,620	470	140	—	170	50	60	3,400	210	2,540	430	100
Struck by swinging or slipping object, unspecified	0230	130	20	—	—	—	—	—	60	20	40	—	—
Struck by or slammed in swinging door or gate	0231	2,200	180	20	—	100	40	40	1,700	90	1,360	150	40
Struck by slipping handheld object	0232	2,020	190	100	—	40	—	20	1,500	90	1,080	220	50
Struck by swinging or slipping object, n.e.c.	0239	270	80	20	—	20	—	—	150	—	60	60	—
Struck by rolling, sliding objects or equipment on floor or ground level	024	240	20	—	—	40	—	40	—	—	—	—	—
Struck by object or equipment, n.e.c.	029	2,110	460	130	30	260	70	70	690	90	280	230	80
Caught in or compressed by equipment or objects	03	3,520	40	—	—	140	90	40	2,060	110	1,280	530	30
Caught in or compressed by equipment or objects, unspecified	030	400	—	—	—	—	—	—	290	90	150	40	—
Caught in running equipment or machinery	031	340	—	—	—	—	—	—	270	—	200	20	—
Compressed or pinched by rolling, sliding, or shifting objects	032	500	—	—	—	20	—	—	400	—	280	90	—
Caught in or compressed by equipment or objects, n.e.c.	039	2,280	20	—	—	110	70	30	1,100	—	650	380	—
Caught in or crushed in collapsing materials	04	60	—	—	—	30	—	30	—	—	—	—	—
Excavation or trenching cave-in	041	30	—	—	—	—	—	—	—	—	—	—	—
Caught in or crushed in collapsing structure	044	20	—	—	—	—	—	—	—	—	—	—	—
Rubbed or abraded by friction or pressure	05	900	780	780	—	20	20	—	—	—	—	—	—
Rubbed or abraded by kneeling on surface	051	40	—	—	—	—	—	—	—	—	—	—	—
Rubbed or abraded by objects being handled	052	20	—	—	—	—	—	—	—	—	—	—	—
Rubbed or abraded by foreign matter in eye	053	780	780	780	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2009
— Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Total	50,960	22,560	12,550	6,660	4,140	32,610	2,290
Contact with objects and equipment	10,440	2,850	2,060	3,120	50	1,660	40
Contact with objects and equipment, unspecified	110	20	—	—	—	40	—
Struck against object or equipment	4,150	1,400	1,430	850	40	520	—
Struck against object or equipment, unspecified	100	20	20	20	—	20	—
Stepped on object	2,010	570	870	480	—	50	—
Struck against stationary object or equipment	1,340	560	460	150	40	270	—
Struck against moving object or equipment	110	20	—	30	—	30	—
Struck against object or equipment, n.e.c.	580	240	80	170	—	150	—
Struck by object or equipment	4,890	770	530	1,860	—	910	30
Struck by object or equipment, unspecified	140	30	20	—	—	50	—
Struck by falling object or equipment	3,500	370	340	1,400	—	440	—
Struck by flying object	200	20	70	50	—	100	—
Struck by flying object, unspecified	—	—	—	—	—	30	—
Struck by dislodged flying object, particle ...	110	—	60	—	—	40	—
Struck by discharged object or substance ...	60	—	—	40	—	—	—
Struck by flying object, n.e.c.	20	—	—	—	—	20	—
Struck by swinging or slipping object	440	120	20	200	—	110	30
Struck by swinging or slipping object, unspecified	40	—	—	—	—	—	—
Struck by or slammed in swinging door or gate	140	50	—	70	—	70	—
Struck by slipping handheld object	240	60	—	110	—	20	—
Struck by swinging or slipping object, n.e.c.	—	—	—	—	—	—	—
Struck by rolling, sliding objects or equipment on floor or ground level	150	—	20	70	—	—	—
Struck by object or equipment, n.e.c.	470	220	50	120	—	200	—
Caught in or compressed by equipment or objects	1,170	610	90	370	—	90	—
Caught in or compressed by equipment or objects, unspecified	90	—	—	40	—	—	—
Caught in running equipment or machinery	40	—	—	30	—	—	—
Compressed or pinched by rolling, sliding, or shifting objects	60	30	—	20	—	—	—
Caught in or compressed by equipment or objects, n.e.c.	980	570	90	280	—	70	—
Caught in or crushed in collapsing materials	20	—	—	—	—	—	—
Excavation or trenching cave-in	—	—	—	—	—	—	—
Caught in or crushed in collapsing structure ...	—	—	—	—	—	—	—
Rubbed or abraded by friction or pressure	80	40	—	40	—	—	—
Rubbed or abraded by kneeling on surface	40	40	—	—	—	—	—
Rubbed or abraded by objects being handled ..	—	—	—	—	—	—	—
Rubbed or abraded by foreign matter in eye ...	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2009 — Continued

Event or exposure	Event code ²	Local government ³	Part of body affected by the injury or illness ⁴											
			Head		Neck	Trunk			Upper extremities					
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist	
Rubbed or abraded by friction or pressure, n.e.c.	059	50	-	-	-	-	-	-	-	-	-	-	-	-
Rubbed, abraded, or jarred by vibration	06	300	-	-	50	160	130	-	-	-	-	-	-	-
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	061	260	-	-	50	120	110	-	-	-	-	-	-	-
Rubbed, abraded, or jarred by other machine or equipment vibration	062	20	-	-	-	-	-	-	-	-	-	-	-	-
Rubbed, abraded, or jarred by vibration, n.e.c.	069	20	-	-	-	20	-	-	-	-	-	-	-	-
Contact with objects and equipment, n.e.c.	09	250	160	130	-	40	-	30	20	-	-	-	-	-
Falls	1	47,760	1,910	90	190	10,320	4,820	3,360	5,960	2,150	290	670	2,180	
Fall, unspecified	10	920	20	-	-	430	80	140	50	30	-	-	-	
Fall to lower level	11	12,400	470	-	50	2,820	1,520	940	1,120	340	40	80	230	
Fall to lower level, unspecified	110	240	-	-	-	30	-	-	-	-	-	-	-	
Fall down stairs or steps	111	5,030	220	-	20	900	750	110	660	120	20	20	100	
Fall from floor, dock, or ground level	112	720	-	-	-	120	40	-	20	-	-	-	-	
Fall from floor, dock, or ground level, unspecified	1120	130	-	-	-	-	-	-	-	-	-	-	-	
Fall through existing floor opening	1121	230	-	-	-	20	-	-	-	-	-	-	-	
Fall through floor surface	1122	100	-	-	-	-	-	-	-	-	-	-	-	
Fall from ground level to lower level	1124	140	-	-	-	20	-	-	-	-	-	-	-	
Fall from floor, dock, or ground level, n.e.c.	1129	110	-	-	-	70	30	-	-	-	-	-	-	
Fall from ladder	113	1,920	40	-	-	640	190	400	150	90	-	-	40	
Fall from roof	115	220	-	-	-	40	-	-	-	-	-	-	-	
Fall from roof, unspecified	1150	60	-	-	-	-	-	-	-	-	-	-	-	
Fall through roof surface	1152	150	-	-	-	-	-	-	-	-	-	-	-	
Fall from scaffold, staging	116	120	-	-	-	20	-	-	20	-	-	-	-	
Fall from building girders or other structural steel	117	50	-	-	-	50	20	-	-	-	-	-	-	
Fall from nonmoving vehicle	118	2,300	30	-	-	610	190	270	180	80	-	50	20	
Fall to lower level, n.e.c.	119	1,780	170	-	30	400	270	80	90	30	-	-	50	
Jump to lower level	12	1,060	-	-	-	240	40	150	-	-	-	-	-	
Jump to lower level, unspecified	120	180	-	-	-	-	-	-	-	-	-	-	-	
Jump from scaffold, platform, loading dock	121	140	-	-	-	-	-	-	-	-	-	-	-	
Jump from structure, structural element, n.e.c.	122	190	-	-	-	20	20	-	-	-	-	-	-	
Jump from nonmoving vehicle	123	150	-	-	-	20	-	-	-	-	-	-	-	
Jump to lower level, n.e.c.	129	400	-	-	-	60	-	-	-	-	-	-	-	
Fall on same level	13	32,780	1,430	90	140	6,570	2,930	2,100	4,770	1,770	260	570	1,940	
Fall on same level, unspecified	130	250	-	-	-	60	-	-	70	40	-	-	30	
Fall to floor, walkway, or other surface	131	29,050	1,000	20	120	5,610	2,590	1,920	4,390	1,620	200	530	1,800	
Fall onto or against objects	132	3,220	400	70	20	880	310	170	280	110	50	30	80	
Fall on same level, n.e.c.	139	260	20	-	-	30	20	-	30	-	-	-	-	
Fall, n.e.c.	19	610	-	-	-	270	240	30	-	-	-	-	-	
Bodily reaction and exertion	2	73,160	30	-	1,130	38,480	25,200	8,050	6,880	2,230	590	670	2,650	

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2009
 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Rubbed or abraded by friction or pressure, n.e.c.	40	—	—	40	—	—	—
Rubbed, abraded, or jarred by vibration	—	—	—	—	—	90	—
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	—	—	—	—	—	80	—
Rubbed, abraded, or jarred by other machine or equipment vibration	—	—	—	—	—	—	—
Rubbed, abraded, or jarred by vibration, n.e.c.	—	—	—	—	—	—	—
Contact with objects and equipment, n.e.c.	20	—	—	—	—	—	—
Falls	15,440	7,060	4,130	1,590	—	13,650	260
Fall, unspecified	220	120	50	30	—	160	40
Fall to lower level	4,090	1,360	1,460	330	—	3,690	160
Fall to lower level, unspecified	30	—	20	—	—	170	—
Fall down stairs or steps	1,830	750	460	150	—	1,250	150
Fall from floor, dock, or ground level	290	80	70	50	—	270	—
Fall from floor, dock, or ground level, unspecified	40	—	—	—	—	70	—
Fall through existing floor opening	120	40	30	—	—	90	—
Fall through floor surface	40	—	—	—	—	50	—
Fall from ground level to lower level	60	20	40	—	—	40	—
Fall from floor, dock, or ground level, n.e.c.	20	—	—	—	—	20	—
Fall from ladder	380	170	100	30	—	700	—
Fall from roof	—	—	—	—	—	170	—
Fall from roof, unspecified	—	—	—	—	—	20	—
Fall through roof surface	—	—	—	—	—	—	—
Fall from scaffold, staging	40	30	—	—	—	40	—
Fall from building girders or other structural steel	—	—	—	—	—	—	—
Fall from nonmoving vehicle	1,120	230	710	50	—	360	—
Fall to lower level, n.e.c.	390	110	90	50	—	720	—
Jump to lower level	800	240	310	120	—	20	—
Jump to lower level, unspecified	40	20	—	20	—	—	—
Jump from scaffold, platform, loading dock	130	—	—	—	—	—	—
Jump from structure, structural element, n.e.c.	170	120	—	30	—	—	—
Jump from nonmoving vehicle	130	60	20	40	—	—	—
Jump to lower level, n.e.c.	320	50	240	20	—	—	—
Fall on same level	10,120	5,210	2,310	1,030	—	9,680	60
Fall on same level, unspecified	60	20	20	—	—	50	—
Fall to floor, walkway, or other surface	9,100	4,880	1,970	970	—	8,770	50
Fall onto or against objects	880	250	310	50	—	750	—
Fall on same level, n.e.c.	80	60	20	—	—	100	—
Fall, n.e.c.	220	120	—	80	—	110	—
Bodily reaction and exertion	21,090	10,780	5,880	1,350	630	4,590	320

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2009 — Continued

Event or exposure	Event code ²	Local government ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Bodily reaction and exertion, unspecified	20	2,990	—	—	140	1,290	830	300	220	80	20	60	40
Bodily reaction	21	29,740	—	—	220	8,400	6,030	1,080	910	250	180	80	300
Bodily reaction, unspecified	210	1,440	—	—	—	370	230	130	120	80	—	—	—
Bending, climbing, crawling, reaching, twisting Sudden reaction when surprised, frightened, startled	211	10,460	—	—	110	5,030	3,920	450	170	100	50	—	—
Running without other incident	212	190	—	—	30	100	60	—	—	—	—	—	—
Sitting	213	1,650	—	—	—	60	30	—	—	—	—	—	—
Sitting	214	160	—	—	30	80	60	20	—	—	—	—	—
Slip, trip, loss of balance without fall	215	8,460	—	—	—	1,410	1,030	130	130	30	—	—	60
Standing	216	180	—	—	—	40	40	—	—	—	—	—	—
Walking without other incident	217	1,270	—	—	—	40	30	—	—	—	—	—	—
Bodily reaction, n.e.c.	219	5,940	—	—	50	1,260	640	340	500	40	120	—	230
Overexertion	22	35,740	—	—	700	27,110	17,760	5,840	3,860	1,630	270	460	1,220
Overexertion, unspecified	220	2,360	—	—	20	1,740	1,150	430	310	120	—	40	80
Overexertion in lifting	221	16,860	—	—	530	13,740	9,890	1,990	1,290	710	50	80	370
Overexertion in pulling or pushing objects	222	5,720	—	—	40	4,000	2,010	1,630	800	330	70	40	290
Overexertion in holding, carrying, turning, or wielding objects	223	7,980	—	—	70	5,740	3,650	1,160	1,050	250	110	290	320
Overexertion in throwing objects	224	550	—	—	—	450	150	260	80	50	—	—	30
Overexertion, n.e.c.	229	2,260	—	—	30	1,450	910	370	330	160	20	—	130
Repetitive motion	23	3,670	—	—	60	1,370	510	780	1,850	260	120	80	1,080
Repetitive motion, unspecified	230	750	—	—	—	190	80	60	430	50	30	—	310
Typing or key entry	231	590	—	—	—	—	—	—	570	20	40	20	440
Repetitive use of tools	232	780	—	—	—	500	30	450	250	60	—	—	110
Repetitive placing, grasping, or moving objects, except tools	233	1,160	—	—	50	550	320	220	450	110	30	30	180
Repetitive motion, n.e.c.	239	380	—	—	—	120	70	40	160	20	—	—	50
Bodily conditions, n.e.c.	25	730	—	—	—	220	50	—	—	—	—	—	—
Bodily reaction and exertion, n.e.c.	29	290	—	—	—	90	30	50	20	—	—	—	—
Exposure to harmful substances or environments	3	9,130	1,320	590	50	1,370	30	—	1,470	580	110	500	70
Exposure to harmful substances or environments, unspecified	30	350	—	—	—	130	—	—	—	—	—	—	—
Contact with electric current	31	240	—	—	—	—	—	—	40	—	—	—	—
Contact with electric current of machine, tool, appliance, or light fixture	311	60	—	—	—	—	—	—	20	—	—	—	—
Contact with wiring, transformers, or other electrical components	312	90	—	—	—	—	—	—	—	—	—	—	—
Contact with electric current, n.e.c.	319	70	—	—	—	—	—	—	—	—	—	—	—
Contact with temperature extremes	32	2,760	440	—	—	160	—	—	890	370	70	270	50
Exposure to environmental heat	321	290	—	—	—	—	—	—	—	—	—	—	—
Contact with hot objects or substances	323	2,420	440	—	—	150	—	—	890	370	70	270	50
Exposure to caustic, noxious, or allergenic substances	34	5,020	730	480	50	1,070	20	—	540	200	40	230	20

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2009

— Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Bodily reaction and exertion, unspecified	850	570	80	100	40	300	140
Bodily reaction	18,360	8,870	5,620	1,180	80	1,690	70
Bodily reaction, unspecified	900	410	60	50	—	50	—
Bending, climbing, crawling, reaching, twisting	4,350	2,600	1,180	230	—	770	30
Sudden reaction when surprised, frightened, startled	40	—	—	—	—	—	—
Running without other incident	1,570	880	130	200	—	20	—
Sitting	30	20	—	—	—	30	—
Slip, trip, loss of balance without fall	6,220	2,270	2,870	390	—	640	40
Standing	100	80	—	—	—	—	—
Walking without other incident	1,210	630	410	100	—	—	—
Bodily reaction, n.e.c.	3,940	1,970	980	210	20	170	—
Overexertion	1,610	1,120	140	60	30	2,360	60
Overexertion, unspecified	150	120	—	—	30	110	—
Overexertion in lifting	410	310	40	—	—	880	—
Overexertion in pulling or pushing objects	480	250	50	—	—	370	30
Overexertion in holding, carrying, turning, or wielding objects	380	310	30	—	—	720	—
Overexertion in throwing objects	—	—	—	—	—	—	—
Overexertion, n.e.c.	180	120	—	30	—	280	—
Repetitive motion	150	130	20	—	—	210	30
Repetitive motion, unspecified	70	70	—	—	—	50	—
Typing or key entry	—	—	—	—	—	20	—
Repetitive use of tools	—	—	—	—	—	20	—
Repetitive placing, grasping, or moving objects, except tools	—	—	—	—	—	90	—
Repetitive motion, n.e.c.	80	60	—	—	—	30	—
Bodily conditions, n.e.c.	—	—	—	—	460	—	20
Bodily reaction and exertion, n.e.c.	110	90	20	—	30	—	—
Exposure to harmful substances or environments	450	—	—	260	2,580	1,780	90
Exposure to harmful substances or environments, unspecified	—	—	—	—	180	40	—
Contact with electric current	—	—	—	—	150	20	—
Contact with electric current of machine, tool, appliance, or light fixture	—	—	—	—	20	—	—
Contact with wiring, transformers, or other electrical components	—	—	—	—	70	—	—
Contact with electric current, n.e.c.	—	—	—	—	50	—	—
Contact with temperature extremes	290	—	—	220	320	660	—
Exposure to environmental heat	—	—	—	—	290	—	—
Contact with hot objects or substances	290	—	—	220	—	650	—
Exposure to caustic, noxious, or allergenic substances	160	—	—	40	1,340	1,060	70

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2009 — Continued

Event or exposure	Event code ²	Local government ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Exposure to caustic, noxious, or allergenic substances, unspecified	340	990	140	110	—	220	—	—	30	—	—	20	—
Inhalation of substance	341	1,340	—	—	—	570	—	—	—	—	—	—	—
Inhalation of substance, unspecified	3410	490	—	—	—	120	—	—	—	—	—	—	—
Inhalation in enclosed, restricted, or confined space	3411	470	—	—	—	410	—	—	—	—	—	—	—
Inhalation in open or nonconfined space	3412	390	—	—	—	40	—	—	—	—	—	—	—
Contact with skin or other exposed tissue	342	1,230	360	310	—	140	—	—	190	30	—	130	—
Injections, stings, venomous bites	343	1,040	150	—	—	—	—	—	260	100	30	70	—
Injections, stings, venomous bites, unspecified	3430	70	—	—	—	—	—	—	30	—	—	—	—
Bee, wasp, hornet sting	3432	780	120	—	—	—	—	—	130	40	—	30	—
Other stings or venomous bites	3433	150	—	—	—	—	—	—	90	40	20	20	—
Injections, stings, venomous bites, n.e.c.	3439	40	—	—	—	—	—	—	—	—	—	—	—
Exposure to caustic, noxious, or allergenic substances, n.e.c.	349	330	80	50	—	40	—	—	70	70	—	—	—
Exposure to noise	35	50	50	—	—	—	—	—	—	—	—	—	—
Exposure to noise over time	351	30	30	—	—	—	—	—	—	—	—	—	—
Exposure to noise in single incident	352	20	20	—	—	—	—	—	—	—	—	—	—
Exposure to radiation	36	100	80	80	—	—	—	—	—	—	—	—	—
Exposure to sun	361	20	—	—	—	—	—	—	—	—	—	—	—
Exposure to welding light	362	30	30	30	—	—	—	—	—	—	—	—	—
Exposure to radiation, n.e.c.	369	50	50	50	—	—	—	—	—	—	—	—	—
Exposure to traumatic or stressful event, n.e.c.	37	550	—	—	—	—	—	—	—	—	—	—	—
Exposure to harmful substances or environments, n.e.c.	39	40	—	—	—	—	—	—	—	—	—	—	—
Transportation accidents	4	13,650	300	—	930	3,330	2,230	590	760	390	40	190	70
Transportation accident, unspecified	40	1,830	20	—	180	560	510	30	470	310	—	160	—
Highway accident	41	9,330	180	—	690	2,330	1,440	480	140	40	30	—	30
Highway accident, unspecified	410	1,180	60	—	30	150	50	30	20	—	—	—	—
Collision between vehicles, mobile equipment	411	6,630	80	—	630	1,720	1,170	370	80	20	20	—	20
Collision between vehicles, mobile equipment, unspecified	4110	1,630	40	—	80	600	360	220	—	—	—	—	—
Re-entrant collision	4111	160	—	—	—	—	—	—	—	—	—	—	—
Moving in same direction	4112	1,960	20	—	440	580	490	50	—	—	—	—	—
Moving in opposite directions, oncoming	4113	470	—	—	20	110	40	20	—	—	—	—	—
Moving in intersection	4114	780	—	—	20	160	60	50	30	—	—	—	—
Moving and standing vehicle, mobile equipment in roadway	4115	1,210	—	—	70	190	180	—	—	—	—	—	—
Moving and standing vehicle, mobile equipment side of road	4116	170	—	—	—	20	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2009
— Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Exposure to caustic, noxious, or allergenic substances, unspecified	40	—	—	—	300	220	—
Inhalation of substance	—	—	—	—	770	—	—
Inhalation of substance, unspecified	—	—	—	—	370	—	—
Inhalation in enclosed, restricted, or confined space	—	—	—	—	60	—	—
Inhalation in open or nonconfined space	—	—	—	—	340	—	—
Contact with skin or other exposed tissue	50	—	—	30	40	420	30
Injections, stings, venomous bites	70	—	—	—	130	390	30
Injections, stings, venomous bites, unspecified	—	—	—	—	—	—	—
Bee, wasp, hornet sting	40	—	—	—	70	380	20
Other stings or venomous bites	30	—	—	—	20	—	—
Injections, stings, venomous bites, n.e.c.	—	—	—	—	30	—	—
Exposure to caustic, noxious, or allergenic substances, n.e.c.	—	—	—	—	90	40	—
Exposure to noise	—	—	—	—	—	—	—
Exposure to noise over time	—	—	—	—	—	—	—
Exposure to noise in single incident	—	—	—	—	—	—	—
Exposure to radiation	—	—	—	—	—	—	—
Exposure to sun	—	—	—	—	—	—	—
Exposure to welding light	—	—	—	—	—	—	—
Exposure to radiation, n.e.c.	—	—	—	—	—	—	—
Exposure to traumatic or stressful event, n.e.c.	—	—	—	—	550	—	—
Exposure to harmful substances or environments, n.e.c.	—	—	—	—	30	—	—
Transportation accidents	1,030	420	170	80	240	7,010	60
Transportation accident, unspecified	30	—	—	—	—	560	—
Highway accident	470	270	60	—	230	5,250	50
Highway accident, unspecified	140	60	—	—	—	770	—
Collision between vehicles, mobile equipment	270	180	50	—	190	3,620	40
Collision between vehicles, mobile equipment, unspecified	180	120	30	—	—	710	—
Re-entrant collision	—	—	—	—	—	140	—
Moving in same direction	40	30	—	—	—	860	—
Moving in opposite directions, oncoming	—	—	—	—	—	130	—
Moving in intersection	—	—	—	—	—	570	—
Moving and standing vehicle, mobile equipment in roadway	30	—	—	—	—	920	—
Moving and standing vehicle, mobile equipment side of road	—	—	—	—	—	140	—

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2009 — Continued

Event or exposure	Event code ²	Local government ³	Part of body affected by the injury or illness ⁴											
			Head		Neck	Trunk			Upper extremities					
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist	
Collision between vehicles, mobile equipment, n.e.c.	4119	260	—	—	—	60	40	20	20	—	—	—	—	—
Vehicle struck object in roadway	412	110	—	—	—	20	—	—	—	—	—	—	—	—
Vehicle struck object on side of road	413	540	—	—	—	100	20	—	—	—	—	—	—	—
Noncollision accident	414	840	40	—	20	320	190	70	30	20	—	—	—	—
Jack-knifed or overturned no collision	4141	170	—	—	—	—	—	—	—	—	—	—	—	—
Ran off highway no collision	4142	120	—	—	—	20	20	—	—	—	—	—	—	—
Sudden start or stop, n.e.c.	4144	250	20	—	—	130	60	30	—	—	—	—	—	—
Noncollision accident, n.e.c.	4149	300	—	—	—	160	110	30	—	—	—	—	—	—
Highway accident, n.e.c.	419	30	—	—	—	—	—	—	—	—	—	—	—	—
Nonhighway accident, except rail, air, water	42	1,370	40	—	50	290	200	50	70	—	—	—	—	30
Collision between vehicles or mobile equipment	421	80	—	—	—	40	30	—	—	—	—	—	—	—
Vehicle, mobile equipment struck stationary object	422	200	—	—	20	50	50	—	—	—	—	—	—	—
Noncollision accident	423	1,020	20	—	30	180	120	30	50	—	—	—	—	20
Fall from moving vehicle, mobile equipment	4231	320	—	—	—	20	—	—	30	—	—	—	—	—
Overturned	4233	140	—	—	—	20	—	—	—	—	—	—	—	—
Loss of control	4234	100	—	—	—	20	—	—	—	—	—	—	—	—
Sudden start or stop, n.e.c.	4236	270	—	—	30	60	20	—	20	—	—	—	—	20
Noncollision accident, n.e.c.	4239	180	—	—	—	70	60	—	—	—	—	—	—	—
Nonhighway accident, n.e.c.	429	70	—	—	—	20	—	—	—	—	—	—	—	—
Pedestrian, nonpassenger struck by vehicle, mobile equipment	43	840	40	—	—	120	70	—	70	30	—	—	—	20
Pedestrian struck by vehicle, mobile equipment, unspecified	430	230	20	—	—	—	—	—	20	20	—	—	—	—
Pedestrian struck by vehicle, mobile equipment in roadway	431	250	—	—	—	20	—	—	30	—	—	—	—	20
Pedestrian struck by vehicle, mobile equipment on side of road	432	50	—	—	—	20	20	—	—	—	—	—	—	—
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	433	300	—	—	—	60	30	—	—	—	—	—	—	—
Water vehicle accident	45	150	—	—	—	—	—	—	—	—	—	—	—	—
Fall from ship, boat, n.e.c.	453	130	—	—	—	—	—	—	—	—	—	—	—	—
Water vehicle accident, n.e.c.	459	20	—	—	—	—	—	—	—	—	—	—	—	—
Transportation accident, n.e.c.	49	120	—	—	—	—	—	—	—	—	—	—	—	—
Fires and explosions	5	390	110	—	—	30	30	—	40	—	—	20	—	—
Fire or explosion, unspecified	50	30	30	—	—	—	—	—	—	—	—	—	—	—
Fire unintended or uncontrolled	51	290	70	—	—	—	—	—	—	—	—	—	—	—
Fire, unspecified	510	160	—	—	—	—	—	—	—	—	—	—	—	—
Fire in residence, building, or other structure ..	511	100	60	—	—	—	—	—	—	—	—	—	—	—
Explosion	52	80	20	—	—	30	30	—	20	—	—	—	—	—
Explosion of pressure vessel or piping	522	20	—	—	—	—	—	—	—	—	—	—	—	—
Explosion, n.e.c.	529	40	—	—	—	—	—	—	20	—	—	—	—	—

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2009
— Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Collision between vehicles, mobile equipment, n.e.c.	20	—	—	—	—	140	—
Vehicle struck object in roadway	—	—	—	—	—	90	—
Vehicle struck object on side of road	20	20	—	—	—	390	—
Noncollision accident	30	—	20	—	40	360	—
Jack-knifed or overturned no collision	—	—	—	—	—	120	—
Ran off highway no collision	—	—	—	—	—	90	—
Sudden start or stop, n.e.c.	—	—	—	—	—	80	—
Noncollision accident, n.e.c.	20	—	—	—	40	60	—
Highway accident, n.e.c.	—	—	—	—	—	20	—
Nonhighway accident, except rail, air, water	220	60	90	20	—	680	—
Collision between vehicles or mobile equipment	20	—	—	—	—	20	—
Vehicle, mobile equipment struck stationary object	—	—	—	—	—	90	—
Noncollision accident	190	60	90	—	—	530	—
Fall from moving vehicle, mobile equipment	30	20	—	—	—	240	—
Overtaken	90	—	—	—	—	20	—
Loss of control	—	—	—	—	—	50	—
Sudden start or stop, n.e.c.	20	20	—	—	—	140	—
Noncollision accident, n.e.c.	30	—	30	—	—	80	—
Nonhighway accident, n.e.c.	—	—	—	—	—	40	—
Pedestrian, nonpassenger struck by vehicle, mobile equipment	280	50	—	50	—	320	—
Pedestrian struck by vehicle, mobile equipment, unspecified	90	20	—	—	—	90	—
Pedestrian struck by vehicle, mobile equipment in roadway	30	20	—	—	—	150	—
Pedestrian struck by vehicle, mobile equipment on side of road	—	—	—	—	—	—	—
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	140	—	—	30	—	70	—
Water vehicle accident	—	—	—	—	—	150	—
Fall from ship, boat, n.e.c.	—	—	—	—	—	—	—
Water vehicle accident, n.e.c.	—	—	—	—	—	—	—
Transportation accident, n.e.c.	—	—	—	—	—	50	—
Fires and explosions	—	—	—	—	90	100	—
Fire or explosion, unspecified	—	—	—	—	—	—	—
Fire unintended or uncontrolled	—	—	—	—	80	100	—
Fire, unspecified	—	—	—	—	50	90	—
Fire in residence, building, or other structure ..	—	—	—	—	20	—	—
Explosion	—	—	—	—	—	—	—
Explosion of pressure vessel or piping	—	—	—	—	—	—	—
Explosion, n.e.c.	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2009 — Continued

Event or exposure	Event code ²	Local government ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Assaults and violent acts	6	16,930	2,260	230	400	3,270	1,030	1,390	5,150	880	1,430	1,240	1,190
Assaults and violent acts, unspecified	60	330	20	—	—	60	20	30	100	50	30	—	—
Assaults and violent acts by person(s)	61	14,900	2,110	210	320	3,120	980	1,360	3,990	420	1,070	1,110	1,150
Assaults and violent acts by person(s), unspecified	610	5,100	280	20	40	1,440	290	970	1,790	50	780	150	790
Biting	611	610	—	—	—	—	—	—	490	30	—	430	30
Hitting, kicking, beating	612	3,780	1,080	100	130	770	260	100	350	100	30	140	30
Shooting	613	110	—	—	—	—	—	—	—	—	—	—	—
Squeezing, pinching, scratching, twisting	614	370	—	—	60	40	—	20	220	40	20	—	40
Stabbing	615	30	—	—	—	—	—	—	—	—	—	—	—
Threats or verbal assaults	617	100	—	—	—	—	—	—	—	—	—	—	—
Assaults and violent acts by person(s), n.e.c.	619	4,800	730	100	80	850	400	270	1,120	200	220	380	270
Assaults by animals	63	1,700	130	—	90	90	30	—	1,060	400	340	120	40
Assaults by animals, unspecified	630	30	—	—	—	—	—	—	—	—	—	—	—
Nonvenomous bites	631	1,480	120	—	90	50	—	—	950	350	290	100	30
Assaults by animals, n.e.c.	639	190	—	—	—	50	—	—	100	30	40	20	—
Other events or exposures	9	140	—	—	—	90	—	—	—	—	—	—	—
Nonclassifiable	9999	3,440	50	—	40	660	210	90	250	80	90	20	50

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2009

— Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Assaults and violent acts	2,100	1,310	90	250	250	3,370	130
Assaults and violent acts, unspecified	50	40	—	—	—	100	—
Assaults and violent acts by person(s)	1,870	1,260	70	220	220	3,220	60
Assaults and violent acts by person(s), unspecified	430	310	20	—	20	1,090	—
Biting	30	—	—	—	—	80	—
Hitting, kicking, beating	760	540	—	90	30	660	—
Shooting	30	—	—	20	—	30	—
Squeezing, pinching, scratching, twisting	—	—	—	—	—	20	—
Stabbing	—	—	—	—	—	—	20
Threats or verbal assaults	—	—	—	—	100	—	—
Assaults and violent acts by person(s), n.e.c.	610	400	40	110	60	1,320	—
Assaults by animals	170	—	—	—	30	60	70
Assaults by animals, unspecified	—	—	—	—	—	—	—
Nonvenomous bites	160	—	—	—	30	40	60
Assaults by animals, n.e.c.	—	—	—	—	—	20	—
Other events or exposures	—	—	—	—	50	—	—
Nonclassifiable	400	140	200	20	230	440	1,380

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Part of body codes: Head, Total = 00-09; Eyes = 032; Neck = 10-19; Trunk, Total = 20-29; Back = 23; Shoulder = 21; Upper extremities, Total = 30-39; Arm = 31; Finger = 34; Hand, except finger = 33; Wrist = 32; Lower extremities, Total = 40-49; Knee = 412; Ankle = 42; Foot, toe = 43, 44; Body systems = 5; Multiple body parts = 8; All other body parts = remaining codes, including 9999

(Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies