

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2009

Nature	Nature code ²	Local government ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		197,660	118,560	77,470	1,630	4,270	11,830	57,050	114,850	9,660
Traumatic injuries and disorders	0	184,890	111,590	72,850	450	4,100	11,310	54,310	107,000	8,180
Traumatic injuries and disorders, unspecified	00	9,890	5,410	4,400	80	150	340	2,660	6,350	390
Traumatic injuries to bones, nerves, spinal cord	01	13,760	7,090	6,630	-	390	720	3,120	9,380	140
Traumatic injuries to bones, nerves, spinal cord, unspecified	010	30	20	-	-	-	-	-	20	-
Dislocations	011	1,270	800	470	-	20	100	300	850	-
Fractures	012	11,810	6,020	5,750	-	370	580	2,620	8,110	140
Traumatic injuries to spinal cord	013	20	20	-	-	-	-	-	20	-
Traumatic injuries to nerves, except the spinal cord	014	100	80	20	-	-	-	-	90	-
Multiple traumatic injuries to bones nerves, spinal cord	018	510	130	380	-	-	-	200	280	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	84,700	53,930	30,680	100	1,500	5,250	24,390	49,640	3,920
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	410	220	190	-	-	-	150	250	-
Sprains, strains, tears	021	84,000	53,510	30,400	100	1,500	5,220	24,140	49,230	3,920
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	290	200	80	-	-	20	110	150	-
Open wounds	03	9,790	6,720	3,070	-	310	830	3,160	5,350	140
Open wounds, unspecified	030	120	60	60	-	-	-	-	110	-
Amputations	031	260	180	80	-	-	-	120	130	-
Amputations, fingertip	0311	170	100	80	-	-	-	100	60	-
Amputations, except fingertip	0319	90	90	-	-	-	-	20	70	-
Animal or insect bites	032	1,530	830	700	-	-	90	520	900	-
Avulsions	033	70	60	20	-	20	-	-	40	-
Cuts, lacerations	034	6,850	4,850	2,000	-	250	650	2,220	3,620	110
Gunshot wounds	036	170	140	20	-	-	-	100	50	-
Punctures, except bites	037	760	580	180	-	20	70	180	460	20
Surface wounds and bruises	04	22,910	12,110	10,590	200	630	1,400	6,920	11,090	2,860
Surface wounds and bruises, unspecified	040	120	110	-	-	-	110	-	-	-
Abrasions, scratches	041	1,040	770	270	-	20	80	290	600	70
Blisters	042	60	40	20	-	-	-	40	-	-
Bruises, contusions	043	20,710	10,400	10,110	200	570	1,160	6,290	9,960	2,730
Foreign bodies (superficial splinters, chips)	044	830	730	110	-	30	50	270	420	60
Multiple surface wounds and bruises	048	120	60	60	-	-	-	30	80	-
Surface wounds and bruises, n.e.c.	049	30	-	20	-	-	-	-	20	-
Burns	05	3,360	1,840	1,480	-	110	200	1,310	1,460	290
Chemical burns	051	610	320	290	-	-	40	370	200	-
Electrical burns	052	90	90	-	-	-	-	-	60	-
Heat burns, scalds	053	2,650	1,420	1,200	-	80	160	930	1,190	290
Intracranial injuries	06	1,040	470	560	-	20	120	440	470	-
Intracranial injuries, unspecified	060	60	60	-	-	-	-	-	60	-
Cerebral hemorrhages	061	20	-	-	-	-	-	-	-	-
Concussions	062	950	410	540	-	-	90	430	400	-
Effects of environmental conditions	07	350	340	-	-	20	20	120	170	-
Effects of heat and light	072	340	330	-	-	20	20	120	160	-
Effects of heat and light, unspecified	0720	40	40	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2009 — Continued

Nature	Nature code ²	Local government ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Heat fatigue	0723	50	50	—	—	—	—	30	20	—
Effects of heat and light, n.e.c.	0729	230	220	—	—	—	—	70	140	—
Multiple traumatic injuries and disorders	08	9,320	4,720	4,590	—	280	690	2,730	5,500	120
Multiple traumatic injuries and disorders, unspecified	080	550	300	250	—	—	80	120	340	—
Cuts, abrasions, bruises	081	1,250	640	600	—	—	60	340	820	—
Sprains and bruises	082	4,380	2,040	2,340	—	120	240	1,340	2,620	60
Fractures and other injuries	084	1,280	780	500	—	—	210	290	760	—
Burns and other injuries	085	50	40	—	—	—	—	30	—	—
Other combinations of traumatic injuries and disorders, n.e.c.	089	1,810	920	900	—	120	80	600	950	50
Other traumatic injuries and disorders	09	29,790	18,950	10,830	—	690	1,760	9,460	17,590	280
Asphyxiations/strangulations, suffocations	091	110	100	—	—	—	—	—	100	—
Electrocutions, electric shocks	093	150	120	30	—	—	20	40	90	—
Internal injuries to organs and blood vessels of the trunk	094	20	—	—	—	—	—	—	—	—
Other poisonings and toxic effects	095	1,660	1,290	370	—	90	90	600	880	—
Other poisonings and toxic effects, unspecified	0950	70	70	—	—	—	—	20	50	—
Animal or insect bites and stings, venomous	0951	1,030	940	100	—	90	70	490	380	—
Other poisonings and toxic effects, n.e.c.	0959	550	290	270	—	—	20	90	450	—
Nonspecified injuries and disorders	097	27,710	17,390	10,320	—	600	1,640	8,750	16,450	270
Crushing injuries	0971	1,080	830	240	—	20	70	240	700	50
Back pain, hurt back	0972	5,910	3,880	2,030	—	120	360	2,020	3,390	30
Soreness, pain, hurt, except the back	0973	17,870	11,090	6,780	—	360	1,120	5,580	10,670	140
Multiple nonspecified injuries and disorders	0978	1,800	960	840	—	90	40	450	1,170	50
Nonspecified injuries and disorders, n.e.c.	0979	1,050	630	420	—	20	40	460	520	—
Other traumatic injuries and disorders, n.e.c.	099	120	30	90	—	—	—	70	40	—
Systemic diseases and disorders	1	5,400	3,550	1,850	—	70	300	1,290	3,600	140
Diseases of the blood and blood forming organs	11	30	—	—	—	—	—	—	—	—
Nervous system and sense organs diseases	12	1,360	510	850	—	—	20	370	950	20
Inflammatory diseases of the central nervous system	121	20	—	—	—	—	—	—	20	—
Disorders of the peripheral nervous system	124	1,080	340	740	—	—	20	310	750	—
Carpal tunnel syndrome	1241	1,020	300	710	—	—	20	300	700	—
Other disorders of the peripheral nervous system, n.e.c.	1249	50	30	20	—	—	—	—	40	—
Disorders of the eye, adnexa, vision	125	230	150	80	—	—	—	50	150	—
Disorders of the eye, adnexa, vision, unspecified	1250	30	—	20	—	—	—	—	20	—
Conjunctivitis non-viral	1252	50	—	40	—	—	—	—	20	—
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	40	40	—	—	—	—	—	30	—
Welder's flash	1256	30	30	—	—	—	—	—	20	—
Disorders of the eye, adnexa, vision, n.e.c.	1259	60	50	—	—	—	—	—	50	—

See footnotes at end of table.

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2009 — Continued

Nature	Nature code ²	Local government ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Disorders of the ear, mastoid process, hearing	126	30	-	20	-	-	-	-	20	-
Deafness, hearing loss or impairment	1261	20	-	-	-	-	-	-	-	-
Circulatory system diseases	13	250	220	30	-	-	-	-	230	-
Circulatory system diseases, unspecified	130	60	60	-	-	-	-	-	60	-
Hypertensive disease	132	20	20	-	-	-	-	-	20	-
Ischemic heart disease, including heart attack	133	120	90	30	-	-	-	-	110	-
Myocardial infarction (heart attack)	1331	90	90	-	-	-	-	-	80	-
Angina	1332	20	-	-	-	-	-	-	20	-
Other forms of heart disease	135	40	30	-	-	-	-	-	30	-
Respiratory system diseases	14	550	410	140	-	-	140	300	100	-
Respiratory system diseases, unspecified	140	20	-	20	-	-	-	20	-	-
Acute respiratory infections (including common cold)	141	20	-	20	-	-	-	20	-	-
Other diseases of upper respiratory tract	142	90	90	-	-	-	80	20	-	-
Allergic rhinitis	1421	80	70	-	-	-	80	-	-	-
Chronic conditions of upper respiratory tract (including chronic sinusitis, pharyngitis)	1422	20	20	-	-	-	-	-	-	-
Pneumonia, influenza	143	270	230	40	-	-	40	180	60	-
Pneumonia, influenza, unspecified	1430	60	60	-	-	-	-	-	60	-
Influenza	1432	80	50	30	-	-	20	60	-	-
Pneumonia, influenza, n.e.c.	1439	120	120	-	-	-	-	120	-	-
Chronic obstructive pulmonary disease and allied conditions	144	130	70	60	-	-	30	60	-	-
Extrinsic asthma	1443	70	-	50	-	-	30	30	-	-
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	1444	20	-	-	-	-	-	20	-	-
Digestive system diseases and disorders	15	1,440	1,340	100	-	20	60	250	1,100	-
Hernia	153	1,440	1,340	100	-	20	60	250	1,100	-
Hernia, unspecified	1530	860	820	30	-	-	-	160	680	-
Inguinal hernia	1531	300	290	-	-	-	-	30	240	-
Ventral hernia	1533	140	80	60	-	-	30	30	80	-
Hernia, n.e.c.	1539	140	140	-	-	-	20	-	100	-
Genitourinary system diseases and disorders	16	20	-	-	-	-	-	-	20	-
Other diseases of urinary system	162	20	-	-	-	-	-	-	20	-
Musculoskeletal system and connective tissue diseases and disorders	17	1,030	520	500	-	-	80	250	660	20
Dorsopathies	172	110	70	30	-	-	20	20	70	-
Sciatica	1721	40	20	20	-	-	20	-	-	-
Disc disorders, except dislocation	1723	30	30	-	-	-	-	-	30	-
Dorsopathies, n.e.c.	1729	40	20	20	-	-	-	-	30	-
Rheumatism, except the back	173	880	420	450	-	-	70	230	560	20
Rheumatism, except the back, unspecified	1730	80	40	40	-	-	-	30	40	-
Bursitis	1731	110	60	60	-	-	-	60	50	-
Tendonitis	1733	430	260	180	-	-	50	90	290	-
Ganglion/cystic tumor	1735	50	-	40	-	-	-	-	50	-
Rheumatism, except the back, n.e.c.	1739	190	60	120	-	-	-	50	120	-
Disorders of the skin and subcutaneous tissue	18	680	470	200	-	30	120	220	300	-

See footnotes at end of table.

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2009 — Continued

Nature	Nature code ²	Local government ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Infections of the skin and subcutaneous tissue	181	110	90	—	—	—	—	40	60	—
Infections of the skin and subcutaneous tissue, unspecified	1810	70	60	—	—	—	—	30	30	—
Cellulitis and abscess	1812	30	20	—	—	—	—	—	30	—
Dermatitis	182	510	340	160	—	30	110	160	210	—
Dermatitis, unspecified	1820	60	40	—	—	—	—	20	30	—
Atopic dermatitis and related conditions	1821	70	70	—	—	—	—	—	20	—
Contact dermatitis, unspecified	1822	130	70	60	—	—	20	40	60	—
Allergic contact dermatitis	1823	200	110	90	—	—	30	80	80	—
Dermatitis, n.e.c.	1829	20	20	—	—	20	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	189	40	40	—	—	—	—	—	30	—
Urticaria, hives	1898	40	30	—	—	—	—	—	30	—
Other systemic diseases and disorders	19	40	40	—	—	—	—	40	—	—
Endocrine, nutritional, metabolic, and immunity disorder	191	40	40	—	—	—	—	40	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	1919	40	40	—	—	—	—	40	—	—
Infectious and parasitic diseases	2	590	350	240	—	30	—	190	360	—
Infectious and parasitic diseases, unspecified	20	30	—	—	—	—	—	30	—	—
Bacterial diseases	21	70	20	50	—	—	—	20	50	—
Other bacterial diseases	219	70	20	50	—	—	—	20	50	—
Other bacterial diseases, n.e.c.	2199	30	20	—	—	—	—	—	20	—
Viral diseases	22	50	30	20	—	—	—	—	40	—
Other arthropod-borne diseases	23	20	—	—	—	—	—	—	—	—
Mycoses	24	130	120	—	—	—	—	—	130	—
Infectious diseases peculiar to the intestines	26	120	120	—	—	—	—	—	—	—
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	265	120	120	—	—	—	—	—	—	—
Other infectious and parasitic diseases	29	190	40	150	—	—	—	40	140	—
Acariasis (including scabies, chiggers, mites)	294	150	40	110	—	—	—	40	100	—
Neoplasms, tumors, and cancer	3	70	70	—	—	—	—	—	70	—
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	31	70	70	—	—	—	—	—	70	—
Malignant neoplasms and tumors of other sites	319	50	50	—	—	—	—	—	50	—
Symptoms, signs, and ill-defined conditions	4	3,380	2,020	1,360	—	30	120	850	2,350	30
Symptoms, signs, and ill-defined conditions, unspecified	40	50	30	20	—	—	—	—	40	—
Symptoms	41	3,190	1,880	1,300	—	30	110	790	2,230	20
General symptoms	411	1,230	790	450	—	20	70	230	910	—
General symptoms, unspecified	4110	20	—	—	—	—	—	—	20	—
Loss of consciousness not heat related	4111	180	90	90	—	—	20	20	150	—
Convulsions, seizures	4112	30	30	—	—	—	—	20	—	—
Dizziness	4114	160	70	90	—	—	—	60	80	—
Non-specified allergic reaction	4115	130	20	110	—	—	—	40	80	—
Multiple general symptoms	4118	230	150	80	—	—	—	30	160	—

See footnotes at end of table.

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2009 — Continued

Nature	Nature code ²	Local government ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
General symptoms, n.e.c.	4119	480	410	70	—	—	—	60	410	—
Symptoms involving nervous and musculoskeletal systems	412	70	30	40	—	—	—	40	30	—
Earache	4122	30	—	30	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	20	—	—	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	413	500	260	240	—	—	—	210	280	—
Edema (including dropsy)	4131	490	260	240	—	—	—	200	280	—
Symptoms involving head and neck	414	150	80	80	—	—	—	—	120	—
Headache, except migraine	4141	110	30	70	—	—	—	—	70	—
Symptoms involving cardiovascular system	415	30	30	—	—	—	—	—	30	—
Symptoms involving cardiovascular system, unspecified	4150	20	20	—	—	—	—	—	20	—
Symptoms involving respiratory system and chest	416	1,120	660	460	—	—	—	270	850	—
Symptoms involving respiratory system and chest, unspecified	4160	520	130	390	—	—	—	200	320	—
Chest pain	4164	500	490	—	—	—	—	30	470	—
Multiple symptoms involving respiratory system and chest	4168	30	30	—	—	—	—	—	30	—
Symptoms involving respiratory system and chest, n.e.c.	4169	70	20	50	—	—	—	50	20	—
Symptoms involving digestive and urinary system	417	30	—	20	—	—	—	—	—	—
Nausea and vomiting	4171	30	—	20	—	—	—	—	—	—
Multiple symptoms	418	50	40	20	—	—	—	20	20	—
Abnormal findings	42	40	40	—	—	—	—	—	40	—
Other abnormal findings	429	30	30	—	—	—	—	—	30	—
Multiple symptoms, signs, and ill-defined conditions	48	50	20	20	—	—	—	30	—	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	40	20	20	—	—	—	30	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	49	60	40	20	—	—	—	30	40	—
Other diseases, conditions, and disorders	5	1,370	730	630	—	20	80	330	930	—

See footnotes at end of table.

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2009 — Continued

Nature	Nature code ²	Local government ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Mental disorders or syndromes	52	1,370	730	630	—	20	80	330	930	—
Mental disorder or syndrome, unspecified	520	130	130	—	—	—	—	—	130	—
Anxiety, stress, neurotic disorders	521	1,160	540	620	—	20	70	330	730	—
Anxiety, stress, neurotic disorders, unspecified	5210	290	160	130	—	—	40	70	170	—
Post-traumatic anxiety acute	5211	470	210	260	—	—	20	80	360	—
Post-traumatic anxiety chronic	5212	100	30	—	—	—	—	—	—	—
Neurotic reaction to stress	5214	260	110	150	—	—	—	80	160	—
Multiple anxiety, stress, neurotic disorders	5218	40	20	20	—	—	—	20	20	—
Multiple diseases, conditions, and disorders	8	460	70	390	—	—	—	—	400	—
Nonclassifiable	9999	1,500	190	140	1,170	—	—	80	140	1,260

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies