

TABLE L50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, local government, 2009

Part of body	Part of body code ²	Local government ³	Age								
			14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		197,660	60	1,940	6,800	32,730	52,020	56,730	31,570	5,290	10,510
Head	0	10,870	—	300	530	2,280	2,350	3,020	1,630	360	390
Head, unspecified	00	2,480	—	30	70	490	430	840	440	110	70
Cranial region, including skull	01	1,820	—	30	80	280	530	450	340	90	20
Brain	011	1,110	—	30	70	240	230	300	170	70	—
Scalp	012	630	—	—	—	30	290	120	150	—	—
Skull	013	40	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	019	30	—	—	—	—	—	20	—	—	—
Ear(s)	02	620	—	—	90	320	30	100	70	—	—
Face	03	5,580	—	240	260	1,160	1,300	1,470	750	160	260
Face, unspecified	030	620	—	—	—	230	50	280	30	—	—
Forehead	031	490	—	—	60	60	160	120	50	40	—
Eye(s)	032	2,840	—	50	80	620	750	570	450	80	230
Nose, nasal cavity	033	390	—	—	—	60	80	210	20	—	—
Nose, except internal location of diseases or disorders	0330	380	—	—	—	60	80	210	20	—	—
Cheek(s)	034	230	—	—	—	20	110	50	40	—	—
Jaw/chin	035	250	—	140	—	—	—	80	—	—	—
Mouth	036	200	—	—	—	30	90	40	30	—	—
Mouth, unspecified	0360	60	—	—	—	20	20	—	—	—	—
Lip(s)	0361	20	—	—	—	—	—	—	—	—	—
Tooth(teeth)	0363	50	—	—	—	—	20	—	—	—	—
Multiple mouth locations	0368	50	—	—	—	—	40	—	—	—	—
Multiple face locations	038	440	—	—	80	120	40	80	90	—	—
Face, n.e.c.	039	120	—	—	—	—	—	30	20	—	—
Multiple head locations	08	340	—	—	30	30	40	160	40	—	40
Head, n.e.c.	09	30	—	—	—	—	30	—	—	—	—
Neck, including throat	1	3,140	—	20	140	680	1,110	730	350	60	50
Neck, except internal location of diseases or disorders ...	10	3,090	—	20	140	680	1,080	700	350	60	50
Trunk	2	60,290	—	650	1,720	9,120	17,690	18,280	9,110	1,380	2,330
Trunk, unspecified	20	390	—	—	—	50	180	100	50	—	—
Shoulder, including clavicle, scapula	21	14,410	—	50	330	1,640	4,630	4,060	2,260	440	1,000
Chest, including ribs, internal organs	22	4,410	—	30	140	360	1,330	1,750	620	100	70
Chest, except internal location of diseases or disorders	220	3,220	—	30	130	280	710	1,440	470	100	60
Internal chest location, unspecified	221	100	—	—	—	—	30	40	—	—	—
Heart	223	200	—	—	—	—	—	150	30	—	—
Lung(s), pleura	225	860	—	—	—	70	570	110	110	—	—
Back, including spine, spinal cord	23	34,580	—	570	1,070	6,220	9,650	10,440	4,880	670	1,080
Back, including spine, spinal cord, unspecified	230	13,880	—	440	410	2,370	3,570	4,260	2,040	280	520
Lumbar region	231	17,330	—	40	520	2,930	5,170	5,560	2,300	320	500
Thoracic region	232	1,400	—	80	70	370	400	300	90	40	40
Sacral region	233	40	—	—	—	—	—	—	—	—	—
Coccygeal region	234	250	—	—	—	—	80	40	110	—	—
Multiple back regions	238	1,500	—	—	60	460	400	210	310	20	—
Back, including spine, spinal cord, n.e.c.	239	190	—	—	—	80	40	50	20	—	—

See footnotes at end of table.

TABLE L50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, local government, 2009 — Continued

Part of body	Part of body code ²	Local government ³	Age								Not reported
			14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	
Abdomen	24	2,540	—	—	90	560	790	670	370	30	—
Abdomen, except internal location of diseases or disorders	240	920	—	—	30	330	200	220	120	20	—
Internal abdominal location, unspecified	241	960	—	—	—	160	440	270	60	—	—
Stomach organ	242	40	—	—	20	—	—	—	—	—	—
Urinary organs	244	30	—	—	—	—	—	—	—	—	—
Bladder	2441	30	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	550	—	—	—	80	140	160	150	—	—
Intestines, peritoneum, unspecified	2450	500	—	—	—	70	130	140	140	—	—
Intestines, n.e.c.	2459	20	—	—	—	—	—	20	—	—	—
Pelvic region	25	2,680	—	—	40	180	830	740	640	100	140
Hip(s)	251	1,440	—	—	—	50	500	270	440	100	90
Pelvis	252	70	—	—	—	—	40	—	20	—	—
Buttock(s)	253	200	—	—	20	—	40	30	70	—	40
Groin	254	920	—	—	—	130	230	420	110	—	—
External reproductive tract structures	255	30	—	—	—	—	—	—	—	—	—
Multiple trunk locations	28	1,230	—	—	40	90	240	520	280	40	20
Trunk, n.e.c.	29	60	—	—	—	—	30	—	—	—	—
Upper extremities	3	33,360	—	150	1,370	5,300	8,640	9,380	5,180	650	2,680
Upper extremities, unspecified	30	230	—	—	—	—	30	180	—	—	—
Arm(s)	31	8,350	—	20	340	1,100	1,800	2,530	1,520	140	920
Arm(s), unspecified	310	2,580	—	—	20	360	520	1,100	450	40	80
Upper arm(s)	311	760	—	—	40	80	60	270	270	30	—
Elbow(s)	312	3,630	—	—	210	460	670	830	630	50	770
Forearm(s)	313	960	—	—	70	130	370	230	130	—	—
Multiple arm(s) locations	318	380	—	—	—	50	160	100	20	—	40
Arm(s), n.e.c.	319	50	—	—	—	—	—	—	—	—	—
Wrist(s)	32	7,460	—	40	180	1,380	1,540	1,840	1,460	210	790
Hand(s), except finger(s)	33	6,210	—	40	490	1,420	1,820	1,660	550	100	140
Finger(s), fingernail(s)	34	8,320	—	60	330	1,090	2,150	2,530	1,170	160	820
Multiple upper extremities locations	38	2,760	—	—	40	300	1,290	630	450	40	—
Multiple upper extremities locations, unspecified	380	40	—	—	—	—	—	—	—	—	—
Hand(s) and finger(s)	381	860	—	—	20	30	560	100	140	—	—
Hand(s) and wrist(s)	382	560	—	—	—	160	90	200	100	—	—
Hand(s) and arm(s)	383	220	—	—	—	30	20	80	80	—	—
Multiple upper extremities locations, n.e.c.	389	1,090	—	—	—	70	600	250	120	20	—
Upper extremities, n.e.c.	39	40	—	—	—	—	—	—	20	—	—
Lower extremities	4	50,960	50	410	1,500	10,150	12,760	14,330	8,810	1,570	1,360
Lower extremities, unspecified	40	70	—	—	—	—	—	—	—	—	—
Leg(s)	41	28,950	20	120	840	5,220	6,790	9,460	4,910	920	670
Leg(s), unspecified	410	2,150	—	—	40	430	290	660	440	180	100
Thigh(s)	411	780	—	—	—	130	210	170	150	90	20
Knee(s)	412	22,560	—	70	720	3,250	5,680	7,760	3,980	560	530
Lower leg(s)	413	2,280	—	—	30	890	490	530	220	70	—
Multiple leg(s) locations	418	1,150	—	—	40	530	100	340	100	20	—
Leg(s), n.e.c.	419	20	—	—	—	—	—	—	—	—	—
Ankle(s)	42	12,550	—	240	390	3,150	3,430	2,570	2,030	280	450
Foot(feet), except toe(s)	43	5,320	—	40	140	830	1,470	1,340	1,220	120	110

See footnotes at end of table.

TABLE L50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, local government, 2009 — Continued

Part of body	Part of body code ²	Local government ³	Age								Not reported
			14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	
Foot(feet), except toe(s), unspecified	430	4,660	-	40	140	800	1,180	1,160	1,080	110	110
Instep(s)	431	30	-	-	-	-	-	-	-	-	-
Sole	432	430	-	-	-	20	160	120	120	-	-
Heel(s)	4323	410	-	-	-	20	150	110	120	-	-
Multiple foot(feet) locations	438	50	-	-	-	-	-	40	-	-	-
Foot(feet), n.e.c.	439	150	-	-	-	-	-	-	-	-	-
Toe(s), toenail(s)	44	1,340	-	-	50	240	300	260	290	170	20
Multiple lower extremities locations	48	2,640	-	-	60	690	740	640	310	90	100
Multiple lower extremities locations, unspecified	480	40	-	-	-	-	-	-	20	-	-
Foot(feet) and leg(s)	481	160	-	-	30	20	50	50	-	-	-
Foot(feet) and ankle(s)	482	700	-	-	20	180	190	170	60	40	40
Foot(feet) and toe(s)	483	130	-	-	-	20	50	30	-	-	-
Multiple lower extremities locations, n.e.c.	489	1,610	-	-	-	470	440	390	210	50	40
Lower extremities, n.e.c.	49	90	-	-	-	-	20	30	40	-	-
Body systems	5	4,140	-	-	180	760	1,070	1,420	540	40	130
Multiple body parts	8	32,610	-	390	1,310	4,220	8,050	9,350	5,820	1,200	2,280
Nonclassifiable	9999	2,290	-	-	50	220	350	210	140	30	1,290

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies