

TABLE L51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, local government, 2009

Part of body	Part of body code ²	Local government ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Total		197,660	78,150	12,970	12,740	1,050	490	920	20	90	91,230
Head	0	10,870	4,220	540	930	40	-	70	-	-	5,060
Head, unspecified	00	2,480	970	70	380	-	-	-	-	-	1,050
Cranial region, including skull	01	1,820	860	60	70	-	-	20	-	-	810
Brain	011	1,110	490	40	30	-	-	-	-	-	540
Scalp	012	630	320	-	30	-	-	20	-	-	250
Skull	013	40	20	-	-	-	-	-	-	-	-
Cranial region, n.e.c.	019	30	30	-	-	-	-	-	-	-	-
Ear(s)	02	620	190	-	20	-	-	-	-	-	410
Face	03	5,580	1,980	370	460	40	-	40	-	-	2,690
Face, unspecified	030	620	150	-	-	-	-	-	-	-	440
Forehead	031	490	250	30	20	-	-	-	-	-	190
Eye(s)	032	2,840	1,150	140	290	30	-	40	-	-	1,190
Nose, nasal cavity	033	390	130	-	-	-	-	-	-	-	230
Nose, except internal location of diseases or disorders	0330	380	130	-	-	-	-	-	-	-	230
Cheek(s)	034	230	40	30	100	-	-	-	-	-	70
Jaw/chin	035	250	30	70	-	-	-	-	-	-	150
Mouth	036	200	90	20	-	-	-	-	-	-	90
Mouth, unspecified	0360	60	20	-	-	-	-	-	-	-	30
Lip(s)	0361	20	-	-	-	-	-	-	-	-	-
Tooth(teeth)	0363	50	40	-	-	-	-	-	-	-	-
Multiple mouth locations	0368	50	20	-	-	-	-	-	-	-	30
Multiple face locations	038	440	110	20	30	-	-	-	-	-	290
Face, n.e.c.	039	120	20	-	-	-	-	-	-	-	50
Multiple head locations	08	340	220	30	-	-	-	-	-	-	80
Head, n.e.c.	09	30	-	-	-	-	-	-	-	-	30
Neck, including throat	1	3,140	1,230	210	380	-	-	-	-	-	1,290
Neck, except internal location of diseases or disorders ...	10	3,090	1,230	180	380	-	-	-	-	-	1,270
Trunk	2	60,290	25,390	4,130	3,470	330	350	330	-	60	26,230
Trunk, unspecified	20	390	210	40	-	-	-	-	-	-	140
Shoulder, including clavicle, scapula	21	14,410	6,230	790	590	70	280	110	-	50	6,280
Chest, including ribs, internal organs	22	4,410	1,860	360	160	-	-	20	-	-	2,000
Chest, except internal location of diseases or disorders	220	3,220	1,390	330	130	-	-	20	-	-	1,350
Internal chest location, unspecified	221	100	50	-	-	-	-	-	-	-	40
Heart	223	200	80	-	-	-	-	-	-	-	100
Lung(s), pleura	225	860	330	30	-	-	-	-	-	-	500
Back, including spine, spinal cord	23	34,580	14,350	2,530	2,270	240	50	170	-	-	14,970
Back, including spine, spinal cord, unspecified	230	13,880	6,110	1,180	990	50	-	80	-	-	5,470

See footnotes at end of table.

TABLE L51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, local government, 2009 — Continued

Part of body	Part of body code ²	Local government ³	Race or ethnic origin								Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	
Lumbar region	231	17,330	6,810	1,080	1,090	180	40	80	—	—	8,050
Thoracic region	232	1,400	650	50	80	—	—	—	—	—	600
Sacral region	233	40	—	—	—	—	—	—	—	—	20
Coccygeal region	234	250	100	—	20	—	—	—	—	—	120
Multiple back regions	238	1,500	580	200	30	—	—	—	—	—	680
Back, including spine, spinal cord, n.e.c.	239	190	90	—	50	—	—	—	—	—	40
Abdomen	24	2,540	1,170	130	240	—	—	—	—	—	1,000
Abdomen, except internal location of diseases or disorders	240	920	210	90	140	—	—	—	—	—	480
Internal abdominal location, unspecified	241	960	720	—	60	—	—	—	—	—	170
Stomach organ	242	40	—	—	—	—	—	—	—	—	30
Urinary organs	244	30	20	—	—	—	—	—	—	—	—
Bladder	2441	30	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	550	200	30	30	—	—	—	—	—	290
Intestines, peritoneum, unspecified	2450	500	190	30	30	—	—	—	—	—	260
Intestines, n.e.c.	2459	20	—	—	—	—	—	—	—	—	—
Pelvic region	25	2,680	1,120	180	190	—	—	—	—	—	1,180
Hip(s)	251	1,440	740	130	50	—	—	—	—	—	520
Pelvis	252	70	—	—	—	—	—	—	—	—	50
Buttock(s)	253	200	70	—	—	—	—	—	—	—	120
Groin	254	920	300	20	130	—	—	—	—	—	460
External reproductive tract structures	255	30	—	—	—	—	—	—	—	—	—
Multiple trunk locations	28	1,230	420	100	20	—	20	30	—	—	630
Trunk, n.e.c.	29	60	20	—	—	—	—	—	—	—	40
Upper extremities	3	33,360	13,000	2,330	1,690	220	30	130	—	—	15,950
Upper extremities, unspecified	30	230	20	—	—	—	—	—	—	—	210
Arm(s)	31	8,350	3,120	620	330	30	—	20	—	—	4,220
Arm(s), unspecified	310	2,580	1,000	150	130	—	—	—	—	—	1,280
Upper arm(s)	311	760	350	—	—	—	—	—	—	—	390
Elbow(s)	312	3,630	1,320	210	150	—	—	—	—	—	1,950
Forearm(s)	313	960	340	220	30	—	—	—	—	—	360
Multiple arm(s) locations	318	380	100	30	20	—	—	—	—	—	220
Arm(s), n.e.c.	319	50	20	—	—	—	—	—	—	—	20
Wrist(s)	32	7,460	3,230	690	400	20	—	—	—	—	3,090
Hand(s), except finger(s)	33	6,210	2,920	420	440	90	—	80	—	—	2,260
Finger(s), fingernail(s)	34	8,320	2,910	510	440	70	—	20	—	—	4,360
Multiple upper extremities locations	38	2,760	790	90	60	—	—	—	—	—	1,800
Multiple upper extremities locations, unspecified	380	40	—	—	—	—	—	—	—	—	30
Hand(s) and finger(s)	381	860	220	30	30	—	—	—	—	—	580
Hand(s) and wrist(s)	382	560	250	20	20	—	—	—	—	—	270
Hand(s) and arm(s)	383	220	100	30	—	—	—	—	—	—	80
Multiple upper extremities locations, n.e.c.	389	1,090	220	—	—	—	—	—	—	—	840
Upper extremities, n.e.c.	39	40	—	—	—	—	—	—	—	—	—
Lower extremities	4	50,960	21,100	2,930	3,330	210	60	200	—	—	23,130

See footnotes at end of table.

TABLE L51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, local government, 2009 — Continued

Part of body	Part of body code ²	Local government ³	Race or ethnic origin									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported	
Lower extremities, unspecified	40	70	30	—	—	—	—	—	—	—	—	30
Leg(s)	41	28,950	11,270	1,750	2,000	70	20	120	—	—	—	13,700
Leg(s), unspecified	410	2,150	1,010	40	70	—	—	—	—	—	—	1,010
Thigh(s)	411	780	510	20	—	—	—	—	—	—	—	230
Knee(s)	412	22,560	8,950	1,470	1,800	40	—	110	—	—	—	10,170
Lower leg(s)	413	2,280	660	180	60	20	—	—	—	—	—	1,370
Multiple leg(s) locations	418	1,150	120	40	70	—	—	—	—	—	—	910
Leg(s), n.e.c.	419	20	20	—	—	—	—	—	—	—	—	—
Ankle(s)	42	12,550	6,080	610	930	100	40	60	—	—	—	4,720
Foot(feet), except toe(s)	43	5,320	2,380	380	190	20	—	—	—	—	—	2,340
Foot(feet), except toe(s), unspecified	430	4,660	2,080	370	190	20	—	—	—	—	—	2,000
Instep(s)	431	30	—	—	—	—	—	—	—	—	—	20
Sole	432	430	280	—	—	—	—	—	—	—	—	140
Heel(s)	4323	410	270	—	—	—	—	—	—	—	—	130
Multiple foot(feet) locations	438	50	—	—	—	—	—	—	—	—	—	50
Foot(feet), n.e.c.	439	150	—	—	—	—	—	—	—	—	—	130
Toe(s), toenail(s)	44	1,340	490	70	110	—	—	—	—	—	—	650
Multiple lower extremities locations	48	2,640	810	60	90	—	—	—	—	—	—	1,660
Multiple lower extremities locations, unspecified	480	40	20	—	—	—	—	—	—	—	—	20
Foot(feet) and leg(s)	481	160	50	—	—	—	—	—	—	—	—	110
Foot(feet) and ankle(s)	482	700	340	20	60	—	—	—	—	—	—	280
Foot(feet) and toe(s)	483	130	50	—	—	—	—	—	—	—	—	80
Multiple lower extremities locations, n.e.c.	489	1,610	350	40	30	—	—	—	—	—	—	1,180
Lower extremities, n.e.c.	49	90	30	30	—	—	—	—	—	—	—	20
Body systems	5	4,140	1,440	230	570	40	—	—	—	—	—	1,850
Multiple body parts	8	32,610	11,580	2,540	2,350	210	40	170	—	—	—	15,700
Nonclassifiable	9999	2,290	200	60	—	—	—	—	—	—	—	2,010

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies