

TABLE L52. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness, gender, and length of service with employer, local government, 2009

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total .....		197,660	118,560	77,470	1,630	4,270	11,830	57,050	114,850	9,660
<b>Head</b> .....	0	10,870	6,470	4,400	—	570	780	3,650	5,500	370
Head, unspecified .....	00	2,480	1,280	1,200	—	90	150	1,120	1,040	70
Cranial region, including skull .....	01	1,820	910	900	—	20	150	650	980	—
Brain .....	011	1,110	490	620	—	20	120	460	510	—
Scalp .....	012	630	380	250	—	—	40	170	430	—
Skull .....	013	40	20	20	—	—	—	20	20	—
Cranial region, n.e.c. ....	019	30	—	—	—	—	—	—	20	—
Ear(s) .....	02	620	570	60	—	—	—	350	200	—
Face .....	03	5,580	3,570	2,020	—	380	460	1,420	3,060	250
Face, unspecified .....	030	620	260	360	—	110	20	70	410	—
Forehead .....	031	490	280	210	—	—	70	160	230	—
Eye(s) .....	032	2,840	2,010	830	—	80	200	900	1,440	230
Nose, nasal cavity .....	033	390	260	130	—	—	50	60	280	—
Nose, except internal location of diseases or disorders .....	0330	380	260	120	—	—	50	60	280	—
Cheek(s) .....	034	230	180	50	—	—	—	—	220	—
Jaw/chin .....	035	250	110	150	—	130	—	20	90	—
Mouth .....	036	200	140	60	—	—	—	50	130	—
Mouth, unspecified .....	0360	60	60	—	—	—	—	—	60	—
Lip(s) .....	0361	20	—	—	—	—	—	—	—	—
Tooth(teeth) .....	0363	50	30	20	—	—	—	30	—	—
Multiple mouth locations .....	0368	50	30	20	—	—	—	—	50	—
Multiple face locations .....	038	440	270	170	—	—	100	140	200	—
Face, n.e.c. ....	039	120	50	70	—	50	—	—	70	—
Multiple head locations .....	08	340	110	230	—	—	—	110	180	—
Head, n.e.c. ....	09	30	30	—	—	—	—	—	30	—
<b>Neck, including throat</b> .....	1	3,140	2,030	1,110	—	110	110	720	2,180	—
Neck, except internal location of diseases or disorders ...	10	3,090	2,000	1,080	—	110	110	720	2,130	—
<b>Trunk</b> .....	2	60,290	40,160	20,000	130	840	4,200	17,240	36,110	1,900
Trunk, unspecified .....	20	390	280	110	—	—	60	80	240	—
Shoulder, including clavicle, scapula .....	21	14,410	9,760	4,650	—	180	600	4,360	8,380	880
Chest, including ribs, internal organs .....	22	4,410	3,010	1,390	—	60	190	950	3,150	60
Chest, except internal location of diseases or disorders .....	220	3,220	2,390	830	—	60	180	630	2,300	50
Internal chest location, unspecified .....	221	100	80	20	—	—	—	20	80	—
Heart .....	223	200	170	30	—	—	—	20	180	—
Lung(s), pleura .....	225	860	360	500	—	—	—	280	560	—
Back, including spine, spinal cord .....	23	34,580	22,710	11,830	50	500	2,800	10,330	20,150	800
Back, including spine, spinal cord, unspecified .....	230	13,880	9,000	4,850	—	180	1,330	4,400	7,630	340
Lumbar region .....	231	17,330	11,720	5,590	—	210	1,210	5,100	10,410	400
Thoracic region .....	232	1,400	690	710	—	—	180	440	730	30
Sacral region .....	233	40	—	20	—	—	—	—	20	—

See footnotes at end of table.

TABLE L52. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness, gender, and length of service with employer, local government, 2009 — Continued

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Coccygeal region .....	234	250	60	180	—	20	—	50	160	—
Multiple back regions .....	238	1,500	1,140	350	—	60	50	250	1,130	—
Back, including spine, spinal cord, n.e.c. ....	239	190	80	120	—	20	—	70	70	20
Abdomen .....	24	2,540	2,020	520	—	30	130	590	1,780	—
Abdomen, except internal location of diseases or disorders .....	240	920	600	330	—	—	50	300	560	—
Internal abdominal location, unspecified .....	241	960	940	20	—	—	30	160	770	—
Stomach organ .....	242	40	20	20	—	—	—	—	—	—
Urinary organs .....	244	30	—	30	—	—	—	—	30	—
Bladder .....	2441	30	—	30	—	—	—	—	30	—
Intestines, peritoneum .....	245	550	440	120	—	—	40	120	390	—
Intestines, peritoneum, unspecified .....	2450	500	390	120	—	—	30	120	340	—
Intestines, n.e.c. ....	2459	20	20	—	—	—	—	—	20	—
Pelvic region .....	25	2,680	1,810	800	70	40	350	520	1,640	130
Hip(s) .....	251	1,440	810	590	—	—	280	190	870	90
Pelvis .....	252	70	—	70	—	—	—	50	20	—
Buttock(s) .....	253	200	70	90	—	—	40	30	80	40
Groin .....	254	920	890	30	—	20	30	240	630	—
External reproductive tract structures .....	255	30	—	—	—	—	—	—	—	—
Multiple trunk locations .....	28	1,230	540	690	—	20	70	390	730	20
Trunk, n.e.c. ....	29	60	40	20	—	—	—	20	40	—
<b>Upper extremities</b> .....	<b>3</b>	<b>33,360</b>	<b>19,300</b>	<b>13,940</b>	<b>120</b>	<b>850</b>	<b>2,160</b>	<b>9,440</b>	<b>18,320</b>	<b>2,590</b>
Upper extremities, unspecified .....	30	230	50	180	—	—	—	160	70	—
Arm(s) .....	31	8,350	4,780	3,500	70	150	340	2,270	4,730	860
Arm(s), unspecified .....	310	2,580	1,590	990	—	30	130	730	1,640	50
Upper arm(s) .....	311	760	550	210	—	80	20	130	520	—
Elbow(s) .....	312	3,630	1,910	1,650	70	40	60	910	1,860	760
Forearm(s) .....	313	960	500	460	—	—	100	450	400	—
Multiple arm(s) locations .....	318	380	200	190	—	—	20	50	270	40
Arm(s), n.e.c. ....	319	50	30	—	—	—	—	—	30	—
Wrist(s) .....	32	7,460	3,270	4,190	—	100	440	2,700	3,450	780
Hand(s), except finger(s) .....	33	6,210	3,990	2,220	—	330	420	1,740	3,620	100
Finger(s), fingernail(s) .....	34	8,320	5,560	2,710	—	200	730	2,000	4,590	800
Multiple upper extremities locations .....	38	2,760	1,640	1,120	—	70	230	570	1,840	50
Multiple upper extremities locations, unspecified .....	380	40	20	20	—	—	—	—	—	30
Hand(s) and finger(s) .....	381	860	600	260	—	—	40	170	650	—
Hand(s) and wrist(s) .....	382	560	170	390	—	—	100	110	360	—
Hand(s) and arm(s) .....	383	220	110	110	—	—	—	70	90	—
Multiple upper extremities locations, n.e.c. ....	389	1,090	750	340	—	40	90	210	740	—
Upper extremities, n.e.c. ....	39	40	—	20	—	—	—	—	30	—
<b>Lower extremities</b> .....	<b>4</b>	<b>50,960</b>	<b>30,820</b>	<b>20,100</b>	<b>50</b>	<b>1,140</b>	<b>2,870</b>	<b>14,780</b>	<b>30,970</b>	<b>1,200</b>
Lower extremities, unspecified .....	40	70	70	—	—	—	—	—	50	—
Leg(s) .....	41	28,950	18,570	10,330	50	450	1,730	7,720	18,510	540
Leg(s), unspecified .....	410	2,150	1,150	1,000	—	40	330	390	1,330	60
Thigh(s) .....	411	780	590	190	—	—	30	70	660	—
Knee(s) .....	412	22,560	14,670	7,850	50	310	1,130	6,110	14,550	470
Lower leg(s) .....	413	2,280	1,730	560	—	90	200	550	1,440	—

See footnotes at end of table.

TABLE L52. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness, gender, and length of service with employer, local government, 2009 — Continued

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Multiple leg(s) locations .....	418	1,150	430	720	—	—	20	600	520	—
Leg(s), n.e.c. ....	419	20	—	20	—	—	—	—	—	—
Ankle(s) .....	42	12,550	7,320	5,230	—	490	550	3,880	7,180	450
Foot(feet), except toe(s) .....	43	5,320	2,670	2,650	—	120	370	1,630	3,090	120
Foot(feet), except toe(s), unspecified .....	430	4,660	2,260	2,400	—	120	370	1,380	2,690	120
Instep(s) .....	431	30	30	—	—	—	—	—	30	—
Sole .....	432	430	320	110	—	—	—	110	320	—
Heel(s) .....	4323	410	300	110	—	—	—	100	300	—
Multiple foot(feet) locations .....	438	50	50	—	—	—	—	—	50	—
Foot(feet), n.e.c. ....	439	150	—	140	—	—	—	140	—	—
Toe(s), toenail(s) .....	44	1,340	680	660	—	50	80	330	880	—
Multiple lower extremities locations .....	48	2,640	1,500	1,150	—	30	140	1,150	1,230	90
Multiple lower extremities locations, unspecified .....	480	40	20	20	—	—	—	20	20	—
Foot(feet) and leg(s) .....	481	160	80	80	—	—	—	20	110	—
Foot(feet) and ankle(s) .....	482	700	380	320	—	—	30	240	390	40
Foot(feet) and toe(s) .....	483	130	100	30	—	—	20	—	100	—
Multiple lower extremities locations, n.e.c. ....	489	1,610	920	690	—	—	90	850	620	40
Lower extremities, n.e.c. ....	49	90	20	70	—	—	—	50	40	—
<b>Body systems</b> .....	<b>5</b>	<b>4,140</b>	<b>2,670</b>	<b>1,460</b>	<b>—</b>	<b>100</b>	<b>230</b>	<b>1,010</b>	<b>2,660</b>	<b>140</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>32,610</b>	<b>16,460</b>	<b>15,990</b>	<b>160</b>	<b>610</b>	<b>1,440</b>	<b>10,010</b>	<b>18,370</b>	<b>2,180</b>
<b>Nonclassifiable</b> .....	<b>9999</b>	<b>2,290</b>	<b>660</b>	<b>450</b>	<b>1,170</b>	<b>50</b>	<b>30</b>	<b>200</b>	<b>730</b>	<b>1,270</b>

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies