

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2009

Part of body	Part of body code ²	Local government ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Total		197,660	2,860	38,670	101,800	320	8,830	180	11,960	8,490	3,560	19,630
Head	0	10,870	120	2,760	4,740	—	430	—	840	760	210	970
Head, unspecified	00	2,480	40	790	910	—	180	—	130	90	70	260
Cranial region, including skull	01	1,820	20	560	980	—	20	—	30	90	20	90
Brain	011	1,110	20	480	450	—	20	—	20	40	20	60
Scalp	012	630	—	60	490	—	—	—	—	40	—	20
Skull	013	40	—	20	20	—	—	—	—	—	—	—
Cranial region, n.e.c.	019	30	—	—	—	—	—	—	—	—	—	—
Ear(s)	02	620	—	50	540	—	—	—	—	20	—	—
Face	03	5,580	50	1,240	2,170	—	210	—	660	520	120	580
Face, unspecified	030	620	—	260	120	—	—	—	50	—	—	170
Forehead	031	490	—	150	230	—	40	—	—	40	—	—
Eye(s)	032	2,840	30	560	990	—	90	—	560	290	90	200
Nose, nasal cavity	033	390	—	80	110	—	20	—	—	160	—	—
Nose, except internal location of diseases or disorders	0330	380	—	80	110	—	20	—	—	160	—	—
Cheek(s)	034	230	—	20	140	—	—	—	—	—	—	40
Jaw/chin	035	250	—	—	100	—	—	—	—	—	—	140
Mouth	036	200	—	50	100	—	—	—	—	—	20	—
Mouth, unspecified	0360	60	—	20	40	—	—	—	—	—	—	—
Lip(s)	0361	20	—	—	—	—	—	—	—	—	—	—
Tooth(teeth)	0363	50	—	20	—	—	—	—	—	—	—	—
Multiple mouth locations	0368	50	—	—	30	—	—	—	—	—	—	—
Multiple face locations	038	440	—	100	280	—	20	—	20	—	—	—
Face, n.e.c.	039	120	—	—	100	—	—	—	—	—	—	—
Multiple head locations	08	340	—	120	140	—	—	—	20	40	—	—
Head, n.e.c.	09	30	—	—	—	—	—	—	—	—	—	—
Neck, including throat	1	3,140	20	670	1,740	—	110	—	150	160	30	220
Neck, except internal location of diseases or disorders	10	3,090	20	650	1,710	—	110	—	150	160	30	220
Trunk	2	60,290	700	9,800	31,870	30	2,090	80	4,320	3,200	1,430	6,740
Trunk, unspecified	20	390	—	30	260	—	—	—	50	—	—	—
Shoulder, including clavicle, scapula	21	14,410	120	2,710	7,250	—	580	20	1,270	520	270	1,670
Chest, including ribs, internal organs	22	4,410	50	420	2,710	—	200	—	210	230	30	550
Chest, except internal location of diseases or disorders	220	3,220	20	310	2,200	—	170	—	210	100	30	180
Internal chest location, unspecified	221	100	—	—	70	—	—	—	—	—	—	—
Heart	223	200	—	20	180	—	—	—	—	—	—	—
Lung(s), pleura	225	860	—	80	260	—	20	—	—	120	—	350

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2009 — Continued

Part of body	Part of body code ²	Local government ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Back, including spine, spinal cord ..	23	34,580	360	5,680	18,260	—	1,120	60	2,370	2,050	660	3,990
Back, including spine, spinal cord, unspecified	230	13,880	150	2,250	7,320	—	390	—	830	1,010	340	1,580
Lumbar region	231	17,330	200	2,950	9,110	—	600	60	1,270	950	280	1,900
Thoracic region	232	1,400	—	170	790	—	20	—	170	60	40	150
Sacral region	233	40	—	—	20	—	—	—	—	—	—	—
Coccygeal region	234	250	—	90	100	—	—	—	—	—	—	30
Multiple back regions	238	1,500	—	160	860	—	70	—	90	30	—	280
Back, including spine, spinal cord, n.e.c.	239	190	—	60	60	—	—	—	—	—	—	50
Abdomen	24	2,540	80	370	1,210	—	—	—	140	230	350	140
Abdomen, except internal location of diseases or disorders	240	920	—	260	480	—	—	—	70	20	—	70
Internal abdominal location, unspecified	241	960	—	—	340	—	—	—	20	150	340	30
Stomach organ	242	40	—	—	20	—	—	—	—	—	—	—
Urinary organs	244	30	—	—	20	—	—	—	—	—	—	—
Bladder	2441	30	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	550	—	90	320	—	—	—	50	60	—	20
Intestines, peritoneum, unspecified	2450	500	—	90	290	—	—	—	30	50	—	20
Intestines, n.e.c.	2459	20	—	—	—	—	—	—	—	—	—	—
Pelvic region	25	2,680	90	370	1,460	—	120	—	170	110	80	280
Hip(s)	251	1,440	80	190	800	—	80	—	40	70	—	160
Pelvis	252	70	—	50	—	—	—	—	—	—	—	—
Buttock(s)	253	200	—	30	70	—	—	—	—	30	—	30
Groin	254	920	—	90	550	—	—	—	110	20	60	70
External reproductive tract structures	255	30	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations	28	1,230	—	220	690	—	60	—	100	40	20	90
Trunk, n.e.c.	29	60	—	—	20	—	—	—	—	—	—	—
Upper extremities	3	33,360	320	5,400	19,450	30	1,320	30	1,870	1,650	480	2,780
Upper extremities, unspecified	30	230	—	30	—	—	—	—	—	—	—	160
Arm(s)	31	8,350	60	1,310	4,730	—	410	—	670	330	130	700
Arm(s), unspecified	310	2,580	30	340	1,450	—	200	—	220	90	20	230
Upper arm(s)	311	760	—	120	380	—	—	—	120	50	—	70
Elbow(s)	312	3,630	30	690	2,020	—	160	—	250	140	60	290
Forearm(s)	313	960	—	90	630	—	20	—	70	40	—	90
Multiple arm(s) locations	318	380	—	60	230	—	20	—	—	—	40	20
Arm(s), n.e.c.	319	50	—	—	20	—	—	—	—	—	—	—
Wrist(s)	32	7,460	130	2,080	3,770	—	380	—	300	320	70	370
Hand(s), except finger(s)	33	6,210	60	520	4,250	—	150	—	270	440	150	370
Finger(s), fingernail(s)	34	8,320	20	1,080	5,220	—	290	20	510	490	110	580

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2009 — Continued

Part of body	Part of body code ²	Local government ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Multiple upper extremities locations	38	2,760	50	390	1,440	—	80	—	120	60	—	600
Multiple upper extremities locations, unspecified	380	40	—	—	—	—	—	—	—	—	—	20
Hand(s) and finger(s)	381	860	30	170	580	—	—	—	30	—	—	20
Hand(s) and wrist(s)	382	560	—	90	340	—	40	—	20	20	—	40
Hand(s) and arm(s)	383	220	—	30	140	—	—	—	30	—	—	—
Multiple upper extremities locations, n.e.c.	389	1,090	20	100	380	—	30	—	40	20	—	510
Upper extremities, n.e.c.	39	40	—	—	20	—	—	—	—	—	—	—
Lower extremities	4	50,960	940	11,980	24,810	150	2,510	20	2,630	1,770	720	5,410
Lower extremities, unspecified	40	70	—	—	50	—	—	—	—	—	—	—
Leg(s)	41	28,950	550	6,530	13,680	120	1,180	—	1,610	1,210	470	3,580
Leg(s), unspecified	410	2,150	160	540	750	—	70	—	210	30	60	330
Thigh(s)	411	780	90	110	290	—	—	—	30	20	—	220
Knee(s)	412	22,560	240	4,900	11,230	110	1,030	—	1,250	1,040	400	2,350
Lower leg(s)	413	2,280	60	360	980	—	60	—	110	90	—	620
Multiple leg(s) locations	418	1,150	—	600	420	—	20	—	—	30	—	60
Leg(s), n.e.c.	419	20	—	20	—	—	—	—	—	—	—	—
Ankle(s)	42	12,550	210	2,910	6,660	30	630	—	530	200	200	1,160
Foot(feet), except toe(s)	43	5,320	80	1,770	2,140	—	320	—	330	230	20	410
Foot(feet), except toe(s), unspecified	430	4,660	80	1,630	1,800	—	280	—	310	160	20	370
Instep(s)	431	30	—	—	—	—	—	—	—	—	—	—
Sole	432	430	—	140	180	—	30	—	20	40	—	20
Heel(s)	4323	410	—	130	180	—	30	—	—	40	—	—
Multiple foot(feet) locations	438	50	—	—	—	—	—	—	—	—	—	—
Foot(feet), n.e.c.	439	150	—	—	130	—	—	—	—	—	—	—
Toe(s), toenail(s)	44	1,340	30	200	650	—	240	—	60	70	—	80
Multiple lower extremities locations	48	2,640	70	550	1,570	—	130	—	80	60	—	180
Multiple lower extremities locations, unspecified	480	40	—	20	20	—	—	—	—	—	—	—
Foot(feet) and leg(s)	481	160	—	50	70	—	—	—	—	—	—	—
Foot(feet) and ankle(s)	482	700	—	190	340	—	40	—	30	30	—	70
Foot(feet) and toe(s)	483	130	40	—	50	—	—	—	30	—	—	—
Multiple lower extremities locations, n.e.c.	489	1,610	30	280	1,080	—	70	—	20	20	—	100
Lower extremities, n.e.c.	49	90	—	20	50	—	—	—	—	—	—	—
Body systems	5	4,140	70	700	1,950	—	400	—	160	210	80	510

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2009 — Continued

Part of body	Part of body code ²	Local government ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Multiple body parts	8	32,610	680	7,130	16,540	60	1,960	20	1,920	740	600	2,930
Nonclassifiable	9999	2,290	—	230	690	—	20	—	80	—	—	70

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies