

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, local government 2009

Part of body	Part of body code ²	Local government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		197,660	25,030	12.7	20,790	10.5	36,890	18.7
Head	0	10,870	2,800	25.8	2,010	18.5	2,780	25.6
Head, unspecified	00	2,480	620	25.0	380	15.3	550	22.2
Cranial region, including skull	01	1,820	350	19.2	230	12.6	290	15.9
Brain	011	1,110	200	18.0	190	17.1	210	18.9
Scalp	012	630	140	22.2	30	4.8	70	11.1
Skull	013	40	-	-	-	-	-	-
Cranial region, n.e.c.	019	30	-	-	-	-	-	-
Ear(s)	02	620	20	3.2	20	3.2	470	75.8
Face	03	5,580	1,720	30.8	1,250	22.4	1,450	26.0
Face, unspecified	030	620	110	17.7	90	14.5	140	22.6
Forehead	031	490	310	63.3	30	6.1	80	16.3
Eye(s)	032	2,840	850	29.9	910	32.0	750	26.4
Nose, nasal cavity	033	390	30	7.7	30	7.7	210	53.8
Nose, except internal location of diseases or disorders	0330	380	30	7.9	20	5.3	210	55.3
Cheek(s)	034	230	30	13.0	-	-	110	47.8
Jaw/chin	035	250	210	84.0	-	-	-	-
Mouth	036	200	90	45.0	30	15.0	60	30.0
Mouth, unspecified	0360	60	20	33.3	-	-	-	-
Lip(s)	0361	20	-	-	-	-	-	-
Tooth(teeth)	0363	50	-	-	-	-	30	60.0
Multiple mouth locations	0368	50	40	80.0	-	-	-	-
Multiple face locations	038	440	70	15.9	100	22.7	90	20.5
Face, n.e.c.	039	120	20	16.7	60	50.0	-	-
Multiple head locations	08	340	90	26.5	130	38.2	20	5.9
Head, n.e.c.	09	30	-	-	-	-	-	-
Neck, including throat	1	3,140	390	12.4	460	14.6	450	14.3
Neck, except internal location of diseases or disorders ..	10	3,090	390	12.6	430	13.9	430	13.9
Trunk	2	60,290	5,540	9.2	5,270	8.7	10,130	16.8
Trunk, unspecified	20	390	40	10.3	-	-	160	41.0
Shoulder, including clavicle, scapula	21	14,410	1,150	8.0	760	5.3	1,420	9.9
Chest, including ribs, internal organs	22	4,410	630	14.3	360	8.2	970	22.0
Chest, except internal location of diseases or disorders	220	3,220	370	11.5	290	9.0	760	23.6
Internal chest location, unspecified	221	100	-	-	-	-	-	-
Heart	223	200	20	10.0	-	-	60	30.0
Lung(s), pleura	225	860	220	25.6	50	5.8	130	15.1
Back, including spine, spinal cord	23	34,580	3,240	9.4	3,710	10.7	6,640	19.2
Back, including spine, spinal cord, unspecified	230	13,880	1,280	9.2	1,660	12.0	2,570	18.5
Lumbar region	231	17,330	1,640	9.5	1,750	10.1	3,480	20.1
Thoracic region	232	1,400	170	12.1	150	10.7	250	17.9
Sacral region	233	40	-	-	-	-	-	-
Coccygeal region	234	250	50	20.0	40	16.0	20	8.0

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, local government 2009 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	25,590	12.9	26,620	13.5	14,410	7.3	48,320	24.4	8
Head	1,160	10.7	1,010	9.3	370	3.4	730	6.7	3
Head, unspecified	270	10.9	540	21.8	40	1.6	70	2.8	4
Cranial region, including skull	390	21.4	190	10.4	180	9.9	190	10.4	7
Brain	120	10.8	170	15.3	40	3.6	180	16.2	4
Scalp	250	39.7	20	3.2	130	20.6	—	—	8
Skull	—	—	—	—	—	—	—	—	5
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	1
Ear(s)	30	4.8	30	4.8	—	—	50	8.1	3
Face	420	7.5	240	4.3	140	2.5	360	6.5	2
Face, unspecified	70	11.3	30	4.8	—	—	170	27.4	5
Forehead	20	4.1	30	6.1	—	—	—	—	1
Eye(s)	210	7.4	30	1.1	60	2.1	20	.7	2
Nose, nasal cavity	50	12.8	40	10.3	—	—	20	5.1	5
Nose, except internal location of diseases or disorders	50	13.2	40	10.5	—	—	20	5.3	5
Cheek(s)	—	—	—	—	40	17.4	30	13.0	5
Jaw/chin	—	—	—	—	—	—	20	8.0	1
Mouth	20	10.0	—	—	—	—	—	—	2
Mouth, unspecified	—	—	—	—	—	—	—	—	2
Lip(s)	—	—	—	—	—	—	—	—	2
Tooth(teeth)	—	—	—	—	—	—	—	—	3
Multiple mouth locations	—	—	—	—	—	—	—	—	1
Multiple face locations	20	4.5	90	20.5	—	—	50	11.4	3
Face, n.e.c.	—	—	—	—	—	—	—	—	2
Multiple head locations	50	14.7	—	—	—	—	20	5.9	2
Head, n.e.c.	—	—	—	—	—	—	—	—	126
Neck, including throat	290	9.2	670	21.3	200	6.4	670	21.3	10
Neck, except internal location of diseases or disorders ...	290	9.4	670	21.7	200	6.5	670	21.7	11
Trunk	9,500	15.8	8,820	14.6	5,200	8.6	15,830	26.3	10
Trunk, unspecified	20	5.1	20	5.1	20	5.1	120	30.8	4
Shoulder, including clavicle, scapula	1,790	12.4	1,670	11.6	1,270	8.8	6,350	44.1	25
Chest, including ribs, internal organs	670	15.2	540	12.2	320	7.3	910	20.6	7
Chest, except internal location of diseases or disorders	570	17.7	440	13.7	130	4.0	650	20.2	7
Internal chest location, unspecified	—	—	40	40.0	—	—	—	—	12
Heart	—	—	—	—	—	—	70	35.0	9
Lung(s), pleura	80	9.3	50	5.8	180	20.9	160	18.6	7
Back, including spine, spinal cord	5,990	17.3	5,130	14.8	2,970	8.6	6,920	20.0	8
Back, including spine, spinal cord, unspecified	2,390	17.2	1,940	14.0	1,140	8.2	2,910	21.0	8
Lumbar region	2,890	16.7	2,780	16.0	1,410	8.1	3,380	19.5	8
Thoracic region	270	19.3	170	12.1	160	11.4	220	15.7	6
Sacral region	—	—	—	—	—	—	—	—	7
Coccygeal region	—	—	20	8.0	30	12.0	70	28.0	9

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, local government 2009 — Continued

Part of body	Part of body code ²	Local government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Multiple back regions	238	1,500	60	4.0	70	4.7	270	18.0
Back, including spine, spinal cord, n.e.c.	239	190	30	15.8	30	15.8	40	21.1
Abdomen	24	2,540	110	4.3	130	5.1	210	8.3
Abdomen, except internal location of diseases or disorders	240	920	60	6.5	110	12.0	130	14.1
Internal abdominal location, unspecified	241	960	—	—	—	—	—	—
Stomach organ	242	40	—	—	20	50.0	—	—
Urinary organs	244	30	—	—	—	—	—	—
Bladder	2441	30	—	—	—	—	—	—
Intestines, peritoneum	245	550	—	—	—	—	60	10.9
Intestines, peritoneum, unspecified	2450	500	—	—	—	—	60	12.0
Intestines, n.e.c.	2459	20	—	—	—	—	—	—
Pelvic region	25	2,680	270	10.1	130	4.9	490	18.3
Hip(s)	251	1,440	160	11.1	50	3.5	120	8.3
Pelvis	252	70	—	—	—	—	—	—
Buttock(s)	253	200	—	—	30	15.0	50	25.0
Groin	254	920	100	10.9	50	5.4	270	29.3
External reproductive tract structures	255	30	—	—	—	—	—	—
Multiple trunk locations	28	1,230	100	8.1	170	13.8	220	17.9
Trunk, n.e.c.	29	60	—	—	—	—	20	33.3
Upper extremities	3	33,360	3,830	11.5	3,420	10.3	7,300	21.9
Upper extremities, unspecified	30	230	20	8.7	—	—	—	—
Arm(s)	31	8,350	910	10.9	760	9.1	1,390	16.6
Arm(s), unspecified	310	2,580	250	9.7	240	9.3	620	24.0
Upper arm(s)	311	760	50	6.6	30	3.9	50	6.6
Elbow(s)	312	3,630	350	9.6	250	6.9	500	13.8
Forearm(s)	313	960	220	22.9	210	21.9	170	17.7
Multiple arm(s) locations	318	380	20	5.3	—	—	40	10.5
Arm(s), n.e.c.	319	50	—	—	—	—	—	—
Wrist(s)	32	7,460	470	6.3	630	8.4	2,050	27.5
Hand(s), except finger(s)	33	6,210	990	15.9	490	7.9	1,760	28.3
Finger(s), fingernail(s)	34	8,320	1,260	15.1	1,310	15.7	1,300	15.6
Multiple upper extremities locations	38	2,760	200	7.2	240	8.7	800	29.0
Multiple upper extremities locations, unspecified	380	40	—	—	—	—	—	—
Hand(s) and finger(s)	381	860	50	5.8	40	4.7	80	9.3
Hand(s) and wrist(s)	382	560	40	7.1	60	10.7	130	23.2
Hand(s) and arm(s)	383	220	60	27.3	40	18.2	—	—
Multiple upper extremities locations, n.e.c.	389	1,090	40	3.7	100	9.2	580	53.2
Upper extremities, n.e.c.	39	40	—	—	—	—	—	—
Lower extremities	4	50,960	5,580	10.9	4,920	9.7	9,310	18.3
Lower extremities, unspecified	40	70	30	42.9	—	—	—	—
Leg(s)	41	28,950	3,200	11.1	2,190	7.6	4,770	16.5
Leg(s), unspecified	410	2,150	320	14.9	360	16.7	270	12.6
Thigh(s)	411	780	120	15.4	50	6.4	290	37.2
Knee(s)	412	22,560	2,460	10.9	1,600	7.1	3,670	16.3
Lower leg(s)	413	2,280	200	8.8	120	5.3	440	19.3
Multiple leg(s) locations	418	1,150	90	7.8	40	3.5	110	9.6
Leg(s), n.e.c.	419	20	—	—	—	—	—	—

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, local government 2009 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Multiple back regions	400	26.7	190	12.7	230	15.3	270	18.0	7
Back, including spine, spinal cord, n.e.c.	—	—	20	10.5	—	—	60	31.6	5
Abdomen	300	11.8	900	35.4	160	6.3	730	28.7	15
Abdomen, except internal location of diseases or disorders	210	22.8	160	17.4	—	—	240	26.1	7
Internal abdominal location, unspecified	50	5.2	640	66.7	70	7.3	210	21.9	15
Stomach organ	—	—	—	—	—	—	—	—	2
Urinary organs	—	—	—	—	—	—	—	—	35
Bladder	—	—	—	—	—	—	—	—	35
Intestines, peritoneum	40	7.3	110	20.0	70	12.7	230	41.8	26
Intestines, peritoneum, unspecified	40	8.0	90	18.0	70	14.0	200	40.0	25
Intestines, n.e.c.	—	—	—	—	—	—	—	—	49
Pelvic region	630	23.5	290	10.8	300	11.2	560	20.9	9
Hip(s)	430	29.9	100	6.9	130	9.0	450	31.2	9
Pelvis	—	—	—	—	—	—	20	28.6	10
Buttock(s)	30	15.0	—	—	70	35.0	—	—	8
Groin	160	17.4	170	18.5	100	10.9	70	7.6	7
External reproductive tract structures	—	—	—	—	—	—	—	—	4
Multiple trunk locations	90	7.3	230	18.7	160	13.0	240	19.5	12
Trunk, n.e.c.	—	—	30	50.0	—	—	—	—	6
Upper extremities	3,860	11.6	5,630	16.9	1,950	5.8	7,370	22.1	8
Upper extremities, unspecified	—	—	160	69.6	—	—	40	17.4	14
Arm(s)	1,010	12.1	1,520	18.2	690	8.3	2,090	25.0	11
Arm(s), unspecified	80	3.1	480	18.6	150	5.8	750	29.1	11
Upper arm(s)	100	13.2	50	6.6	90	11.8	380	50.0	31
Elbow(s)	590	16.3	820	22.6	380	10.5	760	20.9	11
Forearm(s)	140	14.6	110	11.5	30	3.1	80	8.3	3
Multiple arm(s) locations	100	26.3	50	13.2	40	10.5	120	31.6	12
Arm(s), n.e.c.	—	—	—	—	—	—	—	—	2
Wrist(s)	450	6.0	1,170	15.7	610	8.2	2,090	28.0	12
Hand(s), except finger(s)	820	13.2	1,200	19.3	140	2.3	820	13.2	5
Finger(s), fingernail(s)	1,340	16.1	1,010	12.1	420	5.0	1,680	20.2	6
Multiple upper extremities locations	210	7.6	560	20.3	80	2.9	650	23.6	8
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	—	—	24
Hand(s) and finger(s)	70	8.1	410	47.7	30	3.5	170	19.8	20
Hand(s) and wrist(s)	60	10.7	60	10.7	—	—	200	35.7	9
Hand(s) and arm(s)	—	—	30	13.6	—	—	60	27.3	2
Multiple upper extremities locations, n.e.c.	60	5.5	70	6.4	30	2.8	210	19.3	3
Upper extremities, n.e.c.	20	50.0	—	—	—	—	—	—	9
Lower extremities	7,020	13.8	5,880	11.5	4,310	8.5	13,940	27.4	10
Lower extremities, unspecified	—	—	—	—	—	—	30	42.9	28
Leg(s)	3,680	12.7	3,790	13.1	2,710	9.4	8,610	29.7	11
Leg(s), unspecified	120	5.6	260	12.1	130	6.0	690	32.1	11
Thigh(s)	70	9.0	30	3.8	20	2.6	210	26.9	5
Knee(s)	3,220	14.3	3,160	14.0	1,910	8.5	6,530	28.9	11
Lower leg(s)	220	9.6	270	11.8	630	27.6	410	18.0	16
Multiple leg(s) locations	60	5.2	70	6.1	20	1.7	770	67.0	41
Leg(s), n.e.c.	—	—	—	—	—	—	—	—	1

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, local government 2009 — Continued

Part of body	Part of body code ²	Local government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Ankle(s)	42	12,550	1,240	9.9	1,720	13.7	2,900	23.1
Foot(foot), except toe(s)	43	5,320	730	13.7	510	9.6	1,140	21.4
Foot(foot), except toe(s), unspecified	430	4,660	700	15.0	470	10.1	890	19.1
Instep(s)	431	30	—	—	—	—	—	—
Sole	432	430	30	7.0	40	9.3	80	18.6
Heel(s)	4323	410	30	7.3	30	7.3	80	19.5
Multiple foot(foot) locations	438	50	—	—	—	—	30	60.0
Foot(foot), n.e.c.	439	150	—	—	—	—	130	86.7
Toe(s), toenail(s)	44	1,340	140	10.4	210	15.7	200	14.9
Multiple lower extremities locations	48	2,640	230	8.7	290	11.0	270	10.2
Multiple lower extremities locations, unspecified	480	40	—	—	—	—	—	—
Foot(foot) and leg(s)	481	160	—	—	20	12.5	30	18.8
Foot(foot) and ankle(s)	482	700	90	12.9	60	8.6	110	15.7
Foot(foot) and toe(s)	483	130	20	15.4	—	—	20	15.4
Multiple lower extremities locations, n.e.c.	489	1,610	120	7.5	200	12.4	110	6.8
Lower extremities, n.e.c.	49	90	—	—	—	—	40	44.4
Body systems	5	4,140	1,060	25.6	490	11.8	550	13.3
Multiple body parts	8	32,610	4,540	13.9	4,150	12.7	6,110	18.7
Nonclassifiable	9999	2,290	1,300	56.8	70	3.1	240	10.5

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, local government 2009 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Ankle(s)	1,560	12.4	1,180	9.4	840	6.7	3,110	24.8	6
Foot(foot), except toe(s)	760	14.3	490	9.2	400	7.5	1,290	24.2	7
Foot(foot), except toe(s), unspecified	600	12.9	460	9.9	390	8.4	1,160	24.9	7
Instep(s)	—	—	—	—	—	—	—	—	6
Sole	130	30.2	20	4.7	—	—	110	25.6	6
Heel(s)	130	31.7	20	4.9	—	—	110	26.8	6
Multiple foot(foot) locations	—	—	—	—	—	—	—	—	4
Foot(foot), n.e.c.	—	—	—	—	—	—	—	—	4
Toe(s), toenail(s)	190	14.2	100	7.5	190	14.2	320	23.9	9
Multiple lower extremities locations	830	31.4	310	11.7	150	5.7	570	21.6	10
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	—	—	17
Foot(foot) and leg(s)	20	12.5	40	25.0	—	—	40	25.0	12
Foot(foot) and ankle(s)	70	10.0	120	17.1	—	—	250	35.7	15
Foot(foot) and toe(s)	40	30.8	—	—	—	—	20	15.4	6
Multiple lower extremities locations, n.e.c.	690	42.9	120	7.5	130	8.1	250	15.5	10
Lower extremities, n.e.c.	—	—	—	—	—	—	—	—	3
Body systems	620	15.0	510	12.3	80	1.9	830	20.0	5
Multiple body parts	3,000	9.2	3,940	12.1	2,140	6.6	8,740	26.8	7
Nonclassifiable	140	6.1	160	7.0	170	7.4	210	9.2	1

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies