

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, local government, 2009

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Total .....		197,660	2,180	18,680	20,110	40,660	26,760	26,360	11,190	6,750	2,080	730	42,150
<b>Head</b> .....	0	10,870	340	1,280	960	2,410	1,680	1,390	470	390	50	—	1,880
Head, unspecified .....	00	2,480	—	360	130	770	240	290	110	40	—	—	530
Cranial region, including skull .....	01	1,820	40	140	200	380	320	310	80	230	—	—	130
Brain .....	011	1,110	30	110	130	280	280	140	70	—	—	—	70
Scalp .....	012	630	—	20	60	80	30	150	—	—	—	—	60
Skull .....	013	40	—	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c. ....	019	30	—	—	—	—	—	—	—	—	—	—	—
Ear(s) .....	02	620	—	20	—	430	30	50	—	—	—	—	80
Face .....	03	5,580	290	640	620	800	990	700	280	110	50	—	1,090
Face, unspecified .....	030	620	—	30	270	40	40	50	—	—	—	—	170
Forehead .....	031	490	—	60	20	40	180	50	30	30	—	—	60
Eye(s) .....	032	2,840	—	280	240	490	390	500	160	60	20	—	700
Nose, nasal cavity .....	033	390	—	20	—	30	60	40	20	—	—	—	40
Nose, except internal location of diseases or disorders .....	0330	380	—	20	—	30	60	40	20	—	—	—	40
Cheek(s) .....	034	230	—	90	20	50	—	—	—	—	—	—	50
Jaw/chin .....	035	250	—	40	—	20	—	—	—	—	—	—	—
Mouth .....	036	200	—	—	40	30	40	—	30	—	—	—	20
Mouth, unspecified .....	0360	60	—	—	—	20	—	—	—	—	—	—	—
Lip(s) .....	0361	20	—	—	—	—	—	—	—	—	—	—	—
Tooth(teeth) .....	0363	50	—	—	20	—	—	—	—	—	—	—	—
Multiple mouth locations .....	0368	50	—	—	—	—	—	—	—	—	—	—	—
Multiple face locations .....	038	440	—	60	—	90	200	30	20	20	—	—	—
Face, n.e.c. ....	039	120	—	50	—	—	50	—	—	—	—	—	—
Multiple head locations .....	08	340	—	100	—	30	100	40	—	—	—	—	50
Head, n.e.c. ....	09	30	—	—	—	—	—	—	—	—	—	—	—
<b>Neck, including throat</b> .....	1	3,140	—	190	220	640	440	350	140	300	—	—	830
Neck, except internal location of diseases or disorders .....	10	3,090	—	190	220	620	440	320	140	300	—	—	830
<b>Trunk</b> .....	2	60,290	410	5,240	6,620	13,640	6,900	7,920	3,460	2,020	620	290	13,160
Trunk, unspecified .....	20	390	—	80	50	40	120	—	40	—	—	—	60
Shoulder, including clavicle, scapula .....	21	14,410	80	1,070	1,550	3,300	1,540	1,650	1,240	120	180	30	3,640
Chest, including ribs, internal organs .....	22	4,410	20	200	580	670	490	970	100	460	50	20	840
Chest, except internal location of diseases or disorders .....	220	3,220	20	130	360	580	440	700	80	450	30	—	430
Internal chest location, unspecified .....	221	100	—	—	20	—	—	—	—	—	—	—	50
Heart .....	223	200	—	—	—	20	—	30	—	—	—	—	100
Lung(s), pleura .....	225	860	—	50	190	60	30	230	—	—	—	—	260
Back, including spine, spinal cord .....	23	34,580	290	3,400	3,850	8,180	4,060	4,280	1,670	1,370	320	180	7,000
Back, including spine, spinal cord, unspecified .....	230	13,880	100	1,140	1,360	4,030	1,400	1,290	630	630	80	50	3,180
Lumbar region .....	231	17,330	120	1,920	2,140	3,410	2,170	2,550	750	620	160	120	3,380
Thoracic region .....	232	1,400	—	90	240	260	160	150	180	—	30	—	260
Sacral region .....	233	40	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, local government, 2009 — Continued

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Coccygeal region .....	234	250	40	70	20	30	20	30	—	—	—	—	20
Multiple back regions .....	238	1,500	30	120	70	420	260	220	90	110	30	—	150
Back, including spine, spinal cord, n.e.c. ....	239	190	—	40	—	—	40	20	—	—	—	—	20
Abdomen .....	24	2,540	—	150	170	460	340	280	140	—	40	—	950
Abdomen, except internal location of diseases or disorders .....	240	920	—	80	60	230	230	80	30	—	—	—	210
Internal abdominal location, unspecified .....	241	960	—	40	60	120	50	140	80	—	—	—	450
Stomach organ .....	242	40	—	—	—	—	—	—	—	—	—	—	20
Urinary organs .....	244	30	—	—	—	—	—	—	—	—	—	—	—
Bladder .....	2441	30	—	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	245	550	—	30	20	100	50	60	20	—	—	—	240
Intestines, peritoneum, unspecified .....	2450	500	—	20	20	100	50	50	20	—	—	—	210
Intestines, n.e.c. ....	2459	20	—	—	—	—	—	—	—	—	—	—	—
Pelvic region .....	25	2,680	—	230	240	640	230	500	210	50	30	50	480
Hip(s) .....	251	1,440	—	130	130	410	140	280	90	30	30	—	190
Pelvis .....	252	70	—	—	—	—	—	—	—	—	—	—	—
Buttock(s) .....	253	200	—	—	30	30	—	20	—	—	—	—	80
Groin .....	254	920	—	70	70	160	60	190	100	20	—	—	180
External reproductive tract structures ..	255	30	—	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations .....	28	1,230	—	120	180	320	120	220	60	—	—	—	180
Trunk, n.e.c. ....	29	60	—	—	—	40	—	—	—	—	—	—	—
<b>Upper extremities</b> .....	3	33,360	120	2,350	3,700	6,410	5,120	4,770	1,600	990	260	90	7,960
Upper extremities, unspecified .....	30	230	—	—	20	—	—	170	—	—	—	—	20
Arm(s) .....	31	8,350	60	440	880	1,990	1,140	1,330	370	160	100	30	1,840
Arm(s), unspecified .....	310	2,580	—	110	230	640	400	580	90	60	—	—	470
Upper arm(s) .....	311	760	—	30	50	230	70	210	50	—	—	—	120
Elbow(s) .....	312	3,630	50	270	290	740	500	440	120	60	90	30	1,030
Forearm(s) .....	313	960	—	—	260	310	110	60	80	—	—	—	110
Multiple arm(s) locations .....	318	380	—	20	50	80	40	40	20	30	—	—	100
Arm(s), n.e.c. ....	319	50	—	—	—	—	—	—	20	—	—	—	—
Wrist(s) .....	32	7,460	20	580	570	1,250	850	930	190	90	—	—	2,970
Hand(s), except finger(s) .....	33	6,210	20	400	580	880	1,160	1,130	540	110	90	40	1,250
Finger(s), fingernail(s) .....	34	8,320	20	690	950	1,760	1,690	1,050	350	250	60	—	1,490
Multiple upper extremities locations .....	38	2,760	—	240	680	500	270	150	150	370	—	—	390
Multiple upper extremities locations, unspecified .....	380	40	—	—	—	—	—	—	—	—	—	—	—
Hand(s) and finger(s) .....	381	860	—	100	—	160	90	50	30	370	—	—	50
Hand(s) and wrist(s) .....	382	560	—	50	130	140	50	40	60	—	—	—	100
Hand(s) and arm(s) .....	383	220	—	—	—	100	30	—	—	—	—	—	50
Multiple upper extremities locations, n.e.c. ....	389	1,090	—	80	540	100	100	50	40	—	—	—	170
Upper extremities, n.e.c. ....	39	40	—	—	—	20	—	—	—	—	—	—	—
<b>Lower extremities</b> .....	4	50,960	590	5,920	5,430	10,080	6,850	7,150	3,170	2,110	750	260	8,640
Lower extremities, unspecified .....	40	70	—	—	—	30	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, local government, 2009 — Continued

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Leg(s) .....	41	28,950	320	3,230	3,570	5,290	4,250	4,130	1,860	1,050	370	210	4,670
Leg(s), unspecified .....	410	2,150	—	340	250	330	210	400	180	20	20	—	400
Thigh(s) .....	411	780	50	60	40	260	60	60	40	—	—	—	200
Knee(s) .....	412	22,560	250	2,550	2,450	4,080	3,240	3,420	1,510	1,000	310	110	3,640
Lower leg(s) .....	413	2,280	—	200	750	460	200	190	110	20	—	90	250
Multiple leg(s) locations .....	418	1,150	—	70	80	160	550	60	20	—	—	—	190
Leg(s), n.e.c. ....	419	20	—	—	—	20	—	—	—	—	—	—	—
Ankle(s) .....	42	12,550	190	1,460	890	2,770	1,430	1,640	810	550	290	30	2,490
Foot(foot), except toe(s) .....	43	5,320	20	560	630	990	810	800	400	60	40	—	1,000
Foot(foot), except toe(s), unspecified ..	430	4,660	20	530	420	900	720	660	380	50	30	—	960
Instep(s) .....	431	30	—	—	20	—	—	—	—	—	—	—	—
Sole .....	432	430	—	—	60	70	80	130	20	—	—	—	40
Heel(s) .....	4323	410	—	—	50	70	80	130	20	—	—	—	40
Multiple foot(foot) locations .....	438	50	—	30	—	—	—	—	—	—	—	—	—
Foot(foot), n.e.c. ....	439	150	—	—	—	—	—	—	—	—	—	—	—
Toe(s), toenail(s) .....	44	1,340	—	360	100	290	100	310	50	20	—	—	120
Multiple lower extremities locations .....	48	2,640	50	310	230	680	240	230	60	420	60	—	370
Multiple lower extremities locations, unspecified .....	480	40	—	—	—	—	—	—	—	—	—	—	—
Foot(foot) and leg(s) .....	481	160	—	—	50	—	50	—	—	—	—	—	20
Foot(foot) and ankle(s) .....	482	700	—	60	50	280	40	60	—	—	—	—	130
Foot(foot) and toe(s) .....	483	130	—	—	—	40	30	20	—	—	—	—	30
Multiple lower extremities locations, n.e.c. ....	489	1,610	40	240	110	330	120	140	40	400	—	—	190
Lower extremities, n.e.c. ....	49	90	—	—	—	40	—	—	—	—	—	—	—
<b>Body systems</b> .....	5	4,140	20	400	350	530	530	530	320	100	20	—	1,320
<b>Multiple body parts</b> .....	8	32,610	700	3,220	2,780	6,780	4,890	4,180	1,980	810	370	50	6,850
<b>Nonclassifiable</b> .....	9999	2,290	—	70	50	170	340	70	50	20	—	—	1,500

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies