

TABLE L93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, local government, 2009

Part of body	Part of body code ²	Local government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Total		197,660	5,970	20,590	60,130	41,060	20,210	11,000	38,700
Head	0	10,870	490	1,330	3,480	2,450	1,080	310	1,720
Head, unspecified	00	2,480	320	150	790	490	220	30	470
Cranial region, including skull	01	1,820	50	250	490	380	410	130	110
Brain	011	1,110	40	170	350	320	60	100	60
Scalp	012	630	—	70	100	30	350	30	40
Skull	013	40	—	—	20	20	—	—	—
Cranial region, n.e.c.	019	30	—	—	20	—	—	—	—
Ear(s)	02	620	—	—	440	100	—	—	80
Face	03	5,580	130	870	1,680	1,330	410	140	1,020
Face, unspecified	030	620	40	190	180	30	20	20	150
Forehead	031	490	—	90	180	110	70	—	30
Eye(s)	032	2,840	50	90	780	930	230	70	690
Nose, nasal cavity	033	390	—	170	70	70	20	20	40
Nose, except internal location of diseases or disorders	0330	380	—	170	70	70	20	20	40
Cheek(s)	034	230	—	110	60	20	—	—	50
Jaw/chin	035	250	—	170	—	20	—	—	—
Mouth	036	200	—	—	50	80	20	—	20
Mouth, unspecified	0360	60	—	—	20	20	—	—	—
Lip(s)	0361	20	—	—	—	20	—	—	—
Tooth(teeth)	0363	50	—	—	—	20	—	—	—
Multiple mouth locations	0368	50	—	—	—	30	—	—	—
Multiple face locations	038	440	20	20	280	60	40	—	—
Face, n.e.c.	039	120	—	—	70	—	—	—	—
Multiple head locations	08	340	—	40	80	150	30	—	30
Head, n.e.c.	09	30	—	—	—	—	—	—	—
Neck, including throat	1	3,140	30	190	820	720	570	80	740
Neck, except internal location of diseases or disorders	10	3,090	30	190	800	690	570	80	740
Trunk	2	60,290	1,560	6,600	19,300	12,270	5,650	2,830	12,080
Trunk, unspecified	20	390	—	30	130	20	110	30	60
Shoulder, including clavicle, scapula	21	14,410	480	1,190	4,480	3,310	920	660	3,370
Chest, including ribs, internal organs	22	4,410	60	490	1,150	1,200	620	80	800
Chest, except internal location of diseases or disorders	220	3,220	40	440	840	890	550	70	400
Internal chest location, unspecified	221	100	—	—	20	20	—	—	50
Heart	223	200	—	—	30	30	20	—	90
Lung(s), pleura	225	860	—	40	260	240	60	—	260
Back, including spine, spinal cord	23	34,580	870	4,070	11,660	6,280	3,550	1,790	6,360
Back, including spine, spinal cord, unspecified	230	13,880	270	1,330	5,160	1,880	1,600	620	3,020
Lumbar region	231	17,330	500	2,130	5,640	3,400	1,630	1,070	2,960
Thoracic region	232	1,400	30	130	420	390	150	20	250
Sacral region	233	40	—	—	20	—	—	—	—
Coccygeal region	234	250	—	50	130	50	—	—	—
Multiple back regions	238	1,500	40	380	250	490	160	60	110

See footnotes at end of table.

TABLE L93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, local government, 2009 — Continued

Part of body	Part of body code ²	Local government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Back, including spine, spinal cord, n.e.c.	239	190	—	50	30	50	20	20	—
Abdomen	24	2,540	70	170	610	600	90	90	910
Abdomen, except internal location of diseases or disorders	240	920	—	70	300	280	20	30	210
Internal abdominal location, unspecified	241	960	60	40	190	190	20	—	450
Stomach organ	242	40	—	—	—	—	—	—	20
Urinary organs	244	30	—	—	—	—	—	—	—
Bladder	2441	30	—	—	—	—	—	—	—
Intestines, peritoneum	245	550	—	30	110	110	40	50	200
Intestines, peritoneum, unspecified	2450	500	—	30	100	110	40	50	180
Intestines, n.e.c.	2459	20	—	—	—	—	—	—	—
Pelvic region	25	2,680	70	390	840	590	250	140	410
Hip(s)	251	1,440	40	240	550	240	170	80	130
Pelvis	252	70	—	—	—	40	—	—	—
Buttock(s)	253	200	—	—	60	30	—	—	80
Groin	254	920	30	120	230	270	40	50	180
External reproductive tract structures ..	255	30	—	—	—	—	—	—	—
Multiple trunk locations	28	1,230	—	230	400	280	110	40	160
Trunk, n.e.c.	29	60	—	30	20	—	—	—	—
Upper extremities	3	33,360	1,200	2,620	9,980	6,550	3,410	2,070	7,530
Upper extremities, unspecified	30	230	—	—	20	—	—	190	20
Arm(s)	31	8,350	180	400	2,950	1,660	650	780	1,730
Arm(s), unspecified	310	2,580	40	110	1,050	440	140	350	440
Upper arm(s)	311	760	—	30	290	290	50	—	100
Elbow(s)	312	3,630	90	170	1,170	500	360	340	1,000
Forearm(s)	313	960	30	60	320	350	70	20	100
Multiple arm(s) locations	318	380	—	30	120	60	40	50	90
Arm(s), n.e.c.	319	50	—	—	—	—	—	—	—
Wrist(s)	32	7,460	110	410	1,760	1,450	530	280	2,910
Hand(s), except finger(s)	33	6,210	520	400	1,920	1,280	530	420	1,140
Finger(s), fingernail(s)	34	8,320	350	700	2,590	1,780	1,200	290	1,390
Multiple upper extremities locations	38	2,760	30	690	730	370	500	110	330
Multiple upper extremities locations, unspecified	380	40	—	—	20	—	—	—	—
Hand(s) and finger(s)	381	860	—	20	230	100	410	60	50
Hand(s) and wrist(s)	382	560	—	110	190	100	30	40	90
Hand(s) and arm(s)	383	220	—	—	140	—	—	—	40
Multiple upper extremities locations, n.e.c.	389	1,090	20	550	150	140	50	—	150
Upper extremities, n.e.c.	39	40	—	—	—	20	—	—	—
Lower extremities	4	50,960	1,830	6,220	15,700	10,870	5,820	2,850	7,680
Lower extremities, unspecified	40	70	—	—	20	—	—	—	—
Leg(s)	41	28,950	1,330	3,960	8,860	6,210	3,140	1,330	4,120
Leg(s), unspecified	410	2,150	30	380	690	430	150	80	390
Thigh(s)	411	780	—	110	310	120	30	20	190
Knee(s)	412	22,560	1,220	2,650	7,080	4,630	2,710	1,110	3,160

See footnotes at end of table.

TABLE L93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, local government, 2009 — Continued

Part of body	Part of body code ²	Local government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Lower leg(s)	413	2,280	80	790	580	430	120	80	200
Multiple leg(s) locations	418	1,150	—	20	180	600	120	40	180
Leg(s), n.e.c.	419	20	—	—	20	—	—	—	—
Ankle(s)	42	12,550	230	1,310	3,600	2,610	1,500	1,010	2,280
Foot(feet), except toe(s)	43	5,320	230	440	1,930	1,080	560	200	890
Foot(feet), except toe(s), unspecified ..	430	4,660	190	340	1,640	920	520	190	860
Instep(s)	431	30	—	20	—	—	—	—	—
Sole	432	430	30	40	130	160	30	—	30
Heel(s)	4323	410	30	40	120	150	30	—	30
Multiple foot(feet) locations	438	50	—	—	—	—	—	—	—
Foot(feet), n.e.c.	439	150	—	—	140	—	—	—	—
Toe(s), toenail(s)	44	1,340	—	330	410	430	80	40	50
Multiple lower extremities locations	48	2,640	20	190	830	500	510	250	330
Multiple lower extremities locations, unspecified	480	40	—	—	—	—	—	—	—
Foot(feet) and leg(s)	481	160	—	30	—	70	—	—	20
Foot(feet) and ankle(s)	482	700	—	90	170	90	60	170	130
Foot(feet) and toe(s)	483	130	—	—	30	20	—	40	30
Multiple lower extremities locations, n.e.c.	489	1,610	20	60	610	310	430	20	150
Lower extremities, n.e.c.	49	90	—	—	40	20	—	—	—
Body systems	5	4,140	100	430	1,020	620	480	270	1,210
Multiple body parts	8	32,610	720	3,140	9,630	7,280	3,030	2,550	6,270
Nonclassifiable	9999	2,290	40	60	200	290	170	40	1,480

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies