

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2010

Event or exposure	Event code ²	State government ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Total		69,490	4,160	1,000	1,340	19,170	11,010	4,450	12,200	2,750	3,740	2,020	2,540
Contact with objects and equipment	0	10,360	1,320	530	110	1,030	500	260	3,920	440	2,230	810	240
Contact with objects and equipment, unspecified	00	390	-	-	-	70	40	-	170	40	70	20	40
Struck against object or equipment	01	3,490	430	60	30	220	40	80	980	230	380	240	80
Struck against object or equipment, unspecified	010	140	20	-	-	-	-	-	30	-	20	-	-
Stepped on object	011	700	-	-	-	30	-	-	-	-	-	-	-
Struck against stationary object or equipment	012	1,840	300	30	20	100	20	30	630	160	190	200	50
Struck against moving object or equipment	013	250	-	-	-	40	-	30	50	-	50	-	-
Struck against object or equipment, n.e.c.	019	570	100	30	-	50	-	20	270	70	130	30	30
Struck by object or equipment	02	4,640	750	340	70	570	310	130	1,780	150	1,100	300	70
Struck by object or equipment, unspecified	020	260	50	-	-	70	50	-	30	-	30	-	-
Struck by falling object or equipment	021	1,280	130	-	30	130	80	20	240	40	90	50	20
Struck by flying object	022	480	330	220	-	20	-	-	60	20	30	-	-
Struck by flying object, unspecified	0220	90	60	-	-	20	-	-	-	-	-	-	-
Struck by dislodged flying object, particle ...	0221	260	200	170	-	-	-	-	30	-	20	-	-
Struck by discharged object or substance ...	0222	30	-	-	-	-	-	-	-	-	-	-	-
Struck by flying object, n.e.c.	0229	100	70	50	-	-	-	-	-	-	-	-	-
Struck by swinging or slipping object	023	1,880	120	20	-	230	80	70	1,280	50	870	220	40
Struck by swinging or slipping object, unspecified	0230	50	-	-	-	-	-	-	-	-	-	-	-
Struck by or slammed in swinging door or gate	0231	1,050	80	-	-	90	40	30	730	40	480	110	30
Struck by slipping handheld object	0232	660	30	-	-	80	30	40	470	-	330	110	-
Struck by swinging or slipping object, n.e.c.	0239	130	-	-	-	50	-	-	60	-	40	-	-
Struck by rolling, sliding objects or equipment on floor or ground level	024	220	-	-	-	30	30	-	-	-	-	-	-
Struck by object or equipment, n.e.c.	029	530	110	80	30	90	60	20	150	30	80	20	-
Caught in or compressed by equipment or objects	03	1,300	-	-	-	100	50	40	900	-	680	170	40
Caught in or compressed by equipment or objects, unspecified	030	220	-	-	-	-	-	-	170	-	60	100	-
Caught in running equipment or machinery	031	130	-	-	-	-	-	-	130	-	110	-	-
Compressed or pinched by rolling, sliding, or shifting objects	032	300	-	-	-	-	-	-	220	-	200	20	-
Caught in or compressed by equipment or objects, n.e.c.	039	660	-	-	-	90	50	30	390	-	300	40	30
Rubbed or abraded by friction or pressure	05	270	130	130	-	-	-	-	70	-	-	-	-
Rubbed or abraded by kneeling on surface	051	30	-	-	-	-	-	-	-	-	-	-	-
Rubbed or abraded by objects being handled	052	70	-	-	-	-	-	-	70	-	-	-	-
Rubbed or abraded by foreign matter in eye ...	053	130	130	130	-	-	-	-	-	-	-	-	-
Rubbed or abraded by friction or pressure, n.e.c.	059	40	-	-	-	-	-	-	-	-	-	-	-
Rubbed, abraded, or jarred by vibration	06	120	-	-	-	50	50	-	-	-	-	-	-
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	061	40	-	-	-	20	20	-	-	-	-	-	-
Rubbed, abraded, or jarred by vibration, n.e.c.	069	70	-	-	-	30	30	-	-	-	-	-	-
Contact with objects and equipment, n.e.c.	09	150	-	-	-	20	-	-	-	-	-	-	-
Falls	1	15,350	490	30	150	3,490	1,490	1,030	1,540	480	190	300	430

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2010 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Total	15,860	6,630	3,960	2,140	1,680	14,690	400
Contact with objects and equipment	3,310	760	810	1,090	—	660	20
Contact with objects and equipment, unspecified	110	50	30	20	—	20	—
Struck against object or equipment	1,610	500	580	300	—	230	—
Struck against object or equipment, unspecified	60	—	—	—	—	—	—
Stepped on object	660	60	490	90	—	—	—
Struck against stationary object or equipment	630	350	30	160	—	160	—
Struck against moving object or equipment	120	30	—	30	—	30	—
Struck against object or equipment, n.e.c.	130	60	20	—	—	30	—
Struck by object or equipment	1,140	140	60	650	—	320	—
Struck by object or equipment, unspecified	100	—	—	40	—	—	—
Struck by falling object or equipment	600	50	30	380	—	140	—
Struck by flying object	20	—	—	—	—	20	—
Struck by flying object, unspecified	—	—	—	—	—	—	—
Struck by dislodged flying object, particle ...	—	—	—	—	—	—	—
Struck by discharged object or substance ...	—	—	—	—	—	—	—
Struck by flying object, n.e.c.	—	—	—	—	—	—	—
Struck by swinging or slipping object	130	20	20	60	—	130	—
Struck by swinging or slipping object, unspecified	—	—	—	—	—	—	—
Struck by or slammed in swinging door or gate	40	20	—	20	—	100	—
Struck by slipping handheld object	70	—	20	30	—	—	—
Struck by swinging or slipping object, n.e.c.	—	—	—	—	—	—	—
Struck by rolling, sliding objects or equipment on floor or ground level	170	20	—	130	—	—	—
Struck by object or equipment, n.e.c.	120	50	—	30	—	20	—
Caught in or compressed by equipment or objects	220	20	60	100	—	60	—
Caught in or compressed by equipment or objects, unspecified	50	—	—	50	—	—	—
Caught in running equipment or machinery	—	—	—	—	—	—	—
Compressed or pinched by rolling, sliding, or shifting objects	50	—	20	30	—	—	—
Caught in or compressed by equipment or objects, n.e.c.	120	20	40	20	—	60	—
Rubbed or abraded by friction or pressure	70	30	—	30	—	—	—
Rubbed or abraded by kneeling on surface	30	30	—	—	—	—	—
Rubbed or abraded by objects being handled	—	—	—	—	—	—	—
Rubbed or abraded by foreign matter in eye ...	—	—	—	—	—	—	—
Rubbed or abraded by friction or pressure, n.e.c.	30	—	—	30	—	—	—
Rubbed, abraded, or jarred by vibration	50	—	—	—	—	—	—
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	—	—	—	—	—	—	—
Rubbed, abraded, or jarred by vibration, n.e.c.	—	—	—	—	—	—	—
Contact with objects and equipment, n.e.c.	110	—	—	—	—	—	—
Falls	4,640	2,180	1,090	310	—	4,920	100

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2010 — Continued

Event or exposure	Event code ²	State government ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Fall, unspecified	10	450	—	—	—	130	70	30	50	20	—	—	20
Fall to lower level	11	3,660	120	—	—	910	450	260	250	70	70	—	80
Fall to lower level, unspecified	110	40	—	—	—	20	—	—	—	—	—	—	—
Fall down stairs or steps	111	1,750	40	—	—	350	160	90	90	20	20	—	30
Fall from floor, dock, or ground level	112	630	20	—	—	180	120	20	20	—	—	—	—
Fall from floor, dock, or ground level, unspecified	1120	30	—	—	—	20	—	—	—	—	—	—	—
Fall through existing floor opening	1121	360	—	—	—	60	—	—	20	—	—	—	—
Fall through floor surface	1122	100	—	—	—	30	—	—	—	—	—	—	—
Fall from ground level to lower level	1124	130	—	—	—	60	40	20	—	—	—	—	—
Fall from ladder	113	360	20	—	—	90	30	50	30	—	—	—	—
Fall from scaffold, staging	116	20	—	—	—	—	—	—	—	—	—	—	—
Fall from nonmoving vehicle	118	280	—	—	—	90	40	40	20	—	—	—	20
Fall to lower level, n.e.c.	119	580	40	—	—	180	90	50	80	30	30	—	—
Jump to lower level	12	110	—	—	—	—	—	—	—	—	—	—	—
Jump to lower level, unspecified	120	30	—	—	—	—	—	—	—	—	—	—	—
Jump from structure, structural element, n.e.c.	122	20	—	—	—	—	—	—	—	—	—	—	—
Jump from nonmoving vehicle	123	20	—	—	—	—	—	—	—	—	—	—	—
Jump to lower level, n.e.c.	129	40	—	—	—	—	—	—	—	—	—	—	—
Fall on same level	13	11,030	370	30	150	2,420	950	740	1,230	380	120	280	320
Fall on same level, unspecified	130	20	—	—	—	—	—	—	—	—	—	—	—
Fall to floor, walkway, or other surface	131	10,140	270	—	140	2,110	870	630	1,070	370	40	220	310
Fall onto or against objects	132	860	100	30	—	300	80	110	150	—	70	60	—
Fall, n.e.c.	19	100	—	—	—	20	—	—	—	—	—	—	—
Bodily reaction and exertion	2	24,230	70	—	370	11,660	7,750	2,370	3,400	1,000	370	330	1,430
Bodily reaction and exertion, unspecified	20	810	30	—	—	320	180	30	80	30	30	—	—
Bodily reaction	21	9,340	40	—	140	2,990	2,420	240	390	190	110	50	30
Bodily reaction, unspecified	210	560	—	—	30	260	210	30	60	20	—	20	—
Bending, climbing, crawling, reaching, twisting	211	3,850	—	—	80	2,000	1,690	140	190	160	—	—	—
Sudden reaction when surprised, frightened, startled	212	90	—	—	—	—	—	—	—	—	—	—	—
Running without other incident	213	600	—	—	—	50	—	—	—	—	—	—	—
Sitting	214	30	—	—	—	20	20	—	—	—	—	—	—
Slip, trip, loss of balance without fall	215	2,090	—	—	—	380	300	30	—	—	—	—	—
Standing	216	60	—	—	—	—	—	—	—	—	—	—	—
Walking without other incident	217	950	—	—	—	40	20	—	—	—	—	—	—
Bodily reaction, n.e.c.	219	1,120	—	—	—	220	160	30	120	20	—	—	—
Overexertion	22	12,110	—	—	210	8,120	5,070	2,010	1,540	540	180	150	550
Overexertion, unspecified	220	820	—	—	20	550	350	150	80	30	—	—	30
Overexertion in lifting	221	4,150	—	—	70	3,200	2,130	530	560	260	20	80	170
Overexertion in pulling or pushing objects	222	1,980	—	—	30	1,360	700	490	260	60	40	—	120
Overexertion in holding, carrying, turning, or wielding objects	223	4,520	—	—	90	2,660	1,700	720	550	140	100	40	210
Overexertion in throwing objects	224	110	—	—	—	90	70	20	20	20	—	—	—
Overexertion, n.e.c.	229	520	—	—	—	260	120	100	80	20	20	—	20
Repetitive motion	23	1,770	—	—	—	180	70	90	1,380	230	50	130	840
Repetitive motion, unspecified	230	280	—	—	—	40	—	30	210	40	—	30	90
Typing or key entry	231	500	—	—	—	—	—	—	480	70	—	—	350
Repetitive use of tools	232	160	—	—	—	20	—	—	130	—	—	40	90
Repetitive placing, grasping, or moving objects, except tools	233	550	—	—	—	90	30	50	360	90	30	20	200
Repetitive motion, n.e.c.	239	290	—	—	—	20	20	—	190	40	—	30	110

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2010 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Fall, unspecified	110	30	30	—	—	150	—
Fall to lower level	1,370	630	300	100	—	1,010	—
Fall to lower level, unspecified	—	—	—	—	—	—	—
Fall down stairs or steps	720	270	210	60	—	550	—
Fall from floor, dock, or ground level	320	180	20	—	—	100	—
Fall from floor, dock, or ground level, unspecified	—	—	—	—	—	—	—
Fall through existing floor opening	200	170	—	—	—	70	—
Fall through floor surface	70	—	—	—	—	—	—
Fall from ground level to lower level	50	—	—	—	—	20	—
Fall from ladder	110	90	—	—	—	110	—
Fall from scaffold, staging	—	—	—	—	—	—	—
Fall from nonmoving vehicle	100	40	50	—	—	60	—
Fall to lower level, n.e.c.	100	40	—	20	—	190	—
Jump to lower level	100	20	50	—	—	—	—
Jump to lower level, unspecified	30	—	—	—	—	—	—
Jump from structure, structural element, n.e.c.	—	—	—	—	—	—	—
Jump from nonmoving vehicle	20	—	—	—	—	—	—
Jump to lower level, n.e.c.	30	—	—	—	—	—	—
Fall on same level	3,060	1,500	720	180	—	3,700	90
Fall on same level, unspecified	—	—	—	—	—	—	—
Fall to floor, walkway, or other surface	2,860	1,450	700	170	—	3,590	90
Fall onto or against objects	190	50	20	—	—	110	—
Fall, n.e.c.	—	—	—	—	—	50	—
Bodily reaction and exertion	5,920	2,590	1,910	500	250	2,530	20
Bodily reaction and exertion, unspecified	160	50	20	30	120	90	—
Bodily reaction	5,200	2,150	1,820	450	—	580	—
Bodily reaction, unspecified	180	100	20	—	—	20	—
Bending, climbing, crawling, reaching, twisting	1,280	660	360	110	—	290	—
Sudden reaction when surprised, frightened, startled	40	20	—	—	—	30	—
Running without other incident	520	240	50	80	—	30	—
Sitting	—	—	—	—	—	—	—
Slip, trip, loss of balance without fall	1,530	600	580	120	—	160	—
Standing	40	20	—	—	—	—	—
Walking without other incident	910	200	490	60	—	—	—
Bodily reaction, n.e.c.	690	320	270	60	—	40	—
Overexertion	560	380	80	20	—	1,670	—
Overexertion, unspecified	80	60	—	—	—	100	—
Overexertion in lifting	100	80	—	—	—	220	—
Overexertion in pulling or pushing objects	140	100	—	—	—	210	—
Overexertion in holding, carrying, turning, or welding objects	170	90	60	—	—	1,050	—
Overexertion in throwing objects	—	—	—	—	—	—	—
Overexertion, n.e.c.	80	50	—	—	—	90	—
Repetitive motion	—	—	—	—	—	200	—
Repetitive motion, unspecified	—	—	—	—	—	—	—
Typing or key entry	—	—	—	—	—	20	—
Repetitive use of tools	—	—	—	—	—	—	—
Repetitive placing, grasping, or moving objects, except tools	—	—	—	—	—	80	—
Repetitive motion, n.e.c.	—	—	—	—	—	70	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2010 — Continued

Event or exposure	Event code ²	State government ³	Part of body affected by the injury or illness ⁴											
			Head		Neck	Trunk			Upper extremities					
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist	
Bodily conditions, n.e.c.	25	170	—	—	—	50	—	—	—	—	—	—	—	—
Bodily reaction and exertion, n.e.c.	29	20	—	—	—	—	—	—	—	—	—	—	—	—
Exposure to harmful substances or environments	3	2,950	330	260	—	310	—	—	510	130	130	140	—	—
Exposure to harmful substances or environments, unspecified	30	200	20	—	—	50	—	—	—	—	—	—	—	—
Contact with electric current	31	40	—	—	—	—	—	—	—	—	—	—	—	—
Contact with electric current of machine, tool, appliance, or light fixture	311	20	—	—	—	—	—	—	—	—	—	—	—	—
Contact with electric current, n.e.c.	319	20	—	—	—	—	—	—	—	—	—	—	—	—
Contact with temperature extremes	32	550	—	—	—	40	—	—	230	30	40	90	—	—
Exposure to environmental heat	321	70	—	—	—	—	—	—	—	—	—	—	—	—
Contact with hot objects or substances	323	460	—	—	—	—	—	—	230	30	40	90	—	—
Contact with cold objects or substances	324	20	—	—	—	—	—	—	—	—	—	—	—	—
Exposure to caustic, noxious, or allergenic substances	34	1,670	300	250	—	200	—	—	260	100	80	60	—	—
Exposure to caustic, noxious, or allergenic substances, unspecified	340	300	30	—	—	40	—	—	30	—	—	—	—	—
Inhalation of substance	341	470	—	—	—	90	—	—	—	—	—	—	—	—
Inhalation of substance, unspecified	3410	100	—	—	—	20	—	—	—	—	—	—	—	—
Inhalation in enclosed, restricted, or confined space	3411	120	—	—	—	20	—	—	—	—	—	—	—	—
Inhalation in open or nonconfined space	3412	250	—	—	—	50	—	—	—	—	—	—	—	—
Contact with skin or other exposed tissue	342	490	150	140	—	30	—	—	80	40	—	20	—	—
Injections, stings, venomous bites	343	330	100	100	—	30	—	—	120	40	60	—	—	—
Needle sticks	3431	50	—	—	—	—	—	—	50	—	—	—	—	—
Bee, wasp, hornet sting	3432	150	100	100	—	—	—	—	20	—	20	—	—	—
Other stings or venomous bites	3433	90	—	—	—	—	—	—	30	30	—	—	—	—
Injections, stings, venomous bites, n.e.c. ...	3439	30	—	—	—	—	—	—	—	—	—	—	—	—
Exposure to caustic, noxious, or allergenic substances, n.e.c.	349	80	—	—	—	—	—	—	30	—	—	20	—	—
Exposure to traumatic or stressful event, n.e.c.	37	450	—	—	—	—	—	—	—	—	—	—	—	—
Exposure to harmful substances or environments, n.e.c.	39	20	—	—	—	—	—	—	—	—	—	—	—	—
Transportation accidents	4	4,160	220	—	340	800	600	90	330	80	20	100	70	—
Transportation accident, unspecified	40	300	50	—	20	130	110	—	—	—	—	—	—	—
Highway accident	41	3,230	160	—	300	550	430	70	210	20	—	90	60	60
Highway accident, unspecified	410	690	—	—	40	120	110	—	60	—	—	—	—	60
Collision between vehicles, mobile equipment	411	1,720	120	—	160	280	220	20	50	—	—	—	—	—
Collision between vehicles, mobile equipment, unspecified	4110	490	20	—	70	70	50	—	—	—	—	—	—	—
Moving in same direction	4112	670	—	—	30	100	90	—	30	—	—	—	—	—
Moving in opposite directions, oncoming	4113	70	—	—	—	—	—	—	—	—	—	—	—	—
Moving in intersection	4114	200	—	—	—	30	—	—	—	—	—	—	—	—
Moving and standing vehicle, mobile equipment in roadway	4115	210	—	—	40	70	70	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2010 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Bodily conditions, n.e.c.	—	—	—	—	110	—	—
Bodily reaction and exertion, n.e.c.	—	—	—	—	—	—	—
Exposure to harmful substances or environments	190	—	20	100	1,260	270	60
Exposure to harmful substances or environments, unspecified	—	—	—	—	130	—	—
Contact with electric current	—	—	—	—	30	—	—
Contact with electric current of machine, tool, appliance, or light fixture	—	—	—	—	—	—	—
Contact with electric current, n.e.c.	—	—	—	—	—	—	—
Contact with temperature extremes	120	—	—	90	90	60	—
Exposure to environmental heat	—	—	—	—	70	—	—
Contact with hot objects or substances	110	—	—	90	—	60	—
Contact with cold objects or substances	—	—	—	—	—	—	—
Exposure to caustic, noxious, or allergenic substances	80	—	20	—	570	210	60
Exposure to caustic, noxious, or allergenic substances, unspecified	—	—	—	—	70	100	30
Inhalation of substance	—	—	—	—	370	—	—
Inhalation of substance, unspecified	—	—	—	—	80	—	—
Inhalation in enclosed, restricted, or confined space	—	—	—	—	100	—	—
Inhalation in open or nonconfined space	—	—	—	—	200	—	—
Contact with skin or other exposed tissue	30	—	—	—	80	100	20
Injections, stings, venomous bites	40	—	20	—	20	—	—
Needle sticks	—	—	—	—	—	—	—
Bee, wasp, hornet sting	—	—	—	—	—	—	—
Other stings or venomous bites	20	—	20	—	—	—	—
Injections, stings, venomous bites, n.e.c.	—	—	—	—	—	—	—
Exposure to caustic, noxious, or allergenic substances, n.e.c.	—	—	—	—	—	—	—
Exposure to traumatic or stressful event, n.e.c.	—	—	—	—	450	—	—
Exposure to harmful substances or environments, n.e.c.	—	—	—	—	—	—	—
Transportation accidents	330	50	50	80	—	2,130	—
Transportation accident, unspecified	—	—	—	—	—	80	—
Highway accident	160	30	—	—	—	1,830	—
Highway accident, unspecified	—	—	—	—	—	460	—
Collision between vehicles, mobile equipment	150	30	—	—	—	950	—
Collision between vehicles, mobile equipment, unspecified	100	—	—	—	—	220	—
Moving in same direction	20	—	—	—	—	480	—
Moving in opposite directions, oncoming	20	—	—	—	—	40	—
Moving in intersection	—	—	—	—	—	80	—
Moving and standing vehicle, mobile equipment in roadway	—	—	—	—	—	80	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2010 — Continued

Event or exposure	Event code ²	State government ³	Part of body affected by the injury or illness ⁴											
			Head		Neck	Trunk			Upper extremities					
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist	
Moving and standing vehicle, mobile equipment side of road	4116	30	-	-	-	-	-	-	-	-	-	-	-	-
Collision between vehicles, mobile equipment, n.e.c.	4119	50	-	-	-	-	-	-	-	-	-	-	-	-
Vehicle struck object in roadway	412	90	-	-	-	50	-	-	-	-	-	-	-	-
Vehicle struck object on side of road	413	260	20	-	80	60	50	-	-	-	-	-	-	-
Noncollision accident	414	450	-	-	20	50	40	-	-	80	-	-	-	-
Jack-knifed or overturned no collision	4141	20	-	-	-	-	-	-	-	-	-	-	-	-
Ran off highway no collision	4142	250	-	-	-	-	-	-	-	-	-	-	-	-
Sudden start or stop, n.e.c.	4144	50	-	-	-	30	20	-	-	-	-	-	-	-
Noncollision accident, n.e.c.	4149	110	-	-	-	-	-	-	-	-	-	-	-	-
Nonhighway accident, except rail, air, water	42	340	-	-	20	70	30	-	-	80	-	-	-	-
Collision between vehicles or mobile equipment	421	30	-	-	-	-	-	-	-	-	-	-	-	-
Vehicle, mobile equipment struck stationary object	422	80	-	-	-	-	-	-	-	-	-	-	-	-
Noncollision accident	423	200	-	-	-	50	20	-	-	70	-	-	-	-
Fall from moving vehicle, mobile equipment	4231	110	-	-	-	-	-	-	-	70	-	-	-	-
Overtaken	4233	40	-	-	-	20	20	-	-	-	-	-	-	-
Loss of control	4234	20	-	-	-	-	-	-	-	-	-	-	-	-
Sudden start or stop, n.e.c.	4236	20	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian, nonpassenger struck by vehicle, mobile equipment	43	290	-	-	-	50	20	-	-	30	-	-	-	-
Pedestrian struck by vehicle, mobile equipment, unspecified	430	80	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian struck by vehicle, mobile equipment in roadway	431	130	-	-	-	40	20	-	-	-	-	-	-	-
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	433	70	-	-	-	-	-	-	-	20	-	-	-	-
Fires and explosions	5	80	-	-	-	-	-	-	-	30	-	-	-	-
Fire unintended or uncontrolled	51	50	-	-	-	-	-	-	-	30	-	-	-	-
Fire, n.e.c.	519	30	-	-	-	-	-	-	-	30	-	-	-	-
Explosion	52	40	-	-	-	-	-	-	-	-	-	-	-	-
Explosion, n.e.c.	529	30	-	-	-	-	-	-	-	-	-	-	-	-
Assaults and violent acts	6	11,960	1,710	140	350	1,810	630	690	2,420	590	780	320	350	
Assaults and violent acts, unspecified	60	430	60	20	-	30	-	-	130	30	-	-	-	
Assaults and violent acts by person(s)	61	11,260	1,650	120	340	1,770	630	680	2,200	550	630	300	350	
Assaults and violent acts by person(s), unspecified	610	3,280	160	40	70	590	220	300	630	120	210	110	140	
Biting	611	140	-	-	-	-	-	-	120	60	20	-	-	
Hitting, kicking, beating	612	4,360	1,250	60	150	710	200	210	490	150	150	70	90	
Squeezing, pinching, scratching, twisting	614	610	60	-	-	60	-	40	380	50	170	30	50	
Stabbing	615	100	-	-	-	30	-	-	-	-	-	-	-	
Assaults and violent acts by person(s), n.e.c.	619	2,750	170	20	110	380	190	120	570	170	70	80	60	
Assaults by animals	63	270	-	-	-	-	-	-	100	-	60	20	-	

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2010 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Moving and standing vehicle, mobile equipment side of road	—	—	—	—	—	20	—
Collision between vehicles, mobile equipment, n.e.c.	—	—	—	—	—	40	—
Vehicle struck object in roadway	—	—	—	—	—	40	—
Vehicle struck object on side of road	—	—	—	—	—	100	—
Noncollision accident	—	—	—	—	—	280	—
Jack-knifed or overturned no collision	—	—	—	—	—	20	—
Ran off highway no collision	—	—	—	—	—	240	—
Sudden start or stop, n.e.c.	—	—	—	—	—	—	—
Noncollision accident, n.e.c.	—	—	—	—	—	—	—
Nonhighway accident, except rail, air, water	40	—	—	—	—	130	—
Collision between vehicles or mobile equipment	—	—	—	—	—	—	—
Vehicle, mobile equipment struck stationary object	—	—	—	—	—	70	—
Noncollision accident	30	—	—	—	—	50	—
Fall from moving vehicle, mobile equipment	20	—	—	—	—	—	—
Overtaken	—	—	—	—	—	—	—
Loss of control	—	—	—	—	—	—	—
Sudden start or stop, n.e.c.	—	—	—	—	—	—	—
Pedestrian, nonpassenger struck by vehicle, mobile equipment	130	—	30	70	—	90	—
Pedestrian struck by vehicle, mobile equipment, unspecified	20	—	—	—	—	—	—
Pedestrian struck by vehicle, mobile equipment in roadway	60	—	—	60	—	20	—
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	40	—	20	—	—	—	—
Fires and explosions	—	—	—	—	20	20	—
Fire unintended or uncontrolled	—	—	—	—	—	—	—
Fire, n.e.c.	—	—	—	—	—	—	—
Explosion	—	—	—	—	—	20	—
Explosion, n.e.c.	—	—	—	—	—	20	—
Assaults and violent acts	1,390	1,020	70	70	120	4,080	70
Assaults and violent acts, unspecified	40	—	—	—	30	140	—
Assaults and violent acts by person(s)	1,310	1,000	70	60	90	3,840	60
Assaults and violent acts by person(s), unspecified	460	380	30	—	—	1,320	40
Biting	—	—	—	—	—	—	—
Hitting, kicking, beating	480	370	—	20	—	1,260	—
Squeezing, pinching, scratching, twisting	—	—	—	—	—	80	—
Stabbing	—	—	—	—	—	60	—
Assaults and violent acts by person(s), n.e.c.	360	250	30	30	60	1,100	—
Assaults by animals	40	—	—	—	—	100	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2010 — Continued

Event or exposure	Event code ²	State government ³	Part of body affected by the injury or illness ⁴											
			Head		Neck	Trunk			Upper extremities					
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist	
Nonvenomous bites	631	140	-	-	-	-	-	-	-	80	-	60	-	-
Assaults by animals, n.e.c.	639	110	-	-	-	-	-	-	-	-	-	-	-	-
Nonclassifiable	9999	390	-	-	-	80	30	20	50	-	20	-	-	-

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2010 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Nonvenomous bites	30	—	—	—	—	20	—
Assaults by animals, n.e.c.	—	—	—	—	—	80	—
Nonclassifiable	60	40	—	—	—	70	120

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Part of body codes: Head, Total = 00-09; Eyes = 032; Neck = 10-19; Trunk, Total = 20-29; Back = 23; Shoulder = 21; Upper extremities, Total = 30-39; Arm = 31; Finger = 34; Hand, except finger = 33; Wrist = 32; Lower extremities, Total = 40-49; Knee = 412; Ankle = 42; Foot, toe = 43, 44; Body systems = 5; Multiple body parts = 8;

All other body parts = remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies